

TRITANGENTS TO SMOOTH SEXTIC CURVES

ALEX DEGTYAREV

ABSTRACT. We prove that a smooth plane sextic curve can have at most 72 tritangents, whereas a smooth real sextic may have at most 66 real tritangents.

1. INTRODUCTION

Unless stated otherwise, all algebraic varieties in this paper are over \mathbb{C} .

1.1. Principal results. This paper concludes the study of the maximal number of straight lines in a smooth polarized $K3$ -surface. The most classical case, *viz.* that of spatial quartics $X \subset \mathbb{P}^3$, goes as far back as to F. Schur [25], where a smooth quartic with 64 lines was constructed. The upper bound of 64 lines was established in B. Segre [26]. A minor gap in Segre's argument was discovered and corrected by S. Rams and M. Schütt [22], and a complete classification of all large (*i.e.*, more than 52) configurations of lines was found in [7], where it was also shown that the maximal number of *real* lines in a *real* smooth quartic surface is 56. At present, the case of spatial quartics remains the best studied one: there are sharp upper bounds on the number of lines over algebraically closed fields of positive characteristic (see [3, 21, 22, 23]) and over \mathbb{R} (see [7]), partial bounds over \mathbb{Q} (see [5]), upper bounds for singular quartics, both $K3$ (see [29, 30]) and not (see [10]), explicit equations of quartics with many lines (see [7, 27, 31]), *etc.*

Lines in smooth polarized $K3$ -surfaces $X \rightarrow \mathbb{P}^{d+1}$ of all degrees $2d \geq 4$, both birational and hyperelliptic, have been studied in [4], where, among other results, sharp upper bounds, both over \mathbb{C} and over \mathbb{R} , have been obtained. An unexpected discovery is the fact that the configurations of lines simplify dramatically when the degree grows: asymptotically, for $2d \gg 0$, all lines are fiber components of a fixed elliptic pencil and, hence, their number does not exceed 24. The other side of the coin is that, in the smallest degree $2d = 2$, the dual adjacency graph of lines may be too large: the star of a single vertex is about as complicated as the whole graph of a quartic. For this reason, the case $2d = 2$ was left out as not feasible in [4]; it is treated in the present paper by somewhat different means (see §1.2).

In [5] it was conjectured that the maximal number of lines in a smooth 2-polarized $K3$ -surface is 144, with the maximum realized by the double plane $X \rightarrow \mathbb{P}^2$ ramified over the sextic curve

$$(1.1) \quad z_0^6 + z_1^6 + z_2^6 = 10(z_0^3 z_1^3 + z_1^3 z_2^3 + z_2^3 z_0^3).$$

(This equation is borrowed from Sh. Mukai [15], as the surface in question admits a faithful action of the Mukai group M_9 ; explicit equations of the predicted 144 lines

2000 *Mathematics Subject Classification.* Primary: 14J28; Secondary: 14H50, 14N20, 14N25.
Key words and phrases. $K3$ -surface, sextic curve, tritangent, Niemeier lattice.
The author was partially supported by the TÜBİTAK grant 118F413.

were found independently by D. Festi and Y. Zaytman, private communication.) The conjecture is motivated by the fact that, like Schur’s quartic [25] and some line maximizing sextics in \mathbb{P}^4 and octics in \mathbb{P}^5 (see [5, 4]), this surface minimizes the discriminant of a singular $K3$ -surface admitting a smooth model of a given degree. In the present paper we settle (in the affirmative) and extend the conjecture, see [Theorem 1.2](#), [Addendum 1.3](#), and [Theorem 1.4](#). We state our principal results in terms of tritangents to the ramification locus $C \subset \mathbb{P}^2$ (a smooth sextic curve) rather than lines in the surface $X \rightarrow \mathbb{P}^2$, dividing the numbers by 2 (see [§2.2](#) below for further details). Certainly, when speaking about tritangents, we allow the collision of some of the tangency points; in other words, a *tritangent* to a smooth sextic $C \subset \mathbb{P}^2$ is merely a line $L \subset \mathbb{P}^2$ such that the local intersection index $(L \circ C)_P$ at each intersection point $P \in L \cap C$ is even.

Theorem 1.2 (see [§9.1](#) and [§9.2](#)). *Let $t(C)$ denote the number of tritangents to a smooth sextic $C \subset \mathbb{P}^2$. Then either*

- $t(C) = 72$, and then C is the sextic given by [\(1.1\)](#), or
 - $t(C) = 66$, and then C is one of the two sextics described in [§9.1\(2\)](#), [\(3\)](#),
- or $t(C) \leq 65$.

Previously known bounds are $t(C) \leq 76$ in N. Elkies [8] (*cf.* [Corollary 2.7](#) below) and $t(C) \leq 108$ given by Plücker’s formulas.

Addendum 1.3 (see [§9.1](#)). *The number $t(C)$ as in [Theorem 1.2](#) takes all values in the set $\{0, 1, \dots, 65, 66, 72\}$ except, possibly, 61.*

Twelve sextics (six configurations of lines) with $62 \leq t(C) \leq 65$ are described in [§9.1\(4\)–\(9\)](#), but we do not assert the completeness of this list. In spite of extensive, although not exhaustive, search, we could not find a sextic with 61 tritangents. There are reasons (*e.g.*, [Corollary 2.7](#) below or the large number of sextics with 60 tritangents) to believe that 61 is a natural threshold in the problem, but taking the classification down to 61 tritangents would require too much computing power.

As a by-product of the partial classification given by [Theorem 1.2](#), we obtain a sharp upper bound on the number of real tritangents to a real sextic.

Theorem 1.4 (see [§9.3](#)). *The number of real tritangents to a real smooth (over \mathbb{C}) sextic $C \subset \mathbb{P}^2$ does not exceed 66. Up to real projective transformation, a smooth real sextic with 66 real tritangents is unique, see [§9.1\(2\)](#).*

1.2. Contents of the paper. As in [4, 7], the line counting problem has a simple arithmetical reduction (see [Theorem 2.1](#)): one can effectively decide whether a given graph Γ can serve as the Fano graph of a polarized $K3$ -surface. The candidates Γ to be tried were constructed in [4, 7] line by line, starting from a sufficiently large and sufficiently simple graph. Unfortunately, this straightforward approach seems to diverge in the case of degree 2, and we choose another one, *viz.* we replant the prospective Néron–Severi lattice $NS := \mathbb{Z}\Gamma / \ker$ to an appropriate Niemeier lattice. (This idea is not new, *cf.* Kondō [11], Nikulin [18], Nishiyama [19], *etc.* The novelty is the fact that, as we need to keep track of the polarization, we have to rebuild the *hyperbolic* lattice NS to embed it to a definite lattice. This construction is explained in [§2.4](#), see [Proposition 2.4](#).) Then, instead of dealing with abstract graphs of *a priori* unbounded complexity, we merely need to consider subsets \mathfrak{L} of several finite sets $\mathfrak{F}(\hbar)$ *known in advance*. The precise arithmetical conditions on the subsets \mathfrak{L} that may serve as Fano graphs are stated in [§2.5](#) and [§2.6](#).

This approach has a number of advantages. First, for most 6-polarized Niemeier lattices $N \ni \hbar$ we have an immediate bound $|\mathfrak{L}| \leq 130$ (often even $|\mathfrak{F}(\hbar)| \leq 130$) obtained as explained in §4. Second, the sets $\mathfrak{F}(\hbar)$ have rich intrinsic structure, splitting into orbits and combinatorial orbits (see §3.1), which can be used in the construction of large geometric subsets: instead of building them line-by-line from the scratch, we try to patch together precomputed close to maximal intersections with the combinatorial orbits. These algorithms are described in §3. Finally, since we are working with known sets, all symmetry groups can be expressed in terms of permutations, which makes the computation in GAP [9] extremely effective.

In §5–§8 we treat, one by one, the 23 Niemeier lattices rationally generated by roots, outlining the details of the computation in those few cases where the *a priori* upper bound $|\mathfrak{L}| \leq 130$ fails. In §9, we draw a formal punch-line, collecting together our findings for individual Niemeier lattices and completing the proofs of the principal results of the paper.

1.3. Acknowledgements. I would like to express my gratitude to Noam Elkies, Dino Festi, Dmitrii Pasechnik, Ichiro Shimada, and Davide Veniani for a number of fruitful discussions concerning the subject. This paper was completed during my research stay at the *Max-Planck-Institut für Mathematik*, Bonn; I am grateful to this institution for its hospitality and financial support.

2. THE REDUCTION

The tritangent problem is reduced to an arithmetical question about the Néron–Severi lattice $NS(X)$ of a smooth 2-polarized $K3$ -surface X , see Theorem 2.1. The construction of §2.4, combined with Proposition 2.4, replants $NS(X)$ to a Niemeier lattice. The invertibility of this construction is discussed in §2.6.

2.1. Lattices (see [17]). The principal goal of this section is fixing the terminology and notation. A *lattice* is a free abelian group L of finite rank equipped with a symmetric bilinear form $b: L \otimes L \rightarrow \mathbb{Z}$. Since b is assumed fixed (and omitted from the notation), we abbreviate $x \cdot y := b(x, y)$ and $x^2 := b(x, x)$. A lattice L is *even* if $x^2 = 0 \pmod{2}$ for all $x \in L$; otherwise, L is *odd*. The *determinant* $\det L \in \mathbb{Z}$ is the determinant of the Gram matrix of b in any integral basis; L is called *nondegenerate* (*unimodular*) if $\det L \neq 0$ (respectively, $\det L = \pm 1$). The *inertia indices* $\sigma_{\pm} L$ are those of $L \otimes \mathbb{R}$. A nondegenerate lattice L is called *hyperbolic* if $\sigma_+ L = 1$.

The *hyperbolic plane* is the only unimodular even lattice of rank 2. Explicitly, $\mathbf{U} = \mathbb{Z}a + \mathbb{Z}b$, where $a^2 = b^2 = 0$ and $a \cdot b = 1$. One has $\sigma_+ \mathbf{U} = \sigma_- \mathbf{U} = 1$.

A nondegenerate lattice L admits a canonical inclusion

$$L \hookrightarrow L^{\vee} := \{x \in L \otimes \mathbb{Q} \mid x \cdot y \in \mathbb{Z} \text{ for all } y \in L\}$$

to the dual group L^{\vee} . The finite abelian group $\mathcal{L} := \text{discr } L := L^{\vee}/L$ (q_L in [17]) is called the *discriminant group* of L . Clearly, $|\mathcal{L}| = (-1)^{\sigma_- L} \det L$. This group is equipped with the nondegenerate symmetric bilinear form

$$\mathcal{L} \otimes \mathcal{L} \rightarrow \mathbb{Q}/\mathbb{Z}, \quad (x \pmod{L}) \otimes (y \pmod{L}) \mapsto (x \cdot y) \pmod{\mathbb{Z}},$$

and, if L is even, its quadratic extension

$$\mathcal{L} \rightarrow \mathbb{Q}/2\mathbb{Z}, \quad x \pmod{L} \mapsto x^2 \pmod{2\mathbb{Z}}.$$

We denote by $\mathcal{L}_p := \text{discr}_p L := \mathcal{L} \otimes \mathbb{Z}_p$ the p -primary components of $\text{discr } L$. The 2-primary component \mathcal{L}_2 is called *even* if $x^2 \in \mathbb{Z}$ for all order 2 elements $x \in \mathcal{L}_2$;

otherwise, \mathcal{L}_2 is *odd*. The *determinant* $\det \mathcal{L}_p$ is the determinant of the “Gram matrix” of the quadratic form in any minimal set of generators. (This is equivalent to the alternative definition given in [17].) Unless $p = 2$ and \mathcal{L}_2 is odd (in which case the determinant is not defined or used), we have $\det \mathcal{L}_p = u_p/|\mathcal{L}_p|$, where u_p is a well-defined element of $\mathbb{Z}_p^\times/(\mathbb{Z}_p^\times)^2$.

The *length* $\ell(\mathcal{A})$ of a finite abelian group \mathcal{A} is the minimal number of generators of \mathcal{A} . We abbreviate $\ell_p(\mathcal{A}) := \ell(\mathcal{A} \otimes \mathbb{Z}_p)$ for a prime p .

Given a lattice L and $q \in \mathbb{Q}$, we use the notation $L(q)$ for the same abelian group with the form $x \otimes y \mapsto q(x \cdot y)$, assuming that it is still a lattice. We abbreviate $-L := L(-1)$, and this notation applies to discriminant forms as well. The notation nL , $n \in \mathbb{Z}_+$, is used for the orthogonal direct sum of n copies of L .

A *root* in an even lattice L is a vector of square ± 2 . A *root system* is a positive definite lattice generated by roots. Any root system has a unique decomposition into orthogonal direct sum of irreducible components, which are of types \mathbf{A}_n , $n \geq 1$, \mathbf{D}_n , $n \geq 4$, \mathbf{E}_6 , \mathbf{E}_7 , or \mathbf{E}_8 (see, e.g., [1]), according to their *Dynkin diagrams*.

A *Niemeyer lattice* is a positive definite unimodular even lattice of rank 24. Up to isomorphism, there are 24 Niemeier lattices (see [16]): the *Leech lattice* Λ , which is root free, and 23 lattices *rationaly* generated by roots. In the latter case, the isomorphism class of a lattice $N := N(D)$ is uniquely determined by that of its maximal root system D . For more details, see [2].

2.2. The covering $K3$ -surface. Given a smooth sextic curve $C \subset \mathbb{P}^2$, the double covering $\varphi: X \rightarrow \mathbb{P}^2$ ramified over C is a $K3$ -surface. The “hyperplane section” $\varphi^* \mathcal{O}_{\mathbb{P}^2}(1)$ is a 2-*polarization* of X , i.e., a complete fixed point free degree 2 linear system; it is viewed as an element

$$h \in \text{Pic } X = \text{NS}(X) \subset H_2(X; \mathbb{Z}) \cong -2\mathbf{E}_8 \oplus 3\mathbf{U}.$$

Here, the group $H_2(X; \mathbb{Z}) = H^2(X; \mathbb{Z})$ is regarded as a lattice *via* the intersection form; it can be characterized as the only unimodular even lattice of rank 22 and signature $\sigma_+ - \sigma_- = -16$. The *Néron-Severi lattice* $\text{NS}(X) = H^{1,1}(X) \cap H_2(X; \mathbb{Z})$ is a primitive hyperbolic sublattice; in particular, $\rho(X) := \text{rk } \text{NS}(X) \leq 20$.

Conversely, any 2-polarization h of a $K3$ -surface X gives rise to a degree 2 map $\varphi_h: X \rightarrow \mathbb{P}^2$ ramified over a sextic curve $C \subset \mathbb{P}^2$ (see [24]). This curve is smooth if and only if no (-2) -curve is contracted by φ_h , or, equivalently, there is no class $e \in \text{NS}(X)$ such that $e^2 = -2$ and $e \cdot h = 0$. With the ramification locus in mind, a 2-polarized $K3$ -surface (X, h) with this extra property is called *smooth*.

A *line* in a 2-polarized $K3$ -surface (X, h) is a smooth rational curve $L \subset X$ such that $L \cdot h = 1$. Any two distinct lines $L_1, L_2 \subset X$ either are disjoint, $L_1 \cdot L_2 = 0$, or intersect at a single point, $L_1 \cdot L_2 = 1$, or intersect at three points, $L_1 \cdot L_2 = 3$, the latter being the case if and only if L_1, L_2 are interchanged by the deck translation of the covering $\varphi_h: X \rightarrow \mathbb{P}^2$. Since, on the other hand, $L^2 = -2$, each line is unique in its homology class $[L] \in \text{NS}(X)$. Each 2-polarized $K3$ -surface has finitely many lines (typically none). The *Fano graph* $\text{Fn}(X, h)$ is the set of lines in X in which each pair of lines L_1, L_2 (regarded as vertices of the graph) is connected by an edge of multiplicity $L_1 \cdot L_2$ (i.e., no edge, simple edge, or triple edge).

Let $C \subset \mathbb{P}^2$ be a smooth sextic and $\varphi: X \rightarrow \mathbb{P}^2$ the covering $K3$ -surface. If $L \subset \mathbb{P}^2$ is a tritangent to C , its pull-back $\varphi^{-1}(L)$ splits into two lines L_1, L_2 ; they intersect at the three points of tangency of L and C (possibly, infinitely near) and are interchanged by the deck translation τ of φ . Conversely, any line in X projects

to a tritangent to C . Thus, the set of tritangents to C is identified with $\text{Fn } X / *$, where the free involution $*$: $\text{Fn } X \rightarrow \text{Fn } X$ induced by τ is intrinsic to the graph: it sends a vertex L to the only vertex connected to L by a triple edge.

2.3. The arithmetic reduction of the tritangent problem. Throughout this paper, by a *2-polarized lattice* we mean a hyperbolic even lattice NS equipped with a distinguished class $h \in NS$ of square $h^2 = 2$. The *Fano graph* of a 2-polarized lattice $NS \ni h$ is the set

$$\text{Fn}(NS, h) := \{l \in NS \mid l^2 = -2, l \cdot h = 1\}$$

with two points (vertices) l_1, l_2 connected by an edge of multiplicity $l_1 \cdot l_2$. This graph is equipped with a natural involution

$$l \mapsto l^* := h - l;$$

the vertex l^* , called the *dual* of l , is connected to l by a triple edge.

Usually, we assume, in addition, that the orthogonal complement $h^\perp \subset NS$ is root free. Under this additional assumption,

for $l_1, l_2 \in \text{Fn}(NS, h)$, one has $l_1 \cdot l_2 = 3$ (iff $l_1 = l_2^*$), 1, 0, or -2 (iff $l_1 = l_2$);

hence, all edges of $\text{Fn}(NS, h)$ other than (l, l^*) are simple.

The following statement is well known: it follows from the global Torelli theorem for $K3$ -surfaces [20], surjectivity of the period map [12], and Saint-Donat's results on projective $K3$ -surfaces [24] (cf. also [7, Theorem 3.11] or [5, Theorem 7.3]).

Theorem 2.1. *A graph Γ is the Fano graph of a smooth 2-polarized $K3$ -surface if and only if $\Gamma \cong \text{Fn}(NS, h)$ for some 2-polarized lattice $NS \ni h$ admitting a primitive embedding $NS \hookrightarrow -2\mathbf{E}_8 \oplus 3\mathbf{U}$ and such that $h^\perp \subset NS$ is root free. \triangleleft*

2.4. Embedding to a Niemeier lattice. Let $NS \ni h$ be a 2-polarized lattice. Consider the orthogonal complement $h^\perp \subset NS$. Each vector $l \in \text{Fn}(NS, h)$ projects to $l' := l - \frac{1}{2}h \in (h^\perp)^\vee$, and, assuming $\text{Fn}(NS, h) \neq \emptyset$, there is a unique index 2 extension

$$(2.2) \quad -S \supset h^\perp \oplus \mathbb{Z}h, \quad h^2 = -6,$$

containing all vectors $l' + \frac{1}{2}h$, $l \in \text{Fn}(NS, h)$. The lattice $S := S(NS, h)$ obtained from $-S$ by reverting the sign of the binary form is positive definite, and there is an obvious canonical bijection between $\text{Fn}(NS, h)$ and the set

$$\mathfrak{L} = \mathfrak{L}(S, h) := \{l \in S \mid l^2 = 4 \text{ and } l \cdot h = 3\};$$

the elements of \mathfrak{L} are called *lines* in S . Furthermore, the sublattice $h^\perp \subset NS$ is root free if and only if so is $h^\perp \subset S$; in this case, we call $S \ni h$ *admissible*.

For the images $l_1, l_2 \in \mathfrak{L}$ of two lines $l'_1, l'_2 \in \text{Fn}(NS, h)$ one has $l_1 \cdot l_2 = 2 - l'_1 \cdot l'_2$. Hence, if $S \ni h$ is admissible, then

$$(2.3) \quad \text{for } l_1, l_2 \in \mathfrak{L}, \text{ one has } l_1 \cdot l_2 = -1 \text{ (iff } l_1 = l_2^*), 1, 2, \text{ or } 4 \text{ (iff } l_1 = l_2).$$

We say that l_1, l_2 *intersect* (are *disjoint*) if $l_1 \cdot l_2 = 1$ (respectively, $l_1 \cdot l_2 = 2$). Accordingly, we regard \mathfrak{L} as a graph, with two distinct vertices l_1, l_2 connected by a simple (triple) edge whenever $l_1 \cdot l_2 = 1$ (respectively, $l_1 \cdot l_2 = -1$.)

Proposition 2.4. *Let $NS \ni h$ be a primitive 2-polarized sublattice of $-2\mathbf{E}_8 \oplus 3\mathbf{U}$, $\text{Fn}(NS, h) \neq \emptyset$, and let $S := S(NS, h)$ be the lattice constructed as in (2.2). Then*

- (1) S admits a primitive embedding to a Niemeier lattice N ;

- (2) S admits an embedding $S \hookrightarrow N$ to a Niemeier lattice such that the torsion of N/S is a 3-group and S is orthogonal to a root $\bar{r} \in N$.

Proof. Denote $\rho := \text{rk } NS$ and $\mathcal{N} := \text{discr } NS$, so that we have $\ell(\mathcal{N}) \leq 22 - \rho$ by Theorem 1.12.2 in [17]. Since $h \notin 2NS^\vee$ (by the assumption that $\text{Fn}(NS, h) \neq \emptyset$), we have

$$\text{discr } h^\perp = \langle \tfrac{1}{2}h \rangle \oplus \mathcal{N}, \quad (\tfrac{1}{2}h)^2 = \tfrac{3}{2} \pmod{2\mathbb{Z}},$$

and the construction changes this to

$$\text{discr } S = \langle \tfrac{1}{2}\bar{h} \rangle \oplus (-\mathcal{N}), \quad (\tfrac{1}{2}\bar{h})^2 = \tfrac{2}{3} \pmod{2\mathbb{Z}}.$$

In particular, $\ell(\text{discr } S) \leq \ell(\mathcal{N}) + 1 < 24 - \rho$, and Theorem 1.12.2 in [17] implies the existence of a primitive embedding $S \hookrightarrow N$. For the second statement, we compute

$$\mathcal{S} := \text{discr}(S \oplus \mathbb{Z}\bar{r}) = \langle \tfrac{1}{2}\bar{h} \rangle \oplus \langle \tfrac{1}{2}\bar{r} \rangle \oplus (-\mathcal{N}), \quad (\tfrac{1}{2}\bar{r})^2 = \tfrac{1}{2} \pmod{2\mathbb{Z}}.$$

This time we have $\ell(\mathcal{S}_p) = \ell(\mathcal{N}_p) < 23 - \rho = 24 - \text{rk}(S \oplus \mathbb{Z}\bar{r})$ for each prime $p > 3$, whereas $\ell(\mathcal{S}_p) = \ell(\mathcal{N}_p) + 1 \leq 24 - \text{rk}(S \oplus \mathbb{Z}\bar{r})$ for $p = 2, 3$. Since \mathcal{S}_2 is odd, the possible equality does not impose any extra restriction at $p = 2$. For $p = 3$, in the case of equality, the “wrong” determinant $\det(-\mathcal{S}_3) = -|\mathcal{S}| \pmod{(\mathbb{Z}_3^\times)^2}$ does inhibit the existence of a primitive embedding. However, since $\ell(\mathcal{S}_3) \geq 3$ in this case, we may pass to an iterated index 3 extension and reduce the length. \square

2.5. Admissible sets. In the rest of the paper, we mainly use statement (2) of Proposition 2.4: it lets us avoid the Leech lattice, although at the expense of the possible imprimitivity (which makes some statements somewhat weaker and more complicated, see, e.g., Proposition 2.9 below). The idea is to construct a lattice S (or, rather, its set of lines) directly inside a Niemeier lattice. Thus, we fix a Niemeier lattice N , a square 6 vector $\bar{h} \in N$, and, optionally, a root $\bar{r} \in \bar{h}^\perp$ (which is typically omitted from the notation). Consider the set

$$\mathfrak{F} := \mathfrak{F}(\bar{h}) := \{l \in N \mid l^2 = 4, l \cdot \bar{h} = 3 \text{ (and } l \cdot \bar{r} = 0)\}.$$

It is equipped with the involution

$$*: l \mapsto l^* := \bar{h} - l.$$

The elements of $\mathfrak{F}(\bar{h})$ are called *lines*. The *span* of a subset $\mathfrak{L} \subset \mathfrak{F}(\bar{h})$ is the lattice

$$\text{span } \mathfrak{L} := (\mathbb{Z}_3\mathfrak{L} + \mathbb{Z}_3\bar{h}) \cap N \subset N.$$

If \mathfrak{L} is symmetric, $\mathfrak{L}^* = \mathfrak{L}$, the summation with $\mathbb{Z}_3\bar{h}$ is redundant as $\bar{h} \in \mathbb{Z}\mathfrak{L}$. On a few occasions, we also consider the *integral* and *rational span*

$$\text{span}_{\mathbb{Z}} \mathfrak{L} := (\mathbb{Z}\mathfrak{L} + \mathbb{Z}\bar{h}) \cap N \subset \text{span } \mathfrak{L} \subset \text{span}_{\mathbb{Q}} \mathfrak{L} := (\mathbb{Q}\mathfrak{L} + \mathbb{Q}\bar{h}) \cap N.$$

(The latter is primitive in N .) Via span, we extend to subsets $\mathfrak{L} \subset \mathfrak{F}(\bar{h})$ much of the terminology applied to lattices. Thus, the *rank* of \mathfrak{L} is $\text{rk } \mathfrak{L} := \text{rk span } \mathfrak{L}$, and we say that \mathfrak{L} is *generated* by a subset $\mathfrak{L}' \subset \mathfrak{L}$ if $\mathfrak{L} = \mathfrak{F}(\bar{h}) \cap \text{span } \mathfrak{L}'$.

By definition, the torsion of $N/\text{span } \mathfrak{L}$ is a 3-group and $\bar{h} \in 3(\text{span } \mathfrak{L})^\vee$. A finite index extension $S \supset \text{span } \mathfrak{L}$ is called *mild* if $S \subset \{v \in N \mid v \cdot \bar{h} = 0 \pmod{3}\}$ (i.e., $S \subset N$ and still $\bar{h} \in 3S^\vee$) and S contains no roots $r \in \bar{h}^\perp \subset N$.

Definition 2.5. A subset $\mathfrak{L} \subset \mathfrak{F}(\bar{h})$ is called *admissible* if

- (1) \mathfrak{L} is *symmetric* (or $*$ -invariant), i.e., $\mathfrak{L}^* = \mathfrak{L}$, and
- (2) the sublattice $\bar{h}^\perp \cap \text{span } \mathfrak{L}$ contains no roots.

A subset $\mathfrak{L} \subset \mathfrak{F}(\hbar)$ is *complete* if $\mathfrak{L} = \mathfrak{F}(\hbar) \cap \text{span } \mathfrak{L}$. A subset \mathfrak{L} is *saturated* if the identity $\mathfrak{L} = \mathfrak{F}(\hbar) \cap S$ holds for any mild extension $S \supset \text{span } \mathfrak{L}$.

Often, it is easier to check (2.3), which follows from (1), (2) above. Indeed, since S is definite, we have $-1 \leq l_1 \cdot l_2 \leq 4$. Thus, forbidden are $l_1 \cdot l_2 = 3$ or 0 , as then $l_1 - l_2$ or $l_1 - l_2^* = l_1 + l_2 - \hbar$, respectively, would be a root in \hbar^\perp .

The following bound is due to N. Elkies.

Theorem 2.6 (N. Elkies, [8]). *Let V be a Euclidean vector space, $\dim V = n$, and let $v_1, \dots, v_N \in V$ be a collection of unit vectors such that the products $v_i \cdot v_j$, $i \neq j$, take but two values τ_1, τ_2 . Assume that $\tau_1 + \tau_2 \leq 0$ and $1 + \tau_1\tau_2n > 0$. Then*

$$N \leq \frac{(1 - \tau_1)(1 - \tau_2)n}{1 + \tau_1\tau_2n}.$$

Selecting a single vector from each pair $l, l^* \in \mathfrak{L}$ and applying Theorem 2.6 to the normalized projections to $\hbar^\perp \subset \text{span } \mathfrak{L}$, we arrive at the following corollary.

Corollary 2.7 (N. Elkies [8]). *The size of an admissible set \mathfrak{L} is bounded via*

$$|\mathfrak{L}| \leq \frac{48(\text{rk } \mathfrak{L} - 1)}{26 - \text{rk } \mathfrak{L}}.$$

Since $|\mathfrak{L}|$ is even, this gives us $|\mathfrak{L}| \leq 152$ or 122 for $\text{rk } \mathfrak{L} = 20$ or 19 , respectively.

2.6. Geometric sets. According to Theorem 2.1 and Proposition 2.4, the Fano graph of any smooth 2-polarized K3-surface X can be represented as a complete admissible subset $\mathfrak{L} \subset \mathfrak{F}(\hbar)$ for an appropriate pair $\hbar, \bar{r} \in N$ as in §2.5.

For some lattices (those with few roots), the admissibility condition is not enough to eliminate large sets of lines, and we need to use the full range of restrictions. Recall that we start with the Néron–Severi lattice $NS(X) \ni \hbar$, which we can assume (by perturbing the period of X) rationally generated by $\text{Fn}(X)$. Then, we pass to the positive definite lattice $S \ni \hbar$ as in (2.2) and embed the latter to a Niemeier lattice N , mapping $\text{Fn}(X)$ bijectively onto the admissible set $\mathfrak{L} = \mathfrak{F}(\hbar) \cap S$. Most steps of this construction are invertible. However, starting from an admissible set $\mathfrak{L} \subset \mathfrak{F}(\hbar)$, we may have to take for S a mild extension of $\text{span } \mathfrak{L}$ rather than $\text{span } \mathfrak{L}$ itself and, still, we cannot guarantee that the lattice NS obtained from S by the backward construction admits a primitive embedding to $-2\mathbf{E}_8 \oplus 3\mathbf{U}$. This motivates the following definition.

Definition 2.8. An admissible set $\mathfrak{L} \subset \mathfrak{F}(\hbar)$ is called *geometric* if \mathfrak{L} is complete in some mild extension $S \supset \text{span } \mathfrak{L}$ such that the lattice NS obtained from $S \ni \hbar$ by the inverse of construction (2.2) admits a primitive embedding to $-2\mathbf{E}_8 \oplus 3\mathbf{U}$.

Using Theorem 1.12.2 in [17], one can recast this property as follows. (For a mild extension $S \supset \text{span } \mathfrak{L}$ there is a splitting $\text{discr } S = \langle \frac{1}{2}\hbar \rangle \oplus \mathcal{T}$, and we merely restate the restrictions on $\mathcal{T} \cong -\text{discr } NS$ in terms of $\text{discr } S$.)

Proposition 2.9. *Let $N \ni \hbar$ be as above. An admissible set $\mathfrak{L} \subset \mathfrak{F}(\hbar)$ is geometric if and only if:*

- (1) $\text{rk } \mathfrak{L} \leq 20$; we denote $\delta := 22 - \text{rk } \mathfrak{L} \geq 2$, and

there is a mild extension $S \supset \text{span } \mathfrak{L}$ in which \mathfrak{L} is a complete subset and such that the discriminant $\mathcal{S} := \text{discr } S$ has the following properties at each prime p :

- (2) *if $p > 3$, then either $\ell(\mathcal{S}_p) < \delta$ or $\ell(\mathcal{S}_p) = \delta$ and $\det \mathcal{S}_p = 3|\mathcal{S}| \pmod{(\mathbb{Q}_p^\times)^2}$;*

- (3) either $\ell(\mathcal{S}_2) < \delta$ or $\ell(\mathcal{S}_2) = \delta$ and \mathcal{S}_2 is odd or $\det \mathcal{S}_2 = \pm 3|\mathcal{S}| \bmod (\mathbb{Q}_2^\times)^2$;
(4) either $\ell(\mathcal{S}_3) \leq \delta$ or $\ell(\mathcal{S}_3) = \delta + 1$ and $\det \mathcal{S}_3 = |\mathcal{S}| \bmod (\mathbb{Q}_3^\times)^2$.

Remark 2.10. In practice, when eliminating large admissible sets, we use just a few simple consequences of [Proposition 2.9](#). The main rôle is played by condition (1), see [§3.2.1](#) below. Then, conditions (2) and (3) are used, as they apply directly to the original discriminant $\text{discr}_p(\text{span } \mathfrak{L}) = \mathcal{S}_p$, $p \neq 3$. Condition (4) is typically used when there is an obvious maximal mild extension, and we never insist that \mathfrak{L} should be complete in S , thus eliminating both \mathfrak{L} itself and all its oversets.

3. THE APPROACH

Throughout this section, we consider a Niemeier lattice $N := N(D)$ generated over \mathbb{Q} by a fixed root system $D = \bigoplus_k D_k$, $k \in \Omega$, where D_k are the irreducible components (*aka* Dynkin diagrams) and Ω is the index set. We construct N as a subgroup of $\bigoplus_i D_i^\vee$; the vectors in

$$\text{discr } D := D^\vee/D = \bigoplus_k \text{discr } D_k$$

that are declared “integral” are as described in [\[2\]](#). (We also use the convention of [\[2\]](#) for the numbering of the discriminant classes of irreducible root systems.) We denote by $O := O(N)$ the full orthogonal group of N , and by $R := R(N) \subset O(N)$ its subgroup generated by reflections. Both groups preserve D ; the reflection group $R(N)$ preserves each D_k and acts identically on $\text{discr } D$.

3.1. Notation. We fix a square 6 vector $\bar{h} \in N$ and, sometimes, a root $\bar{r} \in D$ orthogonal to \bar{h} . (This root is usually omitted from the notation.) We denote by $O_{\bar{h}}(N) \subset O(N)$ and $R_{\bar{h}}(N) \subset R(N)$ the subgroups stabilizing \bar{h} (and \bar{r}). Let

$$\mathfrak{F} = \mathfrak{F}(\bar{h}) = \mathfrak{F}(\bar{h}, \bar{r}) := \{l \in N \mid l^2 = 4, l \cdot \bar{h} = 3 \text{ (and } l \cdot \bar{r} = 0)\}$$

be the set of lines. This set splits into a number of $O_{\bar{h}}(N)$ -orbits $\bar{\mathfrak{o}}_n$, which split further into $R_{\bar{h}}(N)$ -orbits $\mathfrak{o} \subset \bar{\mathfrak{o}}_n$; the latter are called *combinatorial orbits*. It is immediate that the duality $l \mapsto l^*$ preserves orbits and combinatorial orbits; hence, we can speak about the dual orbits $\bar{\mathfrak{o}}_n^*$ and \mathfrak{o}^* . The number of combinatorial orbits in an orbit $\bar{\mathfrak{o}}_n$ is denoted by $m(\bar{\mathfrak{o}}_n)$. The set of all combinatorial orbits is denoted by $\mathfrak{D} := \mathfrak{D}(\bar{h})$. This set inherits a natural action of the group

$$\text{stab } \bar{h} := O_{\bar{h}}(N)/R_{\bar{h}}(N),$$

which preserves each orbit $\bar{\mathfrak{o}}_n$. (By an obvious abuse of notation, occasionally we treat $\bar{\mathfrak{o}}_n$ as a subset of \mathfrak{D} ; likewise, subsets of \mathfrak{D} are sometimes treated as sets of lines.) We denote by $\text{Orb}_m(\bar{\mathfrak{o}}_n, k)$ the length m orbit of the action of $\text{stab } \bar{h}$ on the set of unordered $*$ -invariant (if so is $\bar{\mathfrak{o}}_n$) k -tuples of combinatorial orbits $\mathfrak{o} \subset \bar{\mathfrak{o}}_n$. The usage of this notation implies implicitly that such an orbit is unique.

The *support* of a vector $v \in N = N(D)$ is the subset

$$\text{supp } v := \{k \in \Omega \mid v_k \neq 0 \in D_k^\vee\} \subset \Omega.$$

The support is invariant under reflections; hence, we can speak about the *support* $\text{supp } \mathfrak{o}$ of a combinatorial orbit \mathfrak{o} .

The *count* and *bound* of a combinatorial orbit \mathfrak{o} are defined *via*

$$(3.1) \quad c(\mathfrak{o}) := |\mathfrak{o}|, \quad b(\mathfrak{o}) := \max\{|\mathfrak{L} \cap \mathfrak{o}| \mid \mathfrak{L} \subset \mathfrak{F} \text{ is geometric}\}.$$

Clearly, c and b are constant within each orbit \bar{o}_n and invariant under duality. In some cases, we replace $b(\mathfrak{o})$ by rough bounds, see §4.4 below for details. We extend these notions to subsets $\mathfrak{C} \subset \mathfrak{D}$ by *additivity*:

$$c(\mathfrak{C}) := \sum_{\mathfrak{o} \in \mathfrak{C}} c(\mathfrak{o}), \quad b(\mathfrak{C}) := \sum_{\mathfrak{o} \in \mathfrak{C}} b(\mathfrak{o}).$$

Thus, we have a naïve *a priori* bound

$$(3.2) \quad |\mathfrak{L}| \leq b(\mathfrak{D}) = \sum m(\bar{o}_n) b(\mathfrak{o}), \quad \mathfrak{o} \subset \bar{o}_n.$$

Clearly, the true count $|\mathfrak{L} \cap \mathfrak{C}|$ is genuinely additive, whereas the sharp bound on $|\mathfrak{L} \cap \mathfrak{C}|$ is only subadditive; thus, our proof of [Theorem 1.2](#) will essentially consist in reducing (3.2) down to a preset goal. To this end, we will consider the set

$$\mathcal{B} = \mathcal{B}(\mathfrak{F}) := \{\mathfrak{L} \subset \mathfrak{F} \mid \mathfrak{L} \text{ is geometric}\} / O_{\hbar}(N)$$

and, for a collection of orbits $\mathfrak{C} = \bar{o}_1 \cup \dots$ and integer $d \in \mathbb{N}$, let

$$\mathcal{B}_d(\mathfrak{C}) := \{[\mathfrak{L}] \in \mathcal{B} \mid \mathfrak{L} \text{ is generated by } \mathfrak{L} \cap \mathfrak{C} \text{ and } |\mathfrak{L} \cap \mathfrak{C}| \geq b(\mathfrak{C}) - d\}.$$

Unless specified otherwise, the sets $\mathcal{B}_d(\mathfrak{C})$ (for reasonably small values of d) are computed by brute force, using patterns (see §3.3 below).

3.2. Idea of the proof. To prove [Theorem 1.2](#), we consider, one by one, all 23 Niemeier lattices generated by roots. For each lattice N , we set a goal

$$(3.3) \quad |\mathfrak{L}| \geq M := 122 \text{ or } 132$$

and try to find all geometric subsets $\mathfrak{L} \subset N$ satisfying this inequality. First, we list all $O(N)$ -orbits of square 6 vectors $\bar{h} \in N$, compute the naïve bounds $b(\mathfrak{D})$ given by (3.2), and disregard those vectors for which $b(\mathfrak{D}) < M$. In the remaining cases, we list all $O_{\bar{h}}(N)$ -orbits of roots \bar{r} orthogonal to \bar{h} and repeat the procedure. This leaves us with relatively few triples $\bar{h}, \bar{r} \in N$, which are treated on a case-by-case basis in §5–§8 below.

A typical argument runs as follows. We choose a self-dual union \mathfrak{C} of orbits \bar{o}_n and use *patterns* (see §3.3 below) to compute the set $\mathcal{B}_{b(\mathfrak{D})-M}(\mathfrak{C})$. (As a modification, we take \mathfrak{C} *disjoint* from its dual \mathfrak{C}^* and use the obvious relation $\mathcal{B}_d(\mathfrak{C}) = \mathcal{B}_{2d}(\mathfrak{C} \cup \mathfrak{C}^*)$.) More generally, we can consider several pairwise disjoint self-dual unions of orbits $\mathfrak{C}_1, \dots, \mathfrak{C}_m$ and compute the sets $\mathcal{B}_{d_i}(\mathfrak{C}_i)$ for appropriately chosen integers $d_i \geq 0$ such that

$$d_1 + \dots + d_m + 2(m-1) \geq b(\mathfrak{D}) - M.$$

As a result of this procedure, we can assert that, apart from a few explicitly listed exceptions $\mathfrak{L}_1, \dots, \mathfrak{L}_s$ contained in the above sets $\mathcal{B}_{d_i}(\mathfrak{C}_i)$, we have $|\mathfrak{L}| < M$ for any geometric set $\mathfrak{L} \subset \mathfrak{F}$. In each case, we manage to choose the unions \mathfrak{C}_i and goals d_i so that the exceptional sets \mathfrak{L}_k are sufficiently large, so that they can be analysed further as explained below.

3.2.1. Maximal sets. The best case scenario is that of a *maximal* (with respect to inclusion, in the class of geometric sets) geometric set \mathfrak{L} . Such a set admits no geometric extensions; hence, it can be either discarded, if $|\mathfrak{L}_k| < M$, or listed as an exception in the respective statement. Besides, maximal sets can be discarded at early stages of the computation, without completing the whole pattern; however, we only use this approach in §8.3, where intermediate lists grow too large.

An obvious sufficient condition of maximality is given by [Proposition 2.9](#).

Lemma 3.4. *Any maximal geometric set is saturated. Conversely, any saturated geometric set \mathfrak{L} of the maximal rank $\text{rk } \mathfrak{L} = 20$ is maximal.* \triangleleft

3.2.2. *Extension by a maximal orbit.* In many cases, a set \mathfrak{L} has the property that $|\mathfrak{L} \cap \mathfrak{o}| < b(\mathfrak{o})$ for at least $b(\mathfrak{D}) - M$ combinatorial orbits \mathfrak{o} . Then, any extension $\mathfrak{L}' \supset \mathfrak{L}$ satisfying (3.3) must have maximal intersection, $|\mathfrak{L}' \cap \mathfrak{o}| = b(\mathfrak{o})$, for at least one of these orbits. Trying one representative of each orbit of the action of $\text{stab } \mathfrak{L}$ on \mathfrak{D} , we obtain maximal sets and proceed as in §3.2.1.

3.2.3. *Other extensions.* In the few remaining cases, we either analyze the lines contained in the primitive hull of $\text{span } \mathfrak{L}$ (if $\text{rk } \mathfrak{L} = 20$) or obtain maximal extensions $\mathfrak{L}' \supset \mathfrak{L}$ by adding one or, rarely, two extra lines.

3.3. **Patterns.** Since we are interested in large geometric sets, we construct them orbit-by-orbit, by piling together maximal or close to maximal intersections $\mathfrak{L} \cap \mathfrak{o}$. This process is guided by *patterns*, i.e., $*$ -invariant functions

$$\pi: \mathfrak{D} \rightarrow \mathbb{N}, \quad \mathfrak{o} \mapsto |\mathfrak{L} \cap \mathfrak{o}|.$$

Having $\hbar, \bar{r} \in N$ fixed, we start with precomputing all geometric sets $\mathfrak{L} \subset \mathfrak{o}$ in each combinatorial orbit \mathfrak{o} . (Certainly, it suffices to consider one representative in each orbit $\bar{\mathfrak{o}}_n$; the rest is obtained by translations.) Then, in order to compute one of the sets $\mathcal{B}_d(\mathfrak{C})$ in §3.1, we list all $(\text{stab } \hbar)$ -orbits of restricted patterns $\pi: \mathfrak{C} \rightarrow \mathbb{N}$ satisfying the inequality $\sum \pi(\mathfrak{o}) \geq b(\mathfrak{C}) - d$, $\mathfrak{o} \in \mathfrak{C}$, order the orbits appropriately (typically, by the decreasing of $\pi(\mathfrak{o})$), and construct a geometric set \mathfrak{L} by adding one orbit at a time, as a sequence $\emptyset = \mathfrak{L}_0 \subset \mathfrak{L}_1 \subset \mathfrak{L}_2 \subset \dots$. At each step k and for each set \mathfrak{L}_{k-1} constructed at the previous step, we proceed as follows:

- (1) compute the stabilizer G of \mathfrak{L}_{k-1} under the action of $R_{\hbar}(N)$;
- (2) compute the G -orbits of the geometric sets $\mathfrak{L}' \subset \mathfrak{o}_k$ of size $|\mathfrak{L}'| = \pi(\mathfrak{o}_k)$;
- (3) for a representative \mathfrak{L}' of each G -orbit, consider the set \mathfrak{L}_k generated by the union $\mathfrak{L}_{k-1} \cup \mathfrak{L}'$; then, select those sets \mathfrak{L}_k that are geometric;
- (4) to reduce the overcounting, select, for the next step, those sets \mathfrak{L}_k that satisfy the equality $|\mathfrak{L}_k \cap \mathfrak{o}_i| = \pi(\mathfrak{o}_i)$ for each $i \leq k$.

If the defect d is not too large, this procedure works reasonably fast and results in a reasonably small collection of sets that are to be analyzed further.

Remark 3.5. Although it is not obvious *a priori*, it turns out that large geometric sets are often determined by their patterns uniquely up to $R_{\hbar}(N)$. Furthermore, a large set is easily reconstructed from its pattern, as the algorithm above converges very fast. For this reason, we often describe large geometric sets, especially those that do *not* contain all lines in their rational span, by their patterns.

A pattern π taking a constant value v_n on each orbit $\bar{\mathfrak{o}}_n$ is described *via*

$$\pi = \langle\langle v_1, v_2, \dots \rangle\rangle.$$

Sometimes, we use a “double value” $v_n = a|b$; this means that a cluster $\mathfrak{c}_n \subset \bar{\mathfrak{o}}_n$ is fixed (and described elsewhere) so that the restriction of π to $\bar{\mathfrak{o}}_n$ takes two values: $\pi(\mathfrak{o}) = a$ for $\mathfrak{o} \subset \mathfrak{c}_n$ and $\pi(\mathfrak{o}) = b$ for $\mathfrak{o} \subset \bar{\mathfrak{o}}_n \setminus \mathfrak{c}_n$.

Remark 3.6. In some cases, where $b(\mathfrak{D})$ exceeds the goal by just a few units, we use patterns to show directly that $\mathcal{B}_{b(\mathfrak{D})-M}(\mathfrak{D}) = \emptyset$. These cases are marked with a \checkmark in the tables, and any further explanation is omitted.

3.4. Clusters. Sometimes, the number of combinatorial orbits in an orbit $\bar{\mathfrak{o}}$ is too large, making it difficult to compute all patterns. In these cases, we subdivide $\bar{\mathfrak{o}}$ into a number of *clusters* $\mathfrak{c}_k \subset \bar{\mathfrak{o}}$, not necessarily disjoint, and compute patterns and, then, geometric sets cluster by cluster. The subdivision is chosen so that $\text{stab } \bar{h}$ acts transitively on the set of clusters. To reduce the overcounting, we assume that the clusters are ordered lexicographically, by the decreasing of the sequence

$$(|\mathfrak{L} \cap \mathfrak{c}_k|, \delta_0(\mathfrak{c}_k), \delta_1(\mathfrak{c}_k), \dots), \quad \delta_i(\mathfrak{c}_k) := \#\{\mathfrak{o} \subset \mathfrak{c}_k \mid |\mathfrak{L} \cap \mathfrak{o}| = b(\mathfrak{o}) - i\}.$$

In particular, this convention implies that, when computing the set $\mathcal{B}_d(\bar{\mathfrak{o}})$, for the first cluster \mathfrak{c}_1 one must have $|\mathfrak{L} \cap \mathfrak{c}_1| \geq b(\mathfrak{c}_1) - md/n$, where n is the total number of clusters and the *multiplicity* m is the number of clusters containing any fixed orbit $\mathfrak{o} \subset \bar{\mathfrak{o}}$. More generally, extending a geometric set \mathfrak{L} from $\mathfrak{c}_1, \dots, \mathfrak{c}_k$ to the next cluster \mathfrak{c}_{k+1} , one must have $|\mathfrak{L} \cap \mathfrak{c}_{k+1}| \leq |\mathfrak{L} \cap \mathfrak{c}_k|$ and

$$|\mathfrak{L} \cap \mathfrak{c}_{k+1}| \geq b(\mathfrak{c}_{k+1}) - \frac{1}{n-k} \left(md - \sum_{i=1}^k (b(\mathfrak{c}_i) - |\mathfrak{L} \cap \mathfrak{c}_i|) \right).$$

Certainly, if the clusters are not disjoint, we also take into account the intersections $\mathfrak{c}_{k+1} \cap \mathfrak{c}_i$, $i = 1, \dots, k$, when computing the restricted patterns $\pi: \mathfrak{c}_{k+1} \rightarrow \mathbb{N}$.

4. COUNTS AND BOUNDS

In this section, we explain the computation of the bounds $b(\mathfrak{o})$ on the number of lines in an admissible set within a combinatorial orbit \mathfrak{o} , see (3.1).

4.1. Blocks. Consider a combinatorial orbit \mathfrak{o} . In order to estimate the count $c(\mathfrak{o})$ and bound $b(\mathfrak{o})$, we break the root system D into *blocks*, $D = B_1 \oplus B_2 \oplus \dots$, each block B_k consisting of whole components D_i . Then, \bar{h} and $l \in \mathfrak{F}(\bar{h}) \cap \mathfrak{o}$ split into $\bigoplus_k \bar{h}_k$ and $\bigoplus_k l_k$, respectively, with $\bar{h}_k, l_k \in B_k^\vee$. We denote by $\mathfrak{o}|_k := \mathfrak{o}|_{B_k} \subset B_k^\vee$ the *restriction* of \mathfrak{o} to B_k (which, in fact, is nothing but the orthogonal projection of \mathfrak{o} to B_k^\vee). This restriction consists of a whole $R_{\bar{h}_k}(B_k)$ -orbit of vectors; in particular, we have a well defined square $l_k^2 \in \mathbb{Q}$, product $l_k \cdot \bar{h}_k \in \mathbb{Q}$, and discriminant class $l_k \bmod B_k \in \text{discr } B_k$. Usually, these data determine an irreducible block up to isomorphism, the reason being the following simple observation (which follows from the fact that *all* roots in N are assumed to lie in D):

- each vector $l_k \in \mathfrak{o}|_k$ is either integral, $l_k \in B_k$ (and then $l_k^2 = 0, 2, \text{ or } 4$) or *shortest vector* in its discriminant class;
- each vector \bar{h}_k is either integral, $\bar{h}_k \in B_k$ (and then $\bar{h}_k^2 = 0, 2, 4, \text{ or } 6$) or *shortest* or *second shortest* vector in its discriminant class.

Here, *shortest* are the vectors minimizing the square within a given discriminant class, whereas *second shortest* are those of square (minimum + 2). In fact, \bar{h}_k can be a second shortest vector in at most one block B_k .

The *count* of a block B is defined in the obvious way: $c(B) = |\mathfrak{o}|_B|$. The *bound* is defined *via* $b(B) = \max|\mathfrak{B}|$, where $\mathfrak{B} \subset \mathfrak{o}|_B$ is a $*$ -invariant (if $\mathfrak{o}^* = \mathfrak{o}$) subset satisfying the following condition:

$$(4.1) \quad \text{for } l', l'' \in \mathfrak{B}, \text{ one has } l'^2 - l' \cdot l'' = 0 \text{ (iff } l' = l''), 2, 3, \text{ or } 5 \text{ (iff } l' = (l'')^*).$$

In other words, we bound the cardinality of subsets $\mathfrak{L} \subset \mathfrak{o}$ satisfying (2.3) and such that all lines $l \in \mathfrak{L}$ have the same fixed restriction to all other blocks $B' \neq B$.

If D is broken into two blocks, $B_1 \oplus B_2$, we obviously have

$$(4.2) \quad c(\mathfrak{o}) = c(B_1)c(B_2), \quad b(\mathfrak{o}) \leq \min\{c(B_1)b(B_2), b(B_1)c(B_2)\}.$$

By induction, for any number of blocks B_k , this implies

$$(4.3) \quad c(\mathfrak{o}) = \prod_k c(B_k), \quad b(\mathfrak{o}) \leq c(\mathfrak{o}) \min_k \frac{b(B_k)}{c(B_k)}.$$

This bound (with $B_k = D_k$ the irreducible components of D) and corresponding bound on $b(\mathfrak{O})$ given by (3.2) are always listed first in the tables below. If $b(\mathfrak{O}) \geq M$, we try to improve the bounds $b(\mathfrak{o})$ using one of the following arguments:

- (1) Lemma 4.5 below applied to an appropriate splitting into two blocks;
- (2) a computation using larger blocks, see §4.2 below;
- (3) a brute force enumeration of admissible subsets $\mathfrak{L} \subset \mathfrak{o}$; the bounds whose sharpness is confirmed by this computation are underlined.

In the tables, we refer to this list for the reasons for the improved bounds.

4.2. Brute force via blocks. For some large combinatorial orbits \mathfrak{o} , the exact computation of $b(\mathfrak{o})$ by brute force is not feasible, and we improve the original bound given by (4.3) by using larger blocks. Typically, we consider two blocks B_1 (one of the irreducible components of D) and B_2 (the sum of all other components). Then, we compute all *admissible* (rather than just satisfying (4.1)) sets $\mathfrak{L}(l_1) \subset \mathfrak{o}$ with a fixed restriction $l_1 \in B_1^\vee$, replacing (4.2) with

$$b(\mathfrak{o}) \leq c(B_1) \max |\mathfrak{L}(l_1)|.$$

If this bound is still not good enough, we vary $l_1 \in B_1^\vee$ and try to construct an admissible set $\mathfrak{L} \subset \mathfrak{o}$ by packing together precomputed *large* (usually maximal or submaximal) sets $\mathfrak{L}(l'_1)$, $\mathfrak{L}(l''_1)$, etc., obtaining a better bound and, if necessary, a complete list of large admissible sets in \mathfrak{o} .

4.3. Self-dual combinatorial orbits. Let \mathfrak{o} be a self-dual combinatorial orbit, $\mathfrak{o}^* = \mathfrak{o}$, and break D into blocks B_k . Each block is also self-dual: $\bar{l}_k := \bar{h}_k - l_k \in \mathfrak{o}|_k$ whenever $l_k \in \mathfrak{o}|_k$. In particular, $\bar{l}_k = l_k \bmod B_k$. Hence, we have

$$\begin{aligned} 2l_k \cdot \bar{h}_k &= \bar{h}_k^2 \quad (\text{since } \bar{l}_k^2 = l_k^2), \\ l_k \cdot \bar{l}_k &= l_k^2 - \delta_k \quad \text{for some } \delta_k \in \mathbb{Z}. \end{aligned}$$

The integer $\delta(B_k) := \delta_k = 2l_k^2 - l_k \cdot \bar{h}_k$, constant throughout the block, is called the *defect* of the block B_k ; it takes values in the range $0 \leq \delta_k \leq 5$, and the defects of all blocks sum up to $5 = l^2 - l \cdot l^*$. Furthermore, for any pair of vectors $l', l'' \in \mathfrak{o}|_k$, the difference $l_k^2 - l' \cdot l''$ is an integer taking values in

$$(4.4) \quad 0 \leq l_k^2 - l' \cdot l'' \leq \delta_k,$$

the two extreme values corresponding to $l'' = l'$ and $l'' = \bar{l}'$, respectively. As a consequence, we have $b(B_k) \leq 1$ if $\delta(B_k) = 1$ and $b(B_k) \leq 2$ if $\delta(B_k) = 2$; in the latter case, all maximal admissible subsets are of the form $\{l_k, \bar{l}_k\}$.

Lemma 4.5. *Assume that a self-dual orbit \mathfrak{o} is broken into two blocks, B_2 and B_3 , of defects 2 and 3, respectively. Then*

$$b(\mathfrak{o}) \leq \max\{4u + \min\{c_3 - 2u, (c_2 - 2u)b_3\} \mid u = 0, \dots, \frac{1}{2} \min\{c_2, c_3\}\},$$

where we abbreviate $c_\delta := c(B_\delta)$ and $b_\delta := b(B_\delta)$, $\delta = 2, 3$.

Proof. Let $\mathfrak{L} \subset \mathfrak{o}$ be an admissible set, and let $l_2 \oplus l_3 \in \mathfrak{L}$. There is a dichotomy: either $\bar{l}_2 \oplus l_3$ is in \mathfrak{L} or it is not. In the former case, we have

$$\{l_2 \oplus l_3, \bar{l}_2 \oplus l_3, l_2 \oplus \bar{l}_3, \bar{l}_2 \oplus \bar{l}_3\} \subset \mathfrak{L}$$

and, by (2.3) and (4.4), no other vector $l_2 \oplus l'_3$ or $\bar{l}_2 \oplus l'_3$ with $l'_3 \neq l_3, \bar{l}_3$ is in \mathfrak{L} . Each 4-element subset of this form consumes two vectors from $\mathfrak{o}|_3$, and all these vectors are pairwise distinct. Let $U \subset \mathfrak{o}|_2$ be the set of vectors l_2 as above, and denote $u := |U|$; clearly, $0 \leq 2u \leq \min\{c_2, c_3\}$.

Otherwise, in the obvious notation, we have

$$l_2 \oplus S(l_2) \subset \mathfrak{L}, \quad \bar{l}_2 \oplus S(\bar{l}_2) \subset \mathfrak{L},$$

where $S(l_2) \subset \mathfrak{o}|_3$ is a certain subset and $S(\bar{l}_2) = \overline{S(l_2)}$. Since $S(l_2) \cap S(\bar{l}_2) = \emptyset$ by the assumption, all subsets $S(l_2)$, $l_2 \in \mathfrak{o}|_2 \setminus U$, are pairwise disjoint and do not contain any of the $2u$ vectors l_3 coupled with $l_2 \in U$; hence, their total cardinality does not exceed $c_3 - 2u$. On the other hand, since $|S(l_2)| \leq b_3$ for each $l_2 \in \mathfrak{o}|_2$, this cardinality does not exceed $(c_2 - 2u)b_2$. Taking the minimum and maximizing over all values of u , we arrive at the bound in the statement. \square

4.4. Computing counts and bounds. For “small” blocks $B_k \cong \mathbf{A}_{\leq 7}, \mathbf{D}_{\leq 7}, \mathbf{E}_6, \mathbf{E}_7, \mathbf{E}_8$, the counts $c(B_k)$ and bounds $b(B_k)$ used in (4.3) are obtained by a direct computation. For larger blocks, we use the standard combinatorial description of the **A**- and **D**-type root systems as sublattices of the odd unimodular lattice

$$\mathbf{H}_n := \bigoplus \mathbb{Z}e_i, \quad e_i^2 = 1, \quad i \in \mathcal{I} := \{1, \dots, n\}.$$

(When working with this lattice, we let $\bar{1}_o := \sum_{i \in o} e_i$ for a subset $o \subset \mathcal{I}$.) Then, given a vector $\bar{h}_k = \sum_i \alpha_i e_i \in \mathbf{H}_n \otimes \mathbb{Q}$, we subdivide the block $B_k^\vee \subset \mathbf{H}_n \otimes \mathbb{Q}$ into “subblocks”

$$B_k(\alpha) := \{\sum_i \beta_i e_i \mid i \in \text{supp}(\alpha)\}, \quad \text{supp}(\alpha) := \{i \in \mathcal{I} \mid \alpha_i = \alpha\},$$

on which \bar{h}_k is constant. We obtain counts and bounds, in the sense of (4.1), for each subblock and use an obvious analogue of (4.3) to estimate $b(B_k)$. The technical details are outlined in the next two sections.

4.5. Root systems \mathbf{A}_n . A block B_k of type **A**_{*n*} is $\bar{1}_{\mathcal{I}}^\perp \subset \mathbf{H}_{n+1}$:

$$\mathbf{A}_n = \{\sum_i \alpha_i e_i \in \mathbf{H}_{n+1} \mid \sum_i \alpha_i = 0\}.$$

One has $\text{discr } \mathbf{A}_n = \mathbb{Z}/(n+1)$, with a generator of square $n/(n+1) \pmod{2\mathbb{Z}}$, and the shortest representatives of the discriminant classes are vectors of the form

$$\bar{e}_o := \frac{1}{n+1} (|\bar{o}| \bar{1}_o - |o| \bar{1}_{\bar{o}}), \quad \bar{e}_o^2 = \frac{|o| |\bar{o}|}{n+1},$$

where $o \subset \mathcal{I}$ and \bar{o} is the complement. We have $\bar{e}_{\bar{o}} = -\bar{e}_o$ and

$$\bar{e}_r \cdot \bar{e}_s = |r \cap s| - \frac{|r| |s|}{n+1}.$$

If $|r| = |s|$, or, equivalently, e_r and e_s are in the same discriminant class, then

$$(4.6) \quad \bar{e}_r^2 - \bar{e}_r \cdot \bar{e}_s = \frac{1}{2} |r \Delta s|,$$

where Δ is the symmetric difference. Hence, in the case when l_k is a shortest vector in its (nonzero) discriminant class, the bound $b(B_k(\alpha))$ can be estimated by the following lemma, applied to $S = \text{supp}(\alpha)$.

Lemma 4.7. *Consider a finite set S , $|S| = n$, and let \mathfrak{S} be a collection of subsets $s \subset S$ with the following properties:*

- (1) *all subsets $s \in \mathfrak{S}$ have the same fixed cardinality m ;*
- (2) *if $r, s \in \mathfrak{S}$, then $|r \Delta s| \in \{0, 4, 6, 10\}$;*
- (3) *in the case $(n, m) = (10, 5)$, if $s \in \mathfrak{S}$, then also $\bar{s} \in \mathfrak{S}$.*

Then, for small (n, m) , the maximal cardinality $|\mathfrak{S}|$ is as follows:

$$\begin{array}{cccccccccccc} (n, m) : & (n, 1) & (n, 2) & (6, 3) & (7, 3) & (8, 3) & (9, 3) & (10, 3) & (11, 3) & (8, 4) & (9, 4) & (10, 5) \\ \max|\mathfrak{S}| : & 1 & \lfloor n/2 \rfloor & 4 & 7 & 8 & 12 & 13 & 17 & 9 & 12 & 24 \end{array}$$

More generally, for $m = 3$ one has $|\mathfrak{S}| \leq \lfloor n \lfloor (n-1)/2 \rfloor / 3 \rfloor$.

Note that, if a collection \mathfrak{S} is as in the lemma, then so is the collection $\{\bar{s} \mid s \in \mathfrak{S}\}$. Hence, we can always assume that $2m \leq n$.

Proof of Lemma 4.7. The first two values are obvious; the others are obtained by listing all admissible collections. The general estimate for $m = 3$ follows from the observation that any two subsets in \mathfrak{S} have at most one common point and, hence, each point of S is contained in at most $\lfloor (n-1)/2 \rfloor$ subsets. \square

There remains to consider a subblock $B_k(\alpha)$ of a block B_k containing vectors of the form $l_k = \bar{1}_r - \bar{1}_s$, where $r, s \subset \mathcal{I}$, $r \cap s = \emptyset$, and $|r| = |s| = 1$ or 2 . In the latter case, one must have $l_k \cdot \bar{h}_k = 3$, and it follows that $|(r \cup s) \cap \text{supp}(\alpha)| \leq 2$ for each $\alpha \in \mathbb{Q}$. The bounds are as follows:

- (1) if $|(r \cup s) \cap \text{supp}(\alpha)| = 1$, then, obviously, $b(B_k(\alpha)) = 1$;
- (2) if $|r \cap \text{supp}(\alpha)| = 2$ (or $|s \cap \text{supp}(\alpha)| = 2$), the distinct sets $r \cap \text{supp}(\alpha)$ must be pairwise disjoint and, hence, $b(B_k(\alpha)) = \lfloor \frac{1}{2} |\text{supp}(\alpha)| \rfloor$;
- (3) if $|r \cap \text{supp}(\alpha)| = |s \cap \text{supp}(\alpha)| = 1$, then the distinct sets $r \cap \text{supp}(\alpha)$ must also be pairwise disjoint and, hence, $b(B_k(\alpha)) = |\text{supp}(\alpha)|$.

4.6. Root systems \mathbf{D}_n . A block B_k of type \mathbf{D}_n can be defined as the maximal even sublattice in \mathbf{H}_n :

$$\mathbf{D}_n = \left\{ \sum_i \alpha_i e_i \in \mathbf{H}_n \mid \sum_i \alpha_i = 0 \pmod{2} \right\}.$$

One has $\text{discr } \mathbf{D}_n = \mathbb{Z}/2 \oplus \mathbb{Z}/2$ (if n is even) or $\mathbb{Z}/4$ (if n is odd); the shortest vectors are

$$e_i, i \in \mathcal{I}, \quad \text{and} \quad \bar{e}_o := \frac{1}{2}(\bar{1}_o - \bar{1}_{\bar{o}}), \quad o \subset \mathcal{I}, \quad \bar{e}_o^2 = \frac{n}{4}$$

(the class $\bar{e}_o \pmod{\mathbf{D}_n}$ depends on the parity of $|o|$) and we have a literal analogue of (4.6) for any pair $r, s \subset \mathcal{I}$. Thus, if $B_k \ni \bar{e}_o$, the bounds $b(B_k(\alpha))$ are estimated by Lemma 4.7 (if $\alpha \neq 0$) or Lemma 4.8 below (if $\alpha = 0$) applied to $S = \text{supp}(\alpha)$.

Lemma 4.8. *For $n \leq 10$, the maximal cardinality of a collection \mathfrak{S} satisfying conditions (2) and (3) (if $n = 10$) of Lemma 4.7 is bounded as follows:*

$$\begin{array}{cccccccccc} n = & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 & 10 \\ |\mathfrak{S}| \leq & 1 & 1 & 1 & 2 & 2 & 4 & 8 & 10 & 16 & 32 \end{array}$$

These bounds are sharp for $n \leq 8$.

Proof. If $n \leq 6$, the statement is easily proved by inspection, using Lemma 4.7.

Let $n = 8$. Represent a subset $s \in \mathfrak{S}$ as the root $\bar{e}_s \in \mathbf{D}_8^\vee$. Then, condition (2) implies that all subsets $s \in \mathfrak{S}$ have cardinality of the same parity and, hence, all

roots are in the same discriminant class; thus, they lie in an extension $\mathbf{E}_8 \supset \mathbf{D}_8$. By (2), the roots \bar{e}_s constitute a union Γ of (affine) Dynkin diagrams other than $\tilde{\mathbf{A}}_1$ admitting an isometry to \mathbf{E}_8 , which gives us a bound $|\mathfrak{S}| \leq 12$. Furthermore, the roots \bar{e}_s are distinguished by the property $\bar{e}_s \cdot 2e_1 = 1 \pmod{2}$. Thus, each affine component of Γ must have even degree. The maximal graph with these properties is $2\mathbf{D}_4$, resulting in the bound $|\mathfrak{S}| \leq 10$.

If $n = 7$, we extend the ambient set S and each subset by an extra point and argue as above, obtaining roots $\bar{e}_s \in \mathbf{E}_8$ with the property $\bar{e}_s \cdot 2e_1 = 1$. This time, the roots are linearly independent and $|\mathfrak{S}| \leq \text{rk } \mathbf{E}_8 = 8$. This is realized by $2\mathbf{D}_4$.

In general, represent $s \in \mathfrak{S}$ by the vector $\bar{1}_s \in \mathbf{H}_n$. (If $n = 10$, select one subset s from each pair s, \bar{s} .) Then $\bar{1}_s^2 = n$ and the products $\bar{1}_r \cdot \bar{1}_s = n - 2|r \Delta s|$, $r \neq s$, take but two values $n - 8$ or $n - 12$. Since $n \leq 10$, [Theorem 2.6](#) applies and bounds the number of vectors by 16. If $n = 10$, this bound is to be doubled. \square

The few remaining cases are listed below.

- (1) If $B_k(\alpha) \ni \pm 2e_i$, $i \in \text{supp}(\alpha)$, then $b(B_k(0)) = 1$.

Assume that $l_k = \sum(\pm e_i)$, $i \in o \subset \mathcal{S}$, $|o| \leq 4$. If $\alpha = 0$, then

- (2) $|o \cap \text{supp}(\alpha)| = 0, 1$, or 2 and $b(B_k(\alpha)) \leq 1, 2$, or $\frac{4}{3}|\text{supp}(\alpha)|$, respectively, similar to [§4.5](#). (Here, the last number is a bound on the size of a union of (affine) Dynkin diagrams other than $\tilde{\mathbf{A}}_1$ admitting an isometry to $\mathbf{D}_{|\text{supp}(\alpha)|}$.) If $\alpha \neq 0$, the numbers of signs \pm within $\text{supp}(\alpha)$ are also fixed, and the options are as follows:

- (3) $m := |o \cap \text{supp}(\alpha)| \leq 3$ and all signs are the same: by an analogue of (4.6), a bound on $b(B_k(\alpha))$ is given by [Lemma 4.7](#) applied to $S = \text{supp}(\alpha)$;
- (4) $|o \cap \text{supp}(\alpha)| = 2$ and the signs differ: $b(B_k(\alpha)) = |\text{supp}(\alpha)|$ as in [§4.5\(3\)](#).

Remark 4.9. If $n \geq 5$, the group $O(\mathbf{D}_n)$ is an index 2 extension of $R(\mathbf{D}_n)$: it is generated by the reflection against the hyperplane orthogonal to any of e_i . Hence, up to $O(\mathbf{D}_n)$, we can assume that, in the expression $\bar{h}_k = \sum_i \alpha_i e_i$, all coefficients $\alpha_i \geq 0$. We always make this assumption (and adjust the results afterwards) when describing the orbits and computing counts and bounds.

5. ROOT SYSTEMS WITH FEW COMPONENTS

In this section, we consider the 20 Niemeier lattices generated over \mathbb{Q} by root systems with few (up to six) irreducible components. We set the goal

$$|\mathfrak{L}| \geq M := 122$$

and prove the following theorem.

Theorem 5.1. *Fix a root system D with at most six irreducible components and a configuration (\bar{h}, \bar{r}) in the Niemeier lattice $N(D)$. Then, with two exceptions*

- $|\mathfrak{L}| = 144$ and \mathfrak{L} is conjugate to $\mathfrak{M}_{144}^i \subset N(4\mathbf{A}_5 \oplus \mathbf{D}_4)$, see (5.2), or
- $|\mathfrak{L}| = 130$ and \mathfrak{L} is conjugate to $\mathfrak{L}_{130}^i \subset N(6\mathbf{A}_4)$, see (5.3),

one has $|\mathfrak{L}| \leq 120$ for each geometric set \mathfrak{L} .

Proof. For each configuration (\bar{h}, \bar{r}) (or just vector \bar{h}), we list all $O_{\bar{h}}(N)$ -orbits \bar{o}_n and indicate the number $m(\bar{o}_n)$ of combinatorial orbits $\mathfrak{o} \subset \bar{o}_n$, the count $c(\mathfrak{o})$, and the naïve bound on $|\mathfrak{L} \cap \mathfrak{o}|$ given by (4.3). Sometimes, this bound is improved by one of the arguments (1)–(3) in [§4.1](#); the best bound obtained is denoted by $b(\mathfrak{o})$. The number $m(\bar{o}_n)$ is marked with a * if \bar{o}_n is self-dual; it is marked with ** if

also each combinatorial orbit $\mathfrak{o} \subset \bar{\mathfrak{o}}$ is self-dual. If $\bar{\mathfrak{o}}_n$ is not self-dual, then its dual $\bar{\mathfrak{o}}_n^* = \bar{\mathfrak{o}}_{n+1}$ is omitted.

For the components \hbar_k of \hbar we use the notation $[\hbar_k^2]_d$, where d is either the discriminant class of \hbar_k^2 or, if $\hbar_k \in D_k$, the symbol 0 (if $\hbar_k = 0$), \circ (if $\hbar_k^2 = 2$), \bullet (if $\hbar_k^2 = 4$), or $*$ (if $\hbar_k^2 = 6$). If these data do not determine \hbar_k , we use a superscript:

- + or $-$ to select a second shortest vector in a discriminant class $d \neq 0$;
- +, if $\hbar = \hbar_k \in \mathbf{D}_n \subset \mathbf{H}_n$ or $\mathbf{A}_{n-1} \subset \mathbf{H}_n$ is of the form $2e_1 - e_2 - e_3$ rather than $e_1 + e_2 + e_3 - e_4 - e_5 - e_6$, see §4.5 and §4.6;
- the discriminant class of $\frac{1}{2}\hbar_k$, if $\hbar_2 \in \mathbf{D}_n \cap 2\mathbf{D}_n^\vee$.

If D_k contains the root \bar{r} , this notation is changed to $\{\hbar_k^2\}_d$.

For the components l_k of a line, we use the notation $[l_k \cdot \hbar_k]_d$, where d and an occasional superscript have the same meaning as for \hbar .

Also shown in the tables is the naïve *a priori* estimate $b(\mathfrak{D})$ given by (3.2). For the vast majority of configurations we have $b(\mathfrak{D}) \leq M$. The few cases where $b(\mathfrak{D}) \geq M$ are shown in bold, and we treat them separately below, except those marked with a \checkmark (see Remark 3.6).

5.1. The lattice $N(\mathbf{D}_{24})$. There are 3 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 56$.

1:	$[6]_*^+$	1680	56
1:	$[3]_\bullet$	1**	1680 56
2:	$[6]_*$	720	40
1:	$[3]_\bullet$	1**	720 40
3:	$[6]_1$	0	0

5.2. The lattice $N(\mathbf{D}_{16} \oplus \mathbf{E}_8)$. There are 8 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 76$.

1:	$[4]_\bullet^2$	$[2]_\circ$	1680	112	$\rightarrow 76$
1:	$[2]_\circ$	$[1]_\circ$	1**	1680	112 $\rightarrow 76$ (1)
2:	$[2]_\circ$	$[4]_\bullet$	912	72	
1:	$[1]_\circ$	$[2]_\circ$	1**	784	56
2:	$[2]_\circ$	$[1]_\circ$	1	64	8
3:	$[6]_*$	$[0]_0$	912	72	
1:	$[3]_1$	$[0]_0$	1**	512	32
2:	$[3]_\bullet$	$[0]_0$	1**	400	40
4:	$[6]_1$	$[0]_0$	912	72	
1:	$[3]_1^+$	$[0]_0$	1	455	35
3:	$[3]_1^-$	$[0]_0$	1	1	1

5:	$[0]_0$	$[6]_*$		1104	60
1:	$[0]_o$	$[3]_o$	1^{**}	960	42
2:	$[0]_o$	$[3]_\bullet$	1^{**}	144	18
6:	$[6]_*^+$	$[0]_o$		1104	58
1:	$[3]_\bullet$	$[0]_o$	1^{**}	624	34
2:	$[3]_o$	$[0]_o$	1^{**}	480	24
7:	$[4]_\bullet$	$[2]_o$		528	40
1:	$[2]_o$	$[1]_o$	1^{**}	336	24
2:	$[3]_\bullet$	$[0]_o$	1	96	8
8:	$[4]_1$	$[2]_o$		240	16
1:	$[3]_1$	$[0]_o$	1	120	8

5.3. **The lattice $N(3E_8)$.** There are 3 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{Q}) = 72$.

1:	$[4]_\bullet$	$[2]_o$	$[0]_o$		912	72
1:	$[2]_o$	$[1]_o$	$[0]_o$	1^{**}	784	56
2:	$[3]_\bullet$	$[0]_o$	$[0]_o$	1	64	8
2:	$[6]_*$	$[0]_o$	$[0]_o$		1104	66
1:	$[3]_\bullet$	$[0]_o$	$[0]_o$	1^{**}	144	18
2:	$[3]_o$	$[0]_o$	$[0]_o$	2^{**}	480	24
3:	$[2]_o$	$[2]_o$	$[2]_o$		336	24
1:	$[2]_o$	$[1]_o$	$[0]_o$	6^*	56	4

5.4. **The lattice $N(A_{24})$.** There are 5 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{Q}) = 60$.

1:	$[6]_{20}^+$		1260	60
1:	$[3]_{20}$	1	630	30
2:	$[6]_*^+$		924	44
1:	$[3]_\bullet$	1^{**}	924	44
3:	$[6]_*$		684	36
1:	$[3]_{20}$	2^*	171	9
2:	$[3]_\bullet^+$	2^*	171	9

4:	$[6]_{20}^-$		540	30
1:	$[3]_{20}$	1	270	15
5:	$[6]_{15}$		252	24
1:	$[3]_{20}$	1^{**}	252	24

5.5. **The lattice $N(2\mathbf{D}_{12})$.** There are 7 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{L}) = 92$.

1:	$[6]_*$	$[0]_0$	1008	104	$\rightarrow 92$
1:	$[3]_\bullet$	$[0]_0$	1^{**}	240	40
2:	$[3]_1$	$[0]_2$	1^{**}	768	$64 \rightarrow 52(1)$
2:	$[4]_\bullet^2$	$[2]_0$	1392	112	$\rightarrow 88$
1:	$[2]_0$	$[1]_0$	1^{**}	880	$80 \rightarrow 56(1)$
2:	$[2]_2$	$[1]_1$	1^{**}	512	32
3:	$[1]_2$	$[5]_1$	816	80	
1:	$[1]_0$	$[2]_0$	1	242	22
3:	$[1]_2$	$[2]_1^+$	1	165	17
5:	$[1]_2$	$[2]_1^-$	1	1	1
4:	$[4]_\bullet$	$[2]_0$	624	60	
1:	$[2]_1$	$[1]_2$	1^{**}	256	20
2:	$[2]_0$	$[1]_0$	1^{**}	240	24
3:	$[3]_\bullet$	$[0]_0$	1	64	8
5:	$[6]_*^+$	$[0]_0$	816	56	
1:	$[3]_\bullet$	$[0]_0$	1^{**}	288	24
2:	$[3]_0$	$[0]_0$	1^{**}	528	32
6:	$[3]_2$	$[3]_1$	432	40	
1:	$[3]_\bullet$	$[0]_0$	1	18	2
3:	$[2]_0$	$[1]_0$	1	198	18
7:	$[3]_3$	$[3]_3$	288	24	
1:	$[\frac{5}{2}]_1$	$[\frac{1}{2}]_2$	2^*	144	12

5.6. **The lattice $N(\mathbf{A}_{17} \oplus \mathbf{E}_7)$.** There are 13 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{L}) = 96$.

1:	$[0]_0$	$[6]_*^-$	1632	96
1:	$[0]_{15}$	$[3]_1$	2^*	816 48
2:	$[6]_{12}^+$	$[0]_0$	960	72
1:	$[3]_{15}$	$[0]_1$	1^{**}	336 24
2:	$[3]_{12}$	$[0]_0$	1	312 24
3:	$[\frac{9}{2}]_{15}^+$	$[\frac{3}{2}]_1$	1104	70
1:	$[3]_{\bullet}$	$[0]_0$	1	120 8
3:	$[\frac{5}{2}]_{15}$	$[\frac{1}{2}]_1$	1	432 27
4:	$[6]_*$	$[0]_0$	768	66
1:	$[3]_{12}$	$[0]_0$	2^*	220 20
2:	$[3]_{\bullet}^+$	$[0]_0$	2^*	108 9
3:	$[3]_{15}$	$[0]_1$	2^*	56 4
5:	$[6]_{12}^-$	$[0]_0$	672	66
1:	$[3]_6$	$[0]_0$	1^{**}	252 24
2:	$[3]_{12}$	$[0]_0$	1	210 21
6:	$[2]_{\circ}$	$[4]_{\bullet}$	864	60
1:	$[1]_{15}$	$[2]_1$	2^*	240 16
2:	$[1]_{\circ}^+$	$[2]_{\circ}$	2^*	160 10
3:	$[2]_{\circ}$	$[1]_{\circ}$	1	32 4
7:	$[0]_0$	$[6]_*^+$	672	48
1:	$[0]_{\circ}$	$[3]_{\circ}$	1^{**}	612 36
2:	$[0]_0$	$[3]_{\bullet}$	1^{**}	60 12
8:	$[4]_{\bullet}$	$[2]_{\circ}$	576	48
1:	$[2]_{15}$	$[1]_1$	2^*	168 12
2:	$[2]_{\circ}$	$[1]_{\circ}$	1^{**}	128 16
3:	$[3]_{\bullet}^+$	$[0]_0$	2	28 2
9:	$[6]_*^+$	$[0]_0$	672	48
1:	$[3]_{\bullet}$	$[0]_0$	1^{**}	420 30
2:	$[3]_{\circ}$	$[0]_{\circ}$	1^{**}	252 18
10:	$[\frac{5}{2}]_{15}$	$[\frac{7}{2}]_1$	672	48
1:	$[\frac{5}{2}]_{15}$	$[\frac{1}{2}]_1$	1	21 3
3:	$[\frac{3}{2}]_{15}$	$[\frac{3}{2}]_1$	1	315 21
11:	$[\frac{9}{2}]_{15}^-$	$[\frac{3}{2}]_1$	528	48

1:	$[3]_{12}$	$[0]_0$	1	78	6
3:	$[3]_{\bullet}$	$[0]_0$	1	78	6
5:	$[\frac{5}{2}]_{15}$	$[\frac{1}{2}]_1$	1	108	12
12:	$[\frac{9}{2}]_9$	$[\frac{3}{2}]_1$		336	48
1:	$[3]_{12}$	$[0]_0$	2	84	12
13:	$[4]_{12}$	$[2]_{\circ}$		384	52 \rightarrow 40
1:	$[2]_{15}$	$[1]_1$	1**	240	40 \rightarrow 28 (1)
2:	$[3]_{12}$	$[0]_0$	1	72	6

5.7. **The lattice $N(\mathbf{D}_{10} \oplus 2\mathbf{E}_7)$.** There are 14 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{L}) = 96$.

1:	$[0]_0$	$[6]_{*}$	$[0]_0$		1632	112 \rightarrow 96
1:	$[0]_1$	$[3]_1$	$[0]_0$	1**	512	32
2:	$[0]_2$	$[3]_1$	$[0]_1$	1**	1120	80 \rightarrow 64 (1)
2:	$[6]_{*}$	$[0]_0$	$[0]_0$		1056	96
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1**	160	32
2:	$[3]_3$	$[0]_0$	$[0]_1$	2**	448	32
3:	$[4]_{\bullet}^2$	$[2]_{\circ}$	$[0]_0$		1248	112 \rightarrow 92
1:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1**	576	64 \rightarrow 44 (1)
2:	$[2]_2$	$[1]_1$	$[0]_1$	1**	672	48
4:	$[\frac{9}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_1$		768	88
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1	84	12
3:	$[3]_{\bullet}^2$	$[0]_0$	$[0]_0$	1	1	1
5:	$[3]_1$	$[0]_1$	$[0]_0$	1	56	4
7:	$[\frac{5}{2}]_3$	$[0]_0$	$[\frac{1}{2}]_1$	1	243	27
5:	$[0]_0$	$[4]_{\bullet}$	$[2]_{\circ}$		864	96 \rightarrow 84
1:	$[0]_2$	$[2]_1$	$[1]_1$	1**	480	48 \rightarrow 42 (1)
2:	$[0]_0$	$[2]_{\circ}$	$[1]_{\circ}$	1**	320	40 \rightarrow 34 (1)
3:	$[0]_0$	$[3]_{\bullet}$	$[0]_0$	1	32	4
6:	$[2]_{\circ}$	$[4]_{\bullet}$	$[0]_0$		864	84 \rightarrow 78
1:	$[1]_1$	$[2]_1$	$[0]_0$	1**	256	20
2:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	1**	320	40 \rightarrow 34 (1)
3:	$[1]_2$	$[2]_1$	$[0]_1$	1**	224	16
4:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1	32	4

7:	$[4]_{\bullet}$	$[2]_{\circ}$	$[0]_0$		672	88 \rightarrow 76
1:	$[2]_1$	$[1]_1$	$[0]_0$	1**	384	48 \rightarrow 36 (1)
2:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1**	192	24
3:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1	48	8
8:	$[\frac{5}{2}]_3$	$[0]_0$	$[\frac{7}{2}]_1$		672	76
1:	$[\frac{5}{2}]_3$	$[0]_0$	$[\frac{1}{2}]_1$	1	21	3
3:	$[\frac{3}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_1$	1	315	35
9:	$[1]_2$	$[\frac{7}{2}]_1$	$[\frac{3}{2}]_1$		672	76
1:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	1	126	14
3:	$[1]_2$	$[\frac{3}{2}]_1$	$[\frac{1}{2}]_1$	1	189	21
5:	$[1]_2$	$[\frac{1}{2}]_1$	$[\frac{3}{2}]_1$	1	21	3
10:	$[0]_0$	$[6]_*^+$	$[0]_0$		672	56
1:	$[0]_{\circ}$	$[3]_{\circ}$	$[0]_0$	1**	360	26
2:	$[0]_0$	$[3]_{\bullet}$	$[0]_0$	1**	60	12
3:	$[0]_0$	$[3]_{\circ}$	$[0]_{\circ}$	1**	252	18
11:	$[2]_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$		480	72 \rightarrow 56
1:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	2*	32	4
2:	$[1]_2$	$[1]_1$	$[1]_1$	1**	288	48 \rightarrow 32 (1)
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	2	32	4
12:	$[3]_2$	$[\frac{3}{2}]_1$	$[\frac{3}{2}]_1$		480	56
1:	$[\frac{3}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_1$	2*	64	8
2:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1	14	2
4:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	2	81	9
13:	$[6]_*^+$	$[0]_0$	$[0]_0$		672	54
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1**	168	18
2:	$[3]_{\circ}$	$[0]_{\circ}$	$[0]_0$	2**	252	18
14:	$[\frac{5}{2}]_3$	$[2]_{\circ}$	$[\frac{3}{2}]_1$		384	40
1:	$[\frac{5}{2}]_3$	$[0]_0$	$[\frac{1}{2}]_1$	1	27	3
3:	$[2]_1$	$[1]_1$	$[0]_0$	1	120	12
5:	$[\frac{3}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_1$	1	45	5

5.8. **The lattice $N(\mathbf{A}_{15} \oplus \mathbf{D}_9)$.** There are 16 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{L}) = 88$.

1:	$[0]_0$	$[6]_*$		1080	88
1:	$[0]_{14}$	$[3]_3$	2^*	480	32
2:	$[0]_0$	$[3]_\bullet$	1^{**}	120	24
2:	$[2]_o$	$[4]_\bullet^2$		1176	88
1:	$[1]_{12}$	$[2]_2$	2^*	364	28
2:	$[1]_o^+$	$[2]_o$	2^*	224	16
3:	$[6]_8^+$	$[0]_0$		792	$88 \rightarrow 84$
1:	$[3]_{12}$	$[0]_2$	1^{**}	360	$40 \rightarrow 36(1)$
2:	$[3]_8$	$[0]_0$	1	216	24
4:	$[6]_*$	$[0]_0$		792	78
1:	$[3]_8$	$[0]_0$	1^{**}	252	24
2:	$[3]_\bullet^+$	$[0]_0$	2^*	90	9
3:	$[3]_{12}$	$[0]_2$	2^*	180	18
5:	$[5]_{12}^+$	$[1]_2$		984	76
1:	$[\frac{5}{2}]_{14}$	$[\frac{1}{2}]_3$	1^{**}	256	20
2:	$[3]_\bullet$	$[0]_0$	1	156	12
4:	$[3]_{12}$	$[0]_2$	1	208	16
6:	$[\frac{15}{4}]_{14}^+$	$[\frac{9}{4}]_3$		1080	72
1:	$[2]_o$	$[1]_o$	1	540	36
7:	$[5]_{12}^-$	$[1]_2$		600	66
1:	$[3]_8$	$[0]_0$	1	120	13
3:	$[3]_\bullet$	$[0]_0$	1	100	10
5:	$[3]_{12}$	$[0]_2$	1	80	10
8:	$[4]_\bullet$	$[2]_o$		600	64
1:	$[2]_{12}$	$[1]_2$	2^*	132	12
2:	$[2]_o$	$[1]_o$	1^{**}	112	16
3:	$[2]_{14}$	$[1]_3$	2^*	64	8
4:	$[3]_\bullet^+$	$[0]_0$	2	24	2
9:	$[\frac{7}{4}]_{14}$	$[\frac{17}{4}]_3$		744	64
1:	$[\frac{3}{2}]_{12}$	$[\frac{3}{2}]_2$	1	91	7
3:	$[1]_o$	$[2]_o$	1	224	16
5:	$[\frac{7}{4}]_{14}$	$[\frac{5}{4}]_3^+$	1	56	8
7:	$[\frac{7}{4}]_{14}$	$[\frac{5}{4}]_3^-$	1	1	1

10:	$[2]_{\circ}$	$[4]_{\bullet}$		696	60
1:	$[1]_{\circ}^{+}$	$[2]_{\circ}$	2^{*}	84	6
2:	$[1]_{14}$	$[2]_{3}$	2^{*}	224	16
3:	$[2]_{\circ}$	$[1]_{\circ}$	1	40	8
11:	$[3]_{12}$	$[3]_{2}$		504	52
1:	$[\frac{3}{2}]_{14}$	$[\frac{3}{2}]_{3}$	1^{**}	192	24
2:	$[3]_{12}$	$[0]_{2}$	1	12	2
4:	$[2]_{12}$	$[1]_{2}$	1	144	12
12:	$[4]_{8}$	$[2]_{\circ}$		408	52
1:	$[2]_{12}$	$[1]_{2}$	2^{**}	140	18
2:	$[3]_{8}$	$[0]_{0}$	1	64	8
13:	$[6]_{*}^{+}$	$[0]_{0}$		600	50
1:	$[3]_{\bullet}$	$[0]_{0}$	1^{**}	312	26
2:	$[3]_{\circ}$	$[0]_{\circ}$	1^{**}	288	24
14:	$[0]_{0}$	$[6]_{*}^{+}$		600	48
1:	$[0]_{\circ}$	$[3]_{\circ}$	1^{**}	480	32
2:	$[0]_{0}$	$[3]_{\bullet}$	1^{**}	120	16
15:	$[\frac{15}{4}]_{14}^{-}$	$[\frac{9}{4}]_{3}$		504	48
1:	$[3]_{\bullet}$	$[0]_{0}$	1	36	3
3:	$[\frac{5}{2}]_{12}$	$[\frac{1}{2}]_{2}$	1	108	9
5:	$[2]_{\circ}$	$[1]_{\circ}$	1	108	12
16:	$[\frac{15}{4}]_{10}$	$[\frac{9}{4}]_{1}$		360	40
1:	$[3]_{8}$	$[0]_{0}$	1	45	5
3:	$[\frac{5}{2}]_{12}$	$[\frac{1}{2}]_{2}$	1	135	15

5.9. **The lattice $N(3\mathbf{D}_8)$.** There are 10 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 104$.

1:	$[4]_{\bullet}$	$[2]_{\circ}$	$[0]_{0}$		720	104
1:	$[2]_{3}$	$[1]_{3}$	$[0]_{0}$	1^{**}	256	32
2:	$[2]_{1}$	$[1]_{2}$	$[0]_{2}$	1^{**}	256	32
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_{0}$	1^{**}	144	24
4:	$[3]_{\bullet}$	$[0]_{0}$	$[0]_{0}$	1	32	8
2:	$[4]_{3}$	$[2]_{3}$	$[0]_{0}$		720	104
1:	$[3]_{\bullet}$	$[0]_{0}$	$[0]_{0}$	1	35	7

3:	$[3]_{\bullet}^2$	$[0]_0$	$[0]_0$	1	1	1
5:	$[\frac{5}{2}]_1$	$[\frac{1}{2}]_2$	$[0]_2$	1	128	16
7:	$[2]_3$	$[1]_3$	$[0]_0$	1	196	28
3:	$[1]_2$	$[1]_2$	$[4]_1$		720	104
1:	$[1]_{\circ}$	$[0]_0$	$[2]_{\circ}$	2	98	14
3:	$[\frac{1}{2}]_3$	$[0]_0$	$[\frac{5}{2}]_3$	2	64	8
5:	$[1]_2$	$[1]_2$	$[1]_1^+$	1	35	7
7:	$[1]_2$	$[1]_2$	$[1]_1^-$	1	1	1
4:	$[6]_{*}$	$[0]_0$	$[0]_0$		1104	120 \rightarrow 98
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1**	80	16
2:	$[3]_3$	$[0]_3$	$[0]_0$	2**	256	20
3:	$[3]_1$	$[0]_2$	$[0]_2$	1**	512	64 \rightarrow 42 (1)
5:	$[4]_{\bullet}^2$	$[2]_{\circ}$	$[0]_0$		1104	132 \rightarrow 96
1:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1**	336	48 \rightarrow 34 (1)
2:	$[2]_2$	$[1]_1$	$[0]_2$	1**	512	64 \rightarrow 42 (1)
3:	$[2]_2$	$[1]_2$	$[0]_1$	1**	256	20
6:	$[2]_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$		528	72
1:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	6*	24	4
2:	$[1]_1$	$[1]_2$	$[1]_2$	3**	128	16
7:	$[3]_2$	$[1]_2$	$[2]_1$		528	72
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1	10	2
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1	42	6
5:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	1	84	12
7:	$[\frac{3}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_3$	1	128	16
8:	$[2]_3$	$[2]_3$	$[2]_{\circ}$		432	56
1:	$[2]_3$	$[0]_0$	$[1]_3$	2*	32	4
2:	$[\frac{3}{2}]_1$	$[\frac{1}{2}]_2$	$[1]_2$	2*	128	16
3:	$[2]_3$	$[1]_3$	$[0]_0$	2	28	4
9:	$[6]_{*}^+$	$[0]_0$	$[0]_0$		528	52
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1**	80	12
2:	$[3]_{\circ}$	$[0]_{\circ}$	$[0]_0$	2**	224	20
10:	$[2]_1$	$[2]_1$	$[2]_1$		384	48
1:	$[2]_1$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	3	64	8

5.10. **The lattice $N(2\mathbf{A}_{12})$.** There are 11 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{O}) = 88$.

1:	$\left[\frac{22}{13}\right]_{11}$	$\left[\frac{56}{13}\right]_3^-$		924	88
1:	$\left[\frac{16}{13}\right]_8$	$\left[\frac{23}{13}\right]_1$	1	165	17
3:	$\left[1\right]_o$	$\left[2\right]_o$	1	242	22
5:	$\left[\frac{22}{13}\right]_{11}$	$\left[\frac{17}{13}\right]_3$	1	55	5
2:	$\left[\frac{48}{13}\right]_{11}^+$	$\left[\frac{30}{13}\right]_3$		972	84
1:	$\left[\frac{24}{13}\right]_{12}$	$\left[\frac{15}{13}\right]_8$	1**	252	24
2:	$\left[2\right]_o$	$\left[1\right]_o$	1	360	30
3:	$\left[\frac{12}{13}\right]_{12}$	$\left[\frac{66}{13}\right]_8^+$		828	78
1:	$\left[\frac{10}{13}\right]_{10}$	$\left[\frac{29}{13}\right]_{11}$	1	198	18
3:	$\left[1\right]_o$	$\left[2\right]_o$	1	108	9
5:	$\left[\frac{12}{13}\right]_{12}$	$\left[\frac{27}{13}\right]_8$	1	108	12
4:	$\left[6\right]_*$	$\left[0\right]_0$		828	72
1:	$\left[3\right]_\bullet^+$	$\left[0\right]_0$	2*	63	9
2:	$\left[3\right]_8$	$\left[0\right]_1$	2*	273	21
3:	$\left[3\right]_{10}$	$\left[0\right]_{11}$	2*	78	6
5:	$\left[\frac{12}{13}\right]_{12}$	$\left[\frac{66}{13}\right]_8^-$		684	72
1:	$\left[1\right]_o$	$\left[2\right]_o$	1	72	6
3:	$\left[\frac{11}{13}\right]_{11}$	$\left[\frac{28}{13}\right]_3$	1	180	15
5:	$\left[\frac{12}{13}\right]_{12}$	$\left[\frac{27}{13}\right]_8$	1	90	15
6:	$\left[4\right]_\bullet$	$\left[2\right]_o$		636	68
1:	$\left[2\right]_8$	$\left[1\right]_1$	2*	84	12
2:	$\left[2\right]_{10}$	$\left[1\right]_{11}$	2*	99	9
3:	$\left[2\right]_o$	$\left[1\right]_o^+$	2*	44	4
4:	$\left[2\right]_{11}$	$\left[1\right]_3$	2*	55	5
5:	$\left[3\right]_\bullet^+$	$\left[0\right]_0$	2	18	2
7:	$\left[\frac{22}{13}\right]_{11}$	$\left[\frac{56}{13}\right]_3^+$		588	62
1:	$\left[\frac{11}{13}\right]_{12}$	$\left[\frac{28}{13}\right]_8$	1**	140	18
2:	$\left[\frac{20}{13}\right]_{10}$	$\left[\frac{19}{13}\right]_{11}$	1	88	8
4:	$\left[1\right]_o$	$\left[2\right]_o$	1	88	8
6:	$\left[\frac{22}{13}\right]_{11}$	$\left[\frac{17}{13}\right]_3$	1	48	6
8:	$\left[\frac{38}{13}\right]_{12}^-$	$\left[\frac{40}{13}\right]_8$		492	58
1:	$\left[3\right]_\bullet$	$\left[0\right]_0$	1	10	1

3:	$[\frac{23}{13}]_{10}$	$[\frac{16}{13}]_{11}$	1	100	10
5:	$[2]_{\circ}$	$[1]_{\circ}$	1	80	10
7:	$[\frac{24}{13}]_{11}$	$[\frac{15}{13}]_3$	1	56	8
9:	$[\frac{48}{13}]_{11}^-$	$[\frac{30}{13}]_3$		540	58
1:	$[3]_{\bullet}$	$[0]_0$	1	27	3
3:	$[\frac{29}{13}]_8$	$[\frac{10}{13}]_1$	1	108	12
5:	$[\frac{33}{13}]_{10}$	$[\frac{6}{13}]_{11}$	1	45	5
7:	$[2]_{\circ}$	$[1]_{\circ}$	1	90	9
10:	$[\frac{36}{13}]_9$	$[\frac{42}{13}]_6$		396	60 \rightarrow 56
1:	$[\frac{18}{13}]_{11}$	$[\frac{21}{13}]_3$	1**	120	24 \rightarrow 20 (1)
2:	$[\frac{32}{13}]_8$	$[\frac{7}{13}]_1$	1	54	6
4:	$[\frac{27}{13}]_{10}$	$[\frac{12}{13}]_{11}$	1	84	12
11:	$[6]_{*}^+$	$[0]_0$		492	46
1:	$[3]_{\bullet}$	$[0]_0$	1**	180	20
2:	$[3]_{\circ}$	$[0]_{\circ}$	1**	312	26

5.11. **The lattice $N(\mathbf{A}_{11} \oplus \mathbf{D}_7 \oplus \mathbf{E}_6)$.** There are 33 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 110$.

1:	$[0]_0$	$[6]_{*}$	$[0]_0$	1128	110
1:	$[0]_9$	$[3]_1$	$[0]_0$	2*	220 20
2:	$[0]_{11}$	$[3]_3$	$[0]_2$	2*	324 27
3:	$[0]_0$	$[3]_{\bullet}^+$	$[0]_0$	2*	20 8
2:	$[2]_{\circ}$	$[4]_{\bullet}^2$	$[0]_0$	1032	102
1:	$[1]_6$	$[2]_2$	$[0]_0$	1**	252 24
2:	$[1]_{\circ}^+$	$[2]_{\circ}$	$[0]_0$	2*	120 12
3:	$[1]_{10}$	$[2]_2$	$[0]_1$	2*	270 27
3:	$[6]_{*}$	$[0]_0$	$[0]_0$	840	110 \rightarrow 102
1:	$[3]_{\bullet}^+$	$[0]_0$	$[0]_0$	2*	54 9
2:	$[3]_6$	$[0]_2$	$[0]_0$	1**	280 40 \rightarrow 32 (1)
3:	$[3]_8$	$[0]_0$	$[0]_2$	2*	162 18
4:	$[3]_9$	$[0]_1$	$[0]_0$	2*	64 8
4:	$[0]_0$	$[4]_{\bullet}^2$	$[2]_{\circ}$	1032	112 \rightarrow 100
1:	$[0]_{10}$	$[2]_2$	$[1]_1$	2*	396 36
2:	$[0]_0$	$[2]_{\circ}$	$[1]_{\circ}$	1**	240 40 \rightarrow 28 (1)

5:	$[5]_6^+$	$[1]_2$	$[0]_0$		744	96
1:	$[\frac{5}{2}]_9$	$[\frac{1}{2}]_1$	$[0]_0$	1**	192	24
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	84	12
4:	$[3]_6$	$[0]_2$	$[0]_0$	1	84	12
6:	$[3]_8$	$[0]_0$	$[0]_2$	1	108	12
6:	$[4]_\bullet$	$[0]_0$	$[2]_0$		648	96
1:	$[2]_8$	$[0]_0$	$[1]_2$	2*	168	24
2:	$[2]_0$	$[0]_0$	$[1]_0$	1**	80	16
3:	$[2]_{10}$	$[0]_2$	$[1]_1$	2*	84	12
4:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	2	16	2
7:	$[\frac{14}{3}]_8^+$	$[0]_0$	$[\frac{4}{3}]_2$		840	104 → 96
1:	$[\frac{7}{3}]_{10}$	$[0]_2$	$[\frac{2}{3}]_1$	1**	280	40 → 32 (1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	72	8
4:	$[\frac{8}{3}]_8$	$[0]_0$	$[\frac{1}{3}]_2$	1	144	16
6:	$[3]_9$	$[0]_1$	$[0]_0$	1	64	8
8:	$[2]_0$	$[0]_0$	$[4]_\bullet$		840	94
1:	$[1]_8$	$[0]_0$	$[2]_2$	2*	120	13
2:	$[1]_0^+$	$[0]_0$	$[2]_0$	2*	80	8
3:	$[1]_{10}$	$[0]_2$	$[2]_1$	2*	140	14
4:	$[1]_{11}$	$[0]_3$	$[2]_2$	2*	64	8
5:	$[2]_0$	$[0]_0$	$[1]_0^+$	2	8	2
9:	$[\frac{17}{4}]_9^+$	$[\frac{7}{4}]_1$	$[0]_0$		888	94
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	45	5
3:	$[\frac{9}{4}]_9$	$[\frac{3}{4}]_1$	$[0]_0$	1	210	21
5:	$[\frac{5}{2}]_{10}$	$[\frac{1}{2}]_2$	$[0]_1$	1	189	21
10:	$[\frac{14}{3}]_8^-$	$[0]_0$	$[\frac{4}{3}]_2$		648	104 → 90
1:	$[\frac{7}{3}]_4$	$[0]_0$	$[\frac{2}{3}]_1$	1**	200	40 → 26 (1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	60	10
4:	$[3]_6$	$[0]_2$	$[0]_0$	1	84	12
6:	$[\frac{8}{3}]_8$	$[0]_0$	$[\frac{1}{3}]_2$	1	80	10
11:	$[\frac{11}{3}]_{10}^+$	$[1]_2$	$[\frac{4}{3}]_1$		936	96 → 90
1:	$[\frac{11}{6}]_{11}$	$[\frac{1}{2}]_3$	$[\frac{2}{3}]_2$	1**	320	40 → 34 (1)
2:	$[2]_0$	$[1]_0$	$[0]_0$	1	132	12
4:	$[2]_0$	$[0]_0$	$[1]_0$	1	176	16

12:	$[0]_0$	$[2]_0$	$[4]_\bullet$		840	96 → 88
1:	$[0]_{10}$	$[1]_2$	$[2]_1$	2^*	132	12
2:	$[0]_{11}$	$[1]_3$	$[2]_2$	2^*	192	16
3:	$[0]_0$	$[1]_0$	$[2]_0$	1^{**}	160	32 → 24(1)
4:	$[0]_0$	$[2]_0$	$[1]_0^+$	2	8	2
13:	$[3]_6$	$[3]_2$	$[0]_0$		552	104 → 88
1:	$[\frac{3}{2}]_9$	$[\frac{3}{2}]_1$	$[0]_0$	2^{**}	160	32 → 24(1)
2:	$[3]_6$	$[0]_2$	$[0]_0$	1	8	2
4:	$[2]_6$	$[1]_2$	$[0]_0$	1	108	18
14:	$[2]_0$	$[4]_\bullet$	$[0]_0$		744	88
1:	$[1]_9$	$[2]_1$	$[0]_0$	2^*	180	20
2:	$[1]_0^+$	$[2]_0$	$[0]_0$	2^*	60	6
3:	$[1]_{11}$	$[2]_3$	$[0]_2$	2^*	108	12
4:	$[2]_0$	$[1]_0$	$[0]_0$	1	24	6
15:	$[\frac{9}{4}]_9$	$[\frac{15}{4}]_1$	$[0]_0$		696	88
1:	$[\frac{3}{2}]_6$	$[\frac{3}{2}]_2$	$[0]_0$	1	84	12
3:	$[\frac{9}{4}]_9$	$[\frac{3}{4}]_1^+$	$[0]_0$	1	1	1
5:	$[\frac{9}{4}]_9$	$[\frac{3}{4}]_1^-$	$[0]_0$	1	20	4
7:	$[\frac{5}{4}]_9$	$[\frac{7}{4}]_1$	$[0]_0$	1	162	18
9:	$[\frac{3}{2}]_{10}$	$[\frac{3}{2}]_2$	$[0]_1$	1	81	9
16:	$[4]_\bullet$	$[2]_0$	$[0]_0$		648	86
1:	$[2]_6$	$[1]_2$	$[0]_0$	1^{**}	140	18
2:	$[2]_9$	$[1]_1$	$[0]_0$	2^*	128	16
3:	$[2]_0$	$[1]_0$	$[0]_0$	1^{**}	80	16
4:	$[2]_{10}$	$[1]_2$	$[0]_1$	2^*	54	6
5:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	2	16	2
17:	$[\frac{8}{3}]_8$	$[0]_0$	$[\frac{10}{3}]_2$		648	86
1:	$[\frac{4}{3}]_4$	$[0]_0$	$[\frac{5}{3}]_1$	1^{**}	140	18
2:	$[\frac{4}{3}]_{10}$	$[0]_2$	$[\frac{5}{3}]_1$	1^{**}	168	24
3:	$[\frac{8}{3}]_8$	$[0]_0$	$[\frac{1}{3}]_2$	1	10	2
5:	$[\frac{5}{3}]_8$	$[0]_0$	$[\frac{4}{3}]_2$	1	160	20
18:	$[\frac{17}{4}]_9^-$	$[\frac{7}{4}]_1$	$[0]_0$		600	84
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	42	6
3:	$[\frac{5}{2}]_6$	$[\frac{1}{2}]_2$	$[0]_0$	1	147	21

5:	$[3]_8$	$[0]_0$	$[0]_2$	1	27	3
7:	$[\frac{9}{4}]_9$	$[\frac{3}{4}]_1$	$[0]_0$	1	84	12
19:	$[0]_0$	$[4]_\bullet$	$[2]_\circ$		744	$84 \rightarrow 80$
1:	$[0]_{11}$	$[2]_3$	$[1]_2$	2*	288	24
2:	$[0]_0$	$[2]_\circ$	$[1]_\circ$	1**	120	$24 \rightarrow 20(1)$
3:	$[0]_0$	$[3]_\bullet$	$[0]_0$	1	24	6
20:	$[\frac{5}{3}]_{10}$	$[1]_2$	$[\frac{10}{3}]_1$		648	80
1:	$[\frac{5}{6}]_{11}$	$[\frac{1}{2}]_3$	$[\frac{5}{3}]_2$	1**	128	16
2:	$[\frac{4}{3}]_8$	$[0]_0$	$[\frac{5}{3}]_2$	1	90	10
4:	$[1]_\circ$	$[0]_0$	$[2]_\circ$	1	100	10
6:	$[\frac{5}{3}]_{10}$	$[1]_2$	$[\frac{1}{3}]_1$	1	10	2
8:	$[\frac{5}{3}]_{10}$	$[0]_2$	$[\frac{4}{3}]_1$	1	60	10
21:	$[3]_6$	$[1]_2$	$[2]_\circ$		456	76
1:	$[3]_6$	$[0]_2$	$[0]_0$	1	12	2
3:	$[2]_6$	$[1]_2$	$[0]_0$	1	36	6
5:	$[2]_8$	$[0]_0$	$[1]_2$	2	90	15
22:	$[\frac{11}{12}]_{11}$	$[\frac{15}{4}]_3$	$[\frac{4}{3}]_2$		696	76
1:	$[\frac{3}{4}]_9$	$[\frac{9}{4}]_1$	$[0]_0$	1	55	5
3:	$[1]_\circ$	$[2]_\circ$	$[0]_0$	1	66	6
5:	$[\frac{5}{6}]_{10}$	$[\frac{3}{2}]_2$	$[\frac{2}{3}]_1$	1	110	10
7:	$[\frac{11}{12}]_{11}$	$[\frac{7}{4}]_3$	$[\frac{1}{3}]_2$	1	96	12
9:	$[\frac{11}{12}]_{11}$	$[\frac{3}{4}]_3^+$	$[\frac{4}{3}]_2$	1	1	1
11:	$[\frac{11}{12}]_{11}$	$[\frac{3}{4}]_3^-$	$[\frac{4}{3}]_2$	1	20	4
23:	$[\frac{11}{3}]_{10}^-$	$[1]_2$	$[\frac{4}{3}]_1$		552	74
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	24	3
3:	$[2]_6$	$[1]_2$	$[0]_0$	1	56	8
5:	$[\frac{7}{3}]_8$	$[0]_0$	$[\frac{2}{3}]_2$	1	80	10
7:	$[\frac{5}{2}]_9$	$[\frac{1}{2}]_1$	$[0]_0$	1	32	4
9:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	1	36	6
11:	$[2]_\circ$	$[0]_0$	$[1]_\circ$	1	48	6
24:	$[\frac{11}{12}]_{11}$	$[\frac{7}{4}]_3$	$[\frac{10}{3}]_2$		648	72
1:	$[1]_\circ$	$[0]_0$	$[2]_\circ$	1	55	5
3:	$[\frac{5}{6}]_{10}$	$[\frac{1}{2}]_2$	$[\frac{5}{3}]_1$	1	154	14
5:	$[\frac{11}{12}]_{11}$	$[\frac{7}{4}]_3$	$[\frac{1}{3}]_2$	1	10	2

7:	$[\frac{11}{12}]_{11}$	$[\frac{3}{4}]_3$	$[\frac{4}{3}]_2$	1	105	15
25:	$[\frac{5}{3}]_{10}$	$[3]_2$	$[\frac{4}{3}]_1$		552	$76 \rightarrow 68$
1:	$[\frac{5}{6}]_{11}$	$[\frac{3}{2}]_3$	$[\frac{2}{3}]_2$	1**	160	$32 \rightarrow 24(1)$
2:	$[\frac{3}{2}]_9$	$[\frac{3}{2}]_1$	$[0]_0$	1	80	8
4:	$[1]_0$	$[2]_0$	$[0]_0$	1	60	6
6:	$[\frac{5}{3}]_{10}$	$[1]_2$	$[\frac{1}{3}]_1$	1	48	6
8:	$[\frac{5}{3}]_{10}$	$[0]_2$	$[\frac{4}{3}]_1$	1	8	2
26:	$[\frac{35}{12}]_7$	$[\frac{7}{4}]_3$	$[\frac{4}{3}]_1$		408	68
1:	$[\frac{5}{2}]_6$	$[\frac{1}{2}]_2$	$[0]_0$	1	49	7
3:	$[\frac{7}{3}]_8$	$[0]_0$	$[\frac{2}{3}]_2$	1	50	10
5:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_1$	1	35	7
7:	$[\frac{7}{4}]_9$	$[\frac{5}{4}]_1$	$[0]_0$	1	70	10
27:	$[2]_0$	$[2]_0$	$[2]_0$		552	68
1:	$[1]_{10}$	$[1]_2$	$[1]_1$	2*	120	12
2:	$[1]_{11}$	$[1]_3$	$[1]_2$	2*	96	12
3:	$[2]_0$	$[1]_0$	$[0]_0$	1	20	4
5:	$[2]_0$	$[0]_0$	$[1]_0$	1	20	4
7:	$[1]_0^+$	$[2]_0$	$[0]_0$	2	10	1
28:	$[\frac{35}{12}]_{11}$	$[\frac{7}{4}]_3$	$[\frac{4}{3}]_2$		504	64
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	9	1
3:	$[\frac{5}{3}]_8$	$[0]_0$	$[\frac{4}{3}]_2$	1	36	4
5:	$[\frac{7}{4}]_9$	$[\frac{5}{4}]_1$	$[0]_0$	1	63	7
7:	$[2]_0$	$[1]_0$	$[0]_0$	1	42	6
9:	$[2]_0$	$[0]_0$	$[1]_0$	1	32	4
11:	$[\frac{11}{6}]_{10}$	$[\frac{1}{2}]_2$	$[\frac{2}{3}]_1$	1	70	10
29:	$[\frac{8}{3}]_8$	$[2]_0$	$[\frac{4}{3}]_2$		456	$68 \rightarrow 64$
1:	$[\frac{4}{3}]_{10}$	$[1]_2$	$[\frac{2}{3}]_1$	1**	120	$24 \rightarrow 20(1)$
2:	$[2]_6$	$[1]_2$	$[0]_0$	1	56	8
4:	$[\frac{8}{3}]_8$	$[0]_0$	$[\frac{1}{3}]_2$	1	16	2
6:	$[\frac{5}{3}]_8$	$[0]_0$	$[\frac{4}{3}]_2$	1	32	4
8:	$[2]_9$	$[1]_1$	$[0]_0$	1	64	8
30:	$[\frac{9}{4}]_9$	$[\frac{7}{4}]_1$	$[2]_0$		456	60
1:	$[2]_8$	$[0]_0$	$[1]_2$	1	54	6
3:	$[\frac{9}{4}]_9$	$[\frac{3}{4}]_1$	$[0]_0$	1	21	3

5:	$[\frac{5}{4}]_9$	$[\frac{7}{4}]_1$	$[0]_0$	1	27	3
7:	$[\frac{3}{2}]_{10}$	$[\frac{1}{2}]_2$	$[1]_1$	1	126	18
31:	$[6]_*^+$	$[0]_0$	$[0]_0$		456	54
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1**	144	18
2:	$[3]_o$	$[0]_o$	$[0]_o$	1**	168	18
3:	$[3]_o$	$[0]_0$	$[0]_o$	1**	144	18
32:	$[0]_0$	$[0]_0$	$[6]_*$		456	54
1:	$[0]_o$	$[0]_0$	$[3]_o$	1**	264	24
2:	$[0]_0$	$[0]_o$	$[3]_o$	1**	168	18
3:	$[0]_0$	$[0]_0$	$[3]_\bullet^+$	2**	12	6
33:	$[0]_0$	$[6]_*^+$	$[0]_0$		456	52
1:	$[0]_o$	$[3]_o$	$[0]_0$	1**	264	24
2:	$[0]_0$	$[3]_\bullet$	$[0]_0$	1**	48	10
3:	$[0]_0$	$[3]_o$	$[0]_o$	1**	144	18

5.12. **The lattice $N(4\mathbf{E}_6)$.** There are 5 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{Q}) = 104$.

1:	$[4]_\bullet$	$[2]_o$	$[0]_0$	$[0]_0$	840	112 \rightarrow 104
1:	$[2]_o$	$[1]_o$	$[0]_0$	$[0]_0$	1** 160	32 \rightarrow 24 (1)
2:	$[2]_2$	$[1]_2$	$[0]_1$	$[0]_0$	4* 162	18
3:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	2	8
2:	$[2]_o$	$[2]_o$	$[2]_o$	$[0]_0$	552	96
1:	$[2]_o$	$[1]_o$	$[0]_0$	$[0]_0$	6* 20	4
2:	$[1]_2$	$[1]_2$	$[1]_1$	$[0]_0$	2* 216	36
3:	$[\frac{10}{3}]_2$	$[\frac{4}{3}]_2$	$[\frac{4}{3}]_1$	$[0]_0$	648	96 \rightarrow 82
1:	$[\frac{5}{3}]_1$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_1$	2* 54	6
2:	$[\frac{5}{3}]_1$	$[\frac{2}{3}]_1$	$[\frac{2}{3}]_2$	$[0]_0$	1** 200	40 \rightarrow 26 (1)
3:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	10
5:	$[2]_o$	$[1]_o$	$[0]_0$	$[0]_0$	2	80
4:	$[\frac{4}{3}]_2$	$[\frac{4}{3}]_2$	$[\frac{4}{3}]_1$	$[2]_o$	456	72
1:	$[\frac{4}{3}]_2$	$[\frac{2}{3}]_1$	$[0]_0$	$[1]_2$	6* 60	10
2:	$[1]_o$	$[0]_0$	$[0]_0$	$[2]_o$	3	16
5:	$[6]_*$	$[0]_0$	$[0]_0$	$[0]_0$	456	66
1:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	2** 12	6

$$2: \quad [3]_{\circ} \quad [0]_{\circ} \quad [0]_0 \quad [0]_0 \quad 3^{**} \ 144 \quad 18$$

5.13. **The lattice $N(2\mathbf{A}_9 \oplus \mathbf{D}_6)$.** There are 27 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 114$.

1:	$[0]_0$	$[0]_0$	$[6]_*^3$	1152	114
1:	$[0]_8$	$[0]_1$	$[3]_3$	2^* 450	45
2:	$[0]_0$	$[0]_5$	$[3]_3$	1^{**} 252	24
2:	$[6]_*$	$[0]_0$	$[0]_0$	864	106
1:	$[3]_{\bullet}^+$	$[0]_0$	$[0]_0$	2^* 36	9
2:	$[3]_5$	$[0]_0$	$[0]_1$	1^{**} 192	24
3:	$[3]_6$	$[0]_2$	$[0]_0$	2^* 180	20
4:	$[3]_7$	$[0]_9$	$[0]_2$	2^* 120	12
3:	$[2]_{\circ}$	$[0]_0$	$[4]_{\bullet}^2$	960	102
1:	$[1]_7$	$[0]_9$	$[2]_2$	2^* 280	28
2:	$[1]_{\circ}^+$	$[0]_0$	$[2]_{\circ}$	2^* 80	10
3:	$[1]_9$	$[0]_3$	$[2]_2$	2^* 120	13
4:	$[\frac{18}{5}]_8^+$	$[\frac{12}{5}]_6$	$[0]_0$	864	$112 \rightarrow 100$
1:	$[\frac{9}{5}]_9$	$[\frac{6}{5}]_3$	$[0]_2$	1^{**} 240	$40 \rightarrow 28$ (1)
2:	$[\frac{9}{5}]_9$	$[\frac{6}{5}]_8$	$[0]_1$	1^{**} 192	24
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1 216	24
5:	$[\frac{8}{5}]_8$	$[\frac{22}{5}]_6^-$	$[0]_0$	672	100
1:	$[\frac{4}{5}]_9$	$[\frac{11}{5}]_3$	$[0]_2$	1^{**} 144	24
2:	$[\frac{6}{5}]_6$	$[\frac{9}{5}]_2$	$[0]_0$	1 112	16
4:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	1 80	10
6:	$[\frac{8}{5}]_8$	$[\frac{7}{5}]_6$	$[0]_0$	1 40	8
8:	$[\frac{8}{5}]_8$	$[\frac{7}{5}]_1$	$[0]_3$	1 32	4
6:	$[\frac{9}{10}]_9$	$[\frac{41}{10}]_3^-$	$[1]_2$	816	100
1:	$[\frac{3}{5}]_6$	$[\frac{12}{5}]_2$	$[0]_0$	1 84	12
3:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	1 72	8
5:	$[\frac{4}{5}]_8$	$[\frac{17}{10}]_1$	$[\frac{1}{2}]_3$	1 144	16
7:	$[\frac{9}{10}]_9$	$[\frac{21}{10}]_3$	$[0]_2$	1 80	10
9:	$[\frac{9}{10}]_9$	$[\frac{11}{10}]_3$	$[1]_2$	1 28	4
7:	$[\frac{8}{5}]_8$	$[\frac{22}{5}]_6^+$	$[0]_0$	768	98
1:	$[\frac{4}{5}]_4$	$[\frac{11}{5}]_8$	$[0]_0$	1^{**} 140	18

2:	$[\frac{4}{5}]_9$	$[\frac{11}{5}]_8$	$[0]_1$	1**	128	16
3:	$[\frac{7}{5}]_7$	$[\frac{8}{5}]_9$	$[0]_2$	1	96	12
5:	$[1]_o$	$[2]_o$	$[0]_0$	1	112	14
7:	$[\frac{8}{5}]_8$	$[\frac{7}{5}]_6$	$[0]_0$	1	42	6
8:	$[\frac{18}{5}]_8^-$	$[\frac{12}{5}]_6$	$[0]_0$		576	100 → 96
1:	$[\frac{9}{5}]_4$	$[\frac{6}{5}]_8$	$[0]_0$	1**	120	24 → 20(1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	18	3
4:	$[\frac{11}{5}]_6$	$[\frac{4}{5}]_2$	$[0]_0$	1	90	15
6:	$[\frac{12}{5}]_7$	$[\frac{3}{5}]_9$	$[0]_2$	1	48	8
8:	$[2]_o$	$[1]_o$	$[0]_0$	1	72	12
9:	$[\frac{5}{2}]_5$	$[0]_0$	$[\frac{7}{2}]_1$		672	96
1:	$[\frac{5}{2}]_5$	$[0]_0$	$[\frac{1}{2}]_1^+$	1	1	1
3:	$[\frac{5}{2}]_5$	$[0]_0$	$[\frac{1}{2}]_1^-$	1	10	2
5:	$[\frac{3}{2}]_5$	$[0]_0$	$[\frac{3}{2}]_1$	1	125	25
7:	$[\frac{3}{2}]_7$	$[0]_9$	$[\frac{3}{2}]_2$	2	100	10
10:	$[\frac{9}{10}]_9$	$[\frac{18}{5}]_8^+$	$[\frac{3}{2}]_1$		864	96
1:	$[\frac{7}{10}]_7$	$[\frac{9}{5}]_9$	$[\frac{1}{2}]_2$	1	216	24
3:	$[1]_o$	$[2]_o$	$[0]_0$	1	81	9
5:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_8$	$[\frac{1}{2}]_1$	1	135	15
11:	$[4]_\bullet$	$[2]_o$	$[0]_0$		672	94
1:	$[2]_6$	$[1]_2$	$[0]_0$	2*	120	15
2:	$[2]_7$	$[1]_9$	$[0]_2$	2*	72	12
3:	$[2]_o$	$[1]_o^+$	$[0]_0$	2*	32	4
4:	$[2]_8$	$[1]_6$	$[0]_0$	2*	56	8
5:	$[2]_8$	$[1]_1$	$[0]_3$	2*	32	4
6:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	2	12	2
12:	$[\frac{9}{2}]_5^+$	$[0]_0$	$[\frac{3}{2}]_1$		720	94
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	45	9
3:	$[\frac{5}{2}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	1	90	15
5:	$[3]_6$	$[0]_2$	$[0]_0$	1	45	5
7:	$[\frac{5}{2}]_7$	$[0]_9$	$[\frac{1}{2}]_2$	1	180	18
13:	$[2]_o$	$[0]_0$	$[4]_\bullet$		768	90
1:	$[1]_5$	$[0]_0$	$[2]_1$	1**	140	18
2:	$[1]_o^+$	$[0]_0$	$[2]_o$	2*	48	6

3:	$[1]_8$	$[0]_1$	$[2]_3$	2^*	160	16
4:	$[1]_9$	$[0]_8$	$[2]_1$	2^*	90	10
5:	$[2]_o$	$[0]_0$	$[1]_o$	1	16	4
14:	$[4]_\bullet$	$[0]_0$	$[2]_o$		672	$96 \rightarrow 88$
1:	$[2]_5$	$[0]_0$	$[1]_1$	1^{**}	160	$32 \rightarrow 24$ (1)
2:	$[2]_7$	$[0]_9$	$[1]_2$	2^*	120	12
3:	$[2]_o$	$[0]_0$	$[1]_o$	1^{**}	64	16
4:	$[2]_8$	$[0]_1$	$[1]_3$	2^*	80	8
5:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	2	12	2
15:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_8$	$[\frac{7}{2}]_1$		672	84
1:	$[\frac{7}{10}]_7$	$[\frac{4}{5}]_9$	$[\frac{3}{2}]_2$	1	72	8
3:	$[1]_o$	$[0]_0$	$[2]_o$	1	45	5
5:	$[\frac{4}{5}]_8$	$[\frac{1}{5}]_1$	$[2]_3$	1	72	8
7:	$[\frac{9}{10}]_9$	$[\frac{3}{5}]_3$	$[\frac{3}{2}]_2$	1	56	8
9:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_8$	$[\frac{1}{2}]_1^+$	1	1	1
11:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_8$	$[\frac{1}{2}]_1^-$	1	10	2
13:	$[\frac{9}{10}]_9$	$[\frac{3}{5}]_8$	$[\frac{3}{2}]_1$	1	80	10
16:	$[\frac{5}{2}]_5$	$[\frac{5}{2}]_5$	$[1]_2$		432	84
1:	$[\frac{5}{2}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	2^*	16	2
2:	$[2]_6$	$[1]_2$	$[0]_0$	4	50	10
17:	$[\frac{9}{10}]_9$	$[\frac{18}{5}]_8^-$	$[\frac{3}{2}]_1$		576	84
1:	$[1]_o$	$[2]_o$	$[0]_0$	1	27	3
3:	$[\frac{4}{5}]_8$	$[\frac{11}{5}]_6$	$[0]_0$	1	54	6
5:	$[\frac{4}{5}]_8$	$[\frac{6}{5}]_1$	$[1]_3$	1	54	6
7:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_3$	$[\frac{1}{2}]_2$	1	90	15
9:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_8$	$[\frac{1}{2}]_1$	1	45	9
11:	$[\frac{9}{10}]_9$	$[\frac{3}{5}]_8$	$[\frac{3}{2}]_1$	1	18	3
18:	$[\frac{9}{10}]_9$	$[\frac{41}{10}]_3^+$	$[1]_2$		624	84
1:	$[\frac{7}{10}]_7$	$[\frac{13}{10}]_9$	$[1]_2$	1	36	4
3:	$[1]_o$	$[2]_o$	$[0]_0$	1	36	4
5:	$[\frac{4}{5}]_8$	$[\frac{11}{5}]_6$	$[0]_0$	1	90	10
7:	$[\frac{9}{10}]_9$	$[\frac{21}{10}]_3$	$[0]_2$	1	40	8
9:	$[\frac{9}{10}]_9$	$[\frac{11}{10}]_3$	$[1]_2$	1	30	6
11:	$[\frac{9}{10}]_9$	$[\frac{8}{5}]_8$	$[\frac{1}{2}]_1$	1	80	10

19:	$\left[\frac{29}{10}\right]_9^-$	$\left[\frac{21}{10}\right]_3$	$\left[1\right]_2$		528	80
1:	$\left[3\right]_\bullet$	$\left[0\right]_0$	$\left[0\right]_0$	1	7	1
3:	$\left[\frac{8}{5}\right]_6$	$\left[\frac{7}{5}\right]_2$	$\left[0\right]_0$	1	63	9
5:	$\left[\frac{17}{10}\right]_7$	$\left[\frac{3}{10}\right]_9$	$\left[1\right]_2$	1	49	7
7:	$\left[2\right]_o$	$\left[1\right]_o$	$\left[0\right]_0$	1	42	6
9:	$\left[2\right]_o$	$\left[0\right]_0$	$\left[1\right]_o$	1	20	4
11:	$\left[\frac{9}{5}\right]_8$	$\left[\frac{6}{5}\right]_6$	$\left[0\right]_0$	1	35	7
13:	$\left[\frac{9}{5}\right]_8$	$\left[\frac{7}{10}\right]_1$	$\left[\frac{1}{2}\right]_3$	1	48	6
20:	$\left[\frac{29}{10}\right]_9^-$	$\left[\frac{8}{5}\right]_8$	$\left[\frac{3}{2}\right]_1$		528	80
1:	$\left[3\right]_\bullet$	$\left[0\right]_0$	$\left[0\right]_0$	1	7	1
3:	$\left[\frac{3}{2}\right]_5$	$\left[0\right]_0$	$\left[\frac{3}{2}\right]_1$	1	35	7
5:	$\left[\frac{17}{10}\right]_7$	$\left[\frac{4}{5}\right]_9$	$\left[\frac{1}{2}\right]_2$	1	84	12
7:	$\left[2\right]_o$	$\left[1\right]_o$	$\left[0\right]_0$	1	32	4
9:	$\left[2\right]_o$	$\left[0\right]_0$	$\left[1\right]_o$	1	30	6
11:	$\left[\frac{9}{5}\right]_8$	$\left[\frac{6}{5}\right]_6$	$\left[0\right]_0$	1	28	4
13:	$\left[\frac{9}{5}\right]_8$	$\left[\frac{1}{5}\right]_1$	$\left[1\right]_3$	1	48	6
21:	$\left[2\right]_o$	$\left[2\right]_o$	$\left[2\right]_o$		576	80
1:	$\left[1\right]_7$	$\left[1\right]_9$	$\left[1\right]_2$	4*	56	8
2:	$\left[2\right]_o$	$\left[0\right]_0$	$\left[1\right]_o$	2*	16	4
3:	$\left[1\right]_8$	$\left[1\right]_1$	$\left[1\right]_3$	4*	64	8
4:	$\left[2\right]_o$	$\left[1\right]_o^+$	$\left[0\right]_0$	4	8	1
22:	$\left[\frac{8}{5}\right]_8$	$\left[\frac{12}{5}\right]_6$	$\left[2\right]_o$		480	84 \rightarrow 78
1:	$\left[\frac{4}{5}\right]_9$	$\left[\frac{6}{5}\right]_3$	$\left[1\right]_2$	1**	80	16
2:	$\left[\frac{4}{5}\right]_9$	$\left[\frac{6}{5}\right]_8$	$\left[1\right]_1$	1**	96	24 \rightarrow 18(1)
3:	$\left[\frac{7}{5}\right]_7$	$\left[\frac{3}{5}\right]_9$	$\left[1\right]_2$	1	64	8
5:	$\left[1\right]_o$	$\left[0\right]_0$	$\left[2\right]_o$	1	16	2
7:	$\left[\frac{8}{5}\right]_8$	$\left[\frac{7}{5}\right]_6$	$\left[0\right]_0$	1	24	4
9:	$\left[\frac{8}{5}\right]_8$	$\left[\frac{2}{5}\right]_1$	$\left[1\right]_3$	1	48	8
23:	$\left[\frac{9}{10}\right]_9$	$\left[\frac{21}{10}\right]_3$	$\left[3\right]_2$		576	76
1:	$\left[1\right]_o$	$\left[0\right]_0$	$\left[2\right]_o$	1	27	3
3:	$\left[\frac{4}{5}\right]_8$	$\left[\frac{7}{10}\right]_1$	$\left[\frac{3}{2}\right]_3$	1	108	12
5:	$\left[\frac{9}{10}\right]_9$	$\left[\frac{21}{10}\right]_3$	$\left[0\right]_2$	1	6	2
7:	$\left[\frac{9}{10}\right]_9$	$\left[\frac{11}{10}\right]_3$	$\left[1\right]_2$	1	63	9
9:	$\left[\frac{9}{10}\right]_9$	$\left[\frac{3}{5}\right]_8$	$\left[\frac{3}{2}\right]_1$	1	84	12

24:	$[\frac{5}{2}]_5$	$[2]_0$	$[\frac{3}{2}]_1$		480	76
1:	$[\frac{5}{2}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	1	15	3
3:	$[\frac{3}{2}]_5$	$[0]_0$	$[\frac{3}{2}]_1$	1	25	5
5:	$[2]_6$	$[1]_2$	$[0]_0$	2	40	5
7:	$[\frac{3}{2}]_7$	$[1]_9$	$[\frac{1}{2}]_2$	2	60	10
25:	$[\frac{21}{10}]_7$	$[\frac{12}{5}]_4$	$[\frac{3}{2}]_1$		432	72
1:	$[\frac{3}{2}]_5$	$[0]_0$	$[\frac{3}{2}]_1$	1	21	3
3:	$[\frac{9}{5}]_6$	$[\frac{6}{5}]_2$	$[0]_0$	1	42	6
5:	$[\frac{21}{10}]_7$	$[\frac{2}{5}]_9$	$[\frac{1}{2}]_2$	1	36	6
7:	$[\frac{7}{5}]_8$	$[\frac{8}{5}]_6$	$[0]_0$	1	45	9
9:	$[\frac{7}{5}]_8$	$[\frac{3}{5}]_1$	$[1]_3$	1	72	12
26:	$[6]_*^+$	$[0]_0$	$[0]_0$		384	50
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1**	84	14
2:	$[3]_0$	$[0]_0$	$[0]_0$	1**	180	20
3:	$[3]_0$	$[0]_0$	$[0]_0$	1**	120	16
27:	$[0]_0$	$[0]_0$	$[6]_*^+$		384	48
1:	$[0]_0$	$[0]_0$	$[3]_0$	2**	180	20
2:	$[0]_0$	$[0]_0$	$[3]_\bullet$	1**	24	8

5.14. **The lattice $N(4\mathbf{D}_6)$.** There are 10 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 120$.

1:	$[4]_\bullet^2$	$[2]_0$	$[0]_0$	$[0]_0$		960	144 \rightarrow 120
1:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1**	160	32 \rightarrow 24 (1)
2:	$[2]_2$	$[1]_3$	$[0]_0$	$[0]_1$	2**	256	32
3:	$[2]_2$	$[1]_2$	$[0]_2$	$[0]_2$	1**	288	48 \rightarrow 32 (1)
2:	$[\frac{7}{2}]_3$	$[1]_2$	$[\frac{3}{2}]_1$	$[0]_0$		672	112
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	2
3:	$[3]_\bullet^2$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	1
5:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	50	10
7:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	75	15
9:	$[2]_1$	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_2$	$[0]_0$	1	96	12
11:	$[2]_1$	$[1]_2$	$[0]_0$	$[0]_3$	1	32	4
13:	$[2]_1$	$[0]_0$	$[1]_3$	$[0]_2$	1	72	12
3:	$[4]_\bullet$	$[2]_0$	$[0]_0$	$[0]_0$		768	128 \rightarrow 110

1:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	1^{**}	96	24	\rightarrow	18 (1)
2:	$[2]_3$	$[1]_1$	$[0]_0$	$[0]_2$	2^{**}	192	32	\rightarrow	26 (1)
3:	$[2]_3$	$[1]_2$	$[0]_1$	$[0]_0$	2^{**}	128	16		
4:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	1	16	4		
<hr/>									
4:	$[6]_*^3$	$[0]_0$	$[0]_0$	$[0]_0$		1152	144	\rightarrow	108
1:	$[3]_3$	$[0]_1$	$[0]_0$	$[0]_2$	3^{**}	384	48	\rightarrow	36 (1)
<hr/>									
5:	$[\frac{3}{2}]_3$	$[3]_2$	$[\frac{3}{2}]_1$	$[0]_0$		576	104		
1:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_1$	$[0]_0$	$[0]_2$	2^*	48	8		
2:	$[1]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_2$	$[0]_0$	2^*	144	24		
3:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	2	45	9		
5:	$[\frac{3}{2}]_3$	$[0]_2$	$[\frac{3}{2}]_1$	$[0]_0$	1	6	2		
<hr/>									
6:	$[2]_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$	$[0]_0$		576	136	\rightarrow	100
1:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	6^*	16	4		
2:	$[1]_3$	$[1]_2$	$[1]_1$	$[0]_0$	3^{**}	128	32	\rightarrow	20 (1)
3:	$[1]_2$	$[1]_2$	$[1]_2$	$[0]_2$	1^{**}	96	16		
<hr/>									
7:	$[3]_2$	$[1]_2$	$[1]_2$	$[1]_2$		576	88		
1:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	6^*	64	8		
2:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2		
4:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	3	30	6		
<hr/>									
8:	$[\frac{3}{2}]_3$	$[1]_2$	$[\frac{3}{2}]_1$	$[2]_{\circ}$		480	80		
1:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	2^*	32	4		
2:	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[2]_{\circ}$	2	15	3		
4:	$[\frac{3}{2}]_3$	$[0]_2$	$[\frac{3}{2}]_1$	$[0]_0$	1	10	2		
6:	$[\frac{3}{2}]_3$	$[0]_0$	$[\frac{1}{2}]_2$	$[1]_1$	2	48	8		
8:	$[1]_1$	$[0]_0$	$[1]_3$	$[1]_2$	1	72	12		
<hr/>									
9:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$		432	72		
1:	$[\frac{3}{2}]_3$	$[1]_1$	$[0]_0$	$[\frac{1}{2}]_2$	12^*	36	6		
<hr/>									
10:	$[6]_*^+$	$[0]_0$	$[0]_0$	$[0]_0$		384	56		
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	1^{**}	24	8		
2:	$[3]_{\circ}$	$[0]_{\circ}$	$[0]_0$	$[0]_0$	3^{**}	120	16		

5.15. **The lattice $N(3\mathbf{A}_8)$.** There are 15 configurations to be considered, and the maximal naïve bound is $b(\mathcal{Q}) = 120$.

1:	$[6]_*$	$[0]_0$	$[0]_0$	876	120
1:	$[3]_•^+$	$[0]_0$	$[0]_0$	2*	27 9
2:	$[3]_5$	$[0]_8$	$[0]_8$	2*	243 27
3:	$[3]_6$	$[0]_3$	$[0]_0$	4*	84 12
2:	$[\frac{8}{9}]_8$	$[\frac{32}{9}]_2^-$	$[\frac{14}{9}]_2$	828	104
1:	$[\frac{4}{9}]_4$	$[\frac{16}{9}]_1$	$[\frac{7}{9}]_1$	1**	140 18
2:	$[1]_◦$	$[2]_◦$	$[0]_0$	1	64 8
4:	$[\frac{7}{9}]_7$	$[\frac{16}{9}]_1$	$[\frac{4}{9}]_7$	1	168 21
6:	$[\frac{8}{9}]_8$	$[\frac{14}{9}]_2$	$[\frac{5}{9}]_2$	1	112 14
3:	$[\frac{8}{9}]_8$	$[\frac{8}{9}]_8$	$[\frac{38}{9}]_5^+$	732	100
1:	$[\frac{7}{9}]_7$	$[\frac{1}{9}]_1$	$[\frac{19}{9}]_7$	2*	128 16
2:	$[\frac{5}{9}]_5$	$[\frac{8}{9}]_8$	$[\frac{14}{9}]_8$	2	56 8
4:	$[1]_◦$	$[0]_0$	$[2]_◦$	2	48 6
6:	$[\frac{8}{9}]_8$	$[\frac{8}{9}]_8$	$[\frac{11}{9}]_5$	1	30 6
4:	$[2]_◦$	$[2]_◦$	$[2]_◦$	588	96
1:	$[1]_5$	$[1]_8$	$[1]_8$	6*	35 7
2:	$[2]_◦$	$[1]_◦^+$	$[0]_0$	12*	7 1
3:	$[1]_7$	$[1]_7$	$[1]_1$	6*	49 7
5:	$[4]_6^+$	$[2]_3$	$[0]_0$	780	96
1:	$[3]_•$	$[0]_0$	$[0]_0$	1	21 3
3:	$[2]_6$	$[1]_3$	$[0]_0$	1	126 18
5:	$[\frac{7}{3}]_7$	$[\frac{2}{3}]_7$	$[0]_1$	1	135 15
7:	$[\frac{7}{3}]_7$	$[\frac{2}{3}]_1$	$[0]_7$	1	108 12
6:	$[\frac{8}{9}]_8$	$[\frac{8}{9}]_8$	$[\frac{38}{9}]_5^-$	684	96
1:	$[1]_◦$	$[0]_0$	$[2]_◦$	2	40 5
3:	$[\frac{2}{3}]_6$	$[0]_0$	$[\frac{7}{3}]_3$	2	84 12
5:	$[\frac{7}{9}]_7$	$[\frac{7}{9}]_7$	$[\frac{13}{9}]_1$	1	64 8
7:	$[\frac{8}{9}]_8$	$[\frac{8}{9}]_8$	$[\frac{11}{9}]_5$	1	30 6
7:	$[4]_6^-$	$[2]_3$	$[0]_0$	636	96 → 92
1:	$[2]_3$	$[1]_6$	$[0]_0$	1**	120 24 → 20 (1)
2:	$[3]_•$	$[0]_0$	$[0]_0$	1	24 6
4:	$[\frac{8}{3}]_5$	$[\frac{1}{3}]_8$	$[0]_8$	1	54 6
6:	$[\frac{7}{3}]_4$	$[\frac{2}{3}]_1$	$[0]_1$	1	108 12
8:	$[2]_6$	$[1]_3$	$[0]_0$	1	72 12

8:	$[4]_{\bullet}$	$[2]_{\circ}$	$[0]_0$	684	88
1:	$[2]_5$	$[1]_8$	$[0]_8$	2*	90 10
2:	$[2]_6$	$[1]_3$	$[0]_0$	2*	105 15
3:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	2*	28 4
4:	$[2]_7$	$[1]_7$	$[0]_1$	2*	63 7
5:	$[2]_7$	$[1]_1$	$[0]_7$	2*	36 4
6:	$[3]_{\bullet}^+$	$[0]_0$	$[0]_0$	2	10 2
9:	$[\frac{26}{9}]_8^-$	$[\frac{8}{9}]_8$	$[\frac{20}{9}]_5$	540	88
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	1	6 1
3:	$[\frac{14}{9}]_5$	$[\frac{8}{9}]_8$	$[\frac{5}{9}]_8$	1	60 12
5:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	1	16 2
7:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	1	40 8
9:	$[\frac{5}{3}]_6$	$[0]_0$	$[\frac{4}{3}]_3$	1	60 10
11:	$[\frac{16}{9}]_7$	$[\frac{7}{9}]_7$	$[\frac{4}{9}]_1$	1	40 5
13:	$[\frac{16}{9}]_7$	$[\frac{1}{9}]_1$	$[\frac{10}{9}]_7$	1	48 6
10:	$[\frac{8}{9}]_8$	$[\frac{32}{9}]_2^+$	$[\frac{14}{9}]_2$	588	86
1:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	1	24 3
3:	$[\frac{2}{3}]_6$	$[\frac{7}{3}]_3$	$[0]_0$	1	28 4
5:	$[\frac{7}{9}]_7$	$[\frac{13}{9}]_7$	$[\frac{7}{9}]_1$	1	80 10
7:	$[\frac{8}{9}]_8$	$[\frac{17}{9}]_5$	$[\frac{2}{9}]_8$	1	70 10
9:	$[\frac{8}{9}]_8$	$[\frac{14}{9}]_2$	$[\frac{5}{9}]_2$	1	42 6
11:	$[\frac{8}{9}]_8$	$[\frac{5}{9}]_2$	$[\frac{14}{9}]_2$	1	15 3
13:	$[\frac{8}{9}]_8$	$[\frac{11}{9}]_8$	$[\frac{8}{9}]_5$	1	35 7
11:	$[2]_6$	$[2]_3$	$[2]_{\circ}$	492	84
1:	$[\frac{5}{3}]_5$	$[\frac{1}{3}]_8$	$[1]_8$	2*	36 6
2:	$[2]_6$	$[0]_0$	$[1]_3$	2*	21 3
3:	$[\frac{4}{3}]_7$	$[\frac{2}{3}]_1$	$[1]_7$	2*	63 9
4:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_1$	$[1]_1$	2	45 9
6:	$[2]_6$	$[1]_3$	$[0]_0$	2	18 3
12:	$[\frac{14}{9}]_7$	$[\frac{20}{9}]_4$	$[\frac{20}{9}]_4$	444	92 \rightarrow 84
1:	$[\frac{7}{9}]_8$	$[\frac{16}{9}]_5$	$[\frac{4}{9}]_8$	2*	50 10
2:	$[\frac{7}{9}]_8$	$[\frac{10}{9}]_2$	$[\frac{10}{9}]_2$	1**	72 24 \rightarrow 16 (1)
3:	$[\frac{4}{3}]_6$	$[\frac{5}{3}]_3$	$[0]_0$	2	28 4
5:	$[\frac{14}{9}]_7$	$[\frac{8}{9}]_7$	$[\frac{5}{9}]_1$	2	40 8

13:	$[\frac{26}{9}]_8^-$	$[\frac{14}{9}]_2$	$[\frac{14}{9}]_2$	540	82
1:	$[\frac{13}{9}]_4$	$[\frac{7}{9}]_1$	$[\frac{7}{9}]_1$	1** 80	16
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1	6 1
4:	$[2]_o$	$[1]_o$	$[0]_0$	2	28 4
6:	$[\frac{5}{3}]_6$	$[\frac{4}{3}]_3$	$[0]_0$	2	42 6
8:	$[\frac{16}{9}]_7$	$[\frac{4}{9}]_7$	$[\frac{7}{9}]_1$	2	42 6
14:	$[2]_6$	$[2]_6$	$[2]_6$	444	78
1:	$[2]_6$	$[1]_3$	$[0]_0$	6*	20 4
2:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_8$	$[\frac{2}{3}]_8$	3	54 9
15:	$[6]_*^+$	$[0]_0$	$[0]_0$	348	48
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	1** 60	12
2:	$[3]_o$	$[0]_o$	$[0]_0$	2** 144	18

5.16. **The lattice $N(2\mathbf{A}_7 \oplus 2\mathbf{D}_5)$.** There are 34 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{Q}) = 120$.

1:	$[6]_*$	$[0]_0$	$[0]_0$	$[0]_0$	888	142 \rightarrow 118
1:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	2* 18	10 \rightarrow <u>5</u> (3)
2:	$[3]_4$	$[0]_4$	$[0]_0$	$[0]_0$	1** 140	18
3:	$[3]_4$	$[0]_0$	$[0]_2$	$[0]_2$	1** 200	40 \rightarrow 26 (1)
4:	$[3]_5$	$[0]_7$	$[0]_0$	$[0]_3$	4* 128	16
2:	$[2]_o$	$[0]_0$	$[4]_\bullet^2$	$[0]_0$	888	136 \rightarrow 110
1:	$[1]_4$	$[0]_0$	$[2]_2$	$[0]_2$	1** 200	40 \rightarrow 26 (1)
2:	$[1]_o^+$	$[0]_0$	$[2]_o$	$[0]_0$	2* 48	8
3:	$[1]_6$	$[0]_6$	$[2]_2$	$[0]_0$	2* 168	24 \rightarrow 18 (2)
4:	$[1]_7$	$[0]_1$	$[2]_2$	$[0]_3$	2* 128	16
3:	$[2]_4$	$[2]_4$	$[2]_o$	$[0]_0$	504	136 \rightarrow 120
1:	$[2]_4$	$[0]_0$	$[1]_2$	$[0]_2$	2* 20	4
2:	$[\frac{3}{2}]_5$	$[\frac{1}{2}]_1$	$[1]_3$	$[0]_0$	4* 64	16
3:	$[1]_6$	$[1]_6$	$[1]_2$	$[0]_0$	2** 72	24 \rightarrow 16 (1)
4:	$[2]_4$	$[1]_4$	$[0]_0$	$[0]_0$	2	16 4
4:	$[0]_0$	$[0]_0$	$[4]_\bullet^2$	$[2]_o$	888	124 \rightarrow 118
1:	$[0]_4$	$[0]_0$	$[2]_2$	$[1]_2$	2** 140	18
2:	$[0]_7$	$[0]_1$	$[2]_2$	$[1]_3$	2* 256	32
3:	$[0]_0$	$[0]_0$	$[2]_o$	$[1]_o$	1** 96	24 \rightarrow 18 (1)

5:	$[0]_0$	$[0]_0$	$[4]_\bullet$	$[2]_0$	792	124	\rightarrow	116
1:	$[0]_6$	$[0]_0$	$[2]_1$	$[1]_1$	4*	112		16
2:	$[0]_7$	$[0]_7$	$[2]_3$	$[1]_2$	2*	128		16
3:	$[0]_0$	$[0]_0$	$[2]_0$	$[1]_0$	1**	72	24	\rightarrow 16(1)
4:	$[0]_0$	$[0]_0$	$[3]_\bullet^+$	$[0]_0$	2	4		1
6:	$[2]_4$	$[2]_0$	$[1]_2$	$[1]_2$	504			112
1:	$[1]_6$	$[1]_6$	$[1]_2$	$[0]_0$	4*	36		6
2:	$[2]_4$	$[1]_4$	$[0]_0$	$[0]_0$	1	20		4
4:	$[2]_4$	$[0]_0$	$[1]_2$	$[0]_2$	2	8		2
6:	$[1]_4$	$[0]_0$	$[1]_2$	$[1]_2$	1	16		4
8:	$[\frac{3}{2}]_5$	$[1]_7$	$[0]_0$	$[\frac{1}{2}]_3$	4	32		8
7:	$[\frac{7}{2}]_6^+$	$[\frac{3}{2}]_6$	$[1]_2$	$[0]_0$	792	128	\rightarrow	112
1:	$[\frac{7}{4}]_7$	$[\frac{3}{4}]_3$	$[\frac{1}{2}]_1$	$[0]_0$	1**	160	32	\rightarrow 24(1)
2:	$[\frac{7}{4}]_7$	$[\frac{3}{4}]_7$	$[\frac{1}{2}]_3$	$[0]_2$	1**	160	32	\rightarrow 24(1)
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	84		12
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	56		8
7:	$[\frac{7}{4}]_7$	$[\frac{5}{4}]_5$	$[0]_0$	$[0]_1$	1	96		12
8:	$[\frac{7}{2}]_6^-$	$[\frac{3}{2}]_6$	$[1]_2$	$[0]_0$	600	118	\rightarrow	112
1:	$[\frac{7}{4}]_3$	$[\frac{3}{4}]_7$	$[\frac{1}{2}]_1$	$[0]_0$	1**	96	24	\rightarrow 18(1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	12		3
4:	$[2]_4$	$[1]_4$	$[0]_0$	$[0]_0$	1	60		12
6:	$[2]_4$	$[0]_0$	$[1]_2$	$[0]_2$	1	40		8
8:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	36		6
10:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	24		6
12:	$[\frac{9}{4}]_5$	$[\frac{3}{4}]_7$	$[0]_0$	$[0]_3$	1	32		4
14:	$[\frac{9}{4}]_5$	$[\frac{1}{4}]_1$	$[\frac{1}{2}]_3$	$[0]_0$	1	48		8
9:	$[\frac{7}{8}]_7$	$[\frac{31}{8}]_5^-$	$[0]_0$	$[\frac{5}{4}]_1$	648			112
1:	$[1]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	28		4
3:	$[\frac{1}{2}]_4$	$[\frac{5}{2}]_4$	$[0]_0$	$[0]_0$	1	35		7
5:	$[\frac{3}{4}]_6$	$[\frac{7}{4}]_2$	$[0]_0$	$[\frac{1}{2}]_2$	1	105		15
7:	$[\frac{7}{8}]_7$	$[\frac{17}{8}]_3$	$[0]_1$	$[0]_0$	1	48		6
9:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{1}{4}]_1$	1	40		8
11:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_5$	$[0]_0$	$[\frac{5}{4}]_1$	1	18		6
13:	$[\frac{7}{8}]_7$	$[\frac{11}{8}]_1$	$[0]_2$	$[\frac{3}{4}]_3$	1	50		10

10:	$[2]_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$	$[0]_0$	600	112
1:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	2*	12 4
2:	$[1]_5$	$[1]_1$	$[1]_3$	$[0]_0$	4*	60 12
3:	$[1]_6$	$[1]_6$	$[1]_2$	$[0]_0$	2*	72 12
4:	$[1]_7$	$[1]_7$	$[1]_3$	$[0]_2$	2*	40 8
5:	$[1]_7$	$[1]_1$	$[1]_2$	$[0]_3$	2*	32 4
6:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	4	6 1
11:	$[4]_4^+$	$[2]_4$	$[0]_0$	$[0]_0$	696	120 \rightarrow 112
1:	$[2]_6$	$[1]_6$	$[0]_2$	$[0]_0$	2**	120 24 \rightarrow 20 (1)
2:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	1	20 4
4:	$[2]_4$	$[1]_4$	$[0]_0$	$[0]_0$	1	80 16
6:	$[\frac{5}{2}]_5$	$[\frac{1}{2}]_7$	$[0]_0$	$[0]_3$	2	64 8
12:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{13}{4}]_3$	$[1]_2$	648	110
1:	$[1]_{\circ}$	$[0]_0$	$[2]_{\circ}$	$[0]_0$	2	28 4
3:	$[\frac{1}{2}]_4$	$[0]_0$	$[\frac{3}{2}]_2$	$[1]_2$	2	35 7
5:	$[\frac{3}{4}]_6$	$[\frac{3}{4}]_6$	$[\frac{3}{2}]_2$	$[0]_0$	1	49 7
7:	$[\frac{3}{4}]_6$	$[0]_0$	$[\frac{7}{4}]_1$	$[\frac{1}{2}]_1$	2	56 8
9:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{5}{4}]_3$	$[0]_2$	1	32 8
11:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{1}{4}]_3^+$	$[1]_2$	1	1 1
13:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{1}{4}]_3^-$	$[1]_2$	1	4 1
13:	$[2]_4$	$[0]_0$	$[3]_2$	$[1]_2$	600	120 \rightarrow 108
1:	$[1]_6$	$[0]_0$	$[\frac{3}{2}]_1$	$[\frac{1}{2}]_1$	2**	96 24 \rightarrow 18 (1)
2:	$[2]_4$	$[0]_0$	$[1]_2$	$[0]_2$	1	24 6
4:	$[2]_4$	$[0]_0$	$[0]_2$	$[1]_2$	1	4 2
6:	$[1]_4$	$[0]_0$	$[1]_2$	$[1]_2$	1	48 12
8:	$[\frac{3}{2}]_5$	$[0]_1$	$[\frac{3}{2}]_3$	$[0]_0$	2	64 8
14:	$[4]_{\bullet}$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	696	112 \rightarrow 108
1:	$[2]_4$	$[1]_4$	$[0]_0$	$[0]_0$	1**	120 24 \rightarrow 20 (1)
2:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	2*	24 4
3:	$[2]_5$	$[1]_7$	$[0]_0$	$[0]_3$	4*	64 8
4:	$[2]_6$	$[1]_6$	$[0]_2$	$[0]_0$	4*	60 10
5:	$[3]_{\bullet}^+$	$[0]_0$	$[0]_0$	$[0]_0$	2	8 2
15:	$[4]_4^+$	$[0]_0$	$[1]_2$	$[1]_2$	696	120 \rightarrow 108
1:	$[2]_6$	$[0]_6$	$[1]_2$	$[0]_0$	2*	56 8

2:	$[2]_6$	$[0]_0$	$[\frac{1}{2}]_1$	$[\frac{1}{2}]_1$	1**	128	32	\rightarrow	20 (1)
3:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	20	4		
5:	$[2]_4$	$[0]_0$	$[1]_2$	$[0]_2$	2	40	8		
7:	$[\frac{5}{2}]_5$	$[0]_7$	$[0]_0$	$[\frac{1}{2}]_3$	2	64	8		
16:	$[\frac{7}{8}]_7$	$[\frac{31}{8}]_5^+$	$[0]_0$	$[\frac{5}{4}]_1$		744	108		
1:	$[1]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	42	6		
3:	$[\frac{5}{8}]_5$	$[\frac{13}{8}]_7$	$[0]_0$	$[\frac{3}{4}]_3$	1	105	15		
5:	$[\frac{3}{4}]_6$	$[\frac{9}{4}]_6$	$[0]_2$	$[0]_0$	1	70	10		
7:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{1}{4}]_1$	1	60	10		
9:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_5$	$[0]_0$	$[\frac{5}{4}]_1$	1	15	3		
11:	$[\frac{7}{8}]_7$	$[\frac{13}{8}]_7$	$[0]_3$	$[\frac{1}{2}]_2$	1	80	10		
17:	$[\frac{23}{8}]_7^-$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{5}{4}]_1$		552	108		
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	5	1		
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	30	6		
5:	$[2]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	20	4		
7:	$[\frac{3}{2}]_4$	$[\frac{3}{2}]_4$	$[0]_0$	$[0]_0$	1	50	10		
9:	$[\frac{13}{8}]_5$	$[\frac{5}{8}]_7$	$[0]_0$	$[\frac{3}{4}]_3$	1	75	15		
11:	$[\frac{7}{4}]_6$	$[\frac{5}{4}]_6$	$[0]_2$	$[0]_0$	1	30	6		
13:	$[\frac{7}{4}]_6$	$[\frac{3}{4}]_2$	$[0]_0$	$[\frac{1}{2}]_2$	1	50	10		
15:	$[\frac{7}{4}]_6$	$[0]_0$	$[0]_1$	$[\frac{5}{4}]_1$	1	16	2		
18:	$[\frac{3}{2}]_6$	$[\frac{3}{2}]_6$	$[3]_2$	$[0]_0$		600	108		
1:	$[\frac{5}{4}]_5$	$[\frac{1}{4}]_1$	$[\frac{3}{2}]_3$	$[0]_0$	2*	72	12		
2:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_7$	$[\frac{3}{2}]_1$	$[0]_0$	2**	80	16		
3:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{3}{2}]_1$	$[0]_1$	2*	32	4		
4:	$[\frac{3}{4}]_7$	$[\frac{3}{4}]_7$	$[\frac{3}{2}]_3$	$[0]_2$	1**	80	16		
5:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	2	36	6		
7:	$[\frac{3}{2}]_6$	$[\frac{3}{2}]_6$	$[0]_2$	$[0]_0$	1	4	2		
19:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{13}{4}]_1$	$[\frac{5}{4}]_1$		648	106		
1:	$[1]_4$	$[0]_0$	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	1	75	15		
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	1	48	8		
5:	$[\frac{5}{4}]_5$	$[0]_1$	$[\frac{7}{4}]_3$	$[0]_0$	1	48	6		
7:	$[\frac{3}{2}]_6$	$[0]_6$	$[\frac{3}{2}]_2$	$[0]_0$	1	28	4		
9:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{5}{4}]_1$	$[\frac{1}{4}]_1$	1	40	8		
11:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{1}{4}]_1^+$	$[\frac{5}{4}]_1$	1	1	1		
13:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{1}{4}]_1^-$	$[\frac{5}{4}]_1$	1	4	1		

15:	$[\frac{3}{4}]_7$	$[0]_7$	$[\frac{7}{4}]_3$	$[\frac{1}{2}]_2$	1	80	10
20:	$[\frac{7}{2}]_6^+$	$[0]_0$	$[\frac{5}{4}]_1$	$[\frac{5}{4}]_1$		792	106
1:	$[\frac{7}{4}]_7$	$[0]_5$	$[0]_0$	$[\frac{5}{4}]_1$	2*	56	8
2:	$[\frac{7}{4}]_7$	$[0]_7$	$[\frac{3}{4}]_3$	$[\frac{1}{2}]_2$	2*	200	25
3:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	2	70	10
21:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{13}{4}]_1$		648	106
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	1	28	4
3:	$[\frac{5}{8}]_5$	$[\frac{5}{8}]_7$	$[0]_0$	$[\frac{7}{4}]_3$	1	63	9
5:	$[\frac{3}{4}]_6$	$[\frac{3}{4}]_2$	$[0]_0$	$[\frac{3}{2}]_2$	1	70	10
7:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{1}{4}]_1^+$	1	1	1
9:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{1}{4}]_1^-$	1	4	1
11:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_5$	$[0]_0$	$[\frac{5}{4}]_1$	1	60	12
13:	$[\frac{7}{8}]_7$	$[\frac{5}{8}]_7$	$[0]_3$	$[\frac{3}{2}]_2$	1	48	6
15:	$[\frac{7}{8}]_7$	$[\frac{3}{8}]_1$	$[0]_2$	$[\frac{7}{4}]_3$	1	50	10
22:	$[2]_0$	$[0]_0$	$[4]_\bullet$	$[0]_0$		792	106
1:	$[1]_0^+$	$[0]_0$	$[2]_0$	$[0]_0$	2*	36	6
2:	$[1]_5$	$[0]_1$	$[2]_3$	$[0]_0$	2*	120	15
3:	$[1]_6$	$[0]_0$	$[2]_1$	$[0]_1$	2*	96	12
4:	$[1]_7$	$[0]_3$	$[2]_1$	$[0]_0$	2*	56	8
5:	$[1]_7$	$[0]_7$	$[2]_3$	$[0]_2$	2*	80	10
6:	$[2]_0$	$[0]_0$	$[1]_0^+$	$[0]_0$	2	4	1
23:	$[4]_\bullet$	$[0]_0$	$[2]_0$	$[0]_0$		696	112 \rightarrow 104
1:	$[2]_4$	$[0]_0$	$[1]_2$	$[0]_2$	1**	120	24 \rightarrow 20 (1)
2:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1**	48	16 \rightarrow 12 (1)
3:	$[2]_5$	$[0]_1$	$[1]_3$	$[0]_0$	2*	128	16
4:	$[2]_6$	$[0]_6$	$[1]_2$	$[0]_0$	2*	56	8
5:	$[2]_6$	$[0]_0$	$[1]_1$	$[0]_1$	2*	64	8
6:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	2	8	2
24:	$[\frac{7}{2}]_6^-$	$[0]_0$	$[\frac{5}{4}]_1$	$[\frac{5}{4}]_1$		600	102
1:	$[\frac{7}{4}]_3$	$[0]_7$	$[\frac{5}{4}]_1$	$[0]_0$	2*	48	6
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	12	3
4:	$[2]_4$	$[0]_0$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	1	100	20
6:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	2	30	6
8:	$[\frac{9}{4}]_5$	$[0]_7$	$[0]_0$	$[\frac{3}{4}]_3$	2	40	5

25:	$\left[\frac{23}{8}\right]_7^-$	$\left[\frac{7}{8}\right]_7$	$\left[\frac{5}{4}\right]_3$	$[1]_2$	552	100
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1	5
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	14
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	20
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	16
9:	$\left[\frac{3}{2}\right]_4$	$[0]_0$	$\left[\frac{1}{2}\right]_2$	$[1]_2$	1	50
11:	$\left[\frac{13}{8}\right]_5$	$\left[\frac{7}{8}\right]_7$	$[0]_0$	$\left[\frac{1}{2}\right]_3$	1	40
13:	$\left[\frac{13}{8}\right]_5$	$\left[\frac{1}{8}\right]_1$	$\left[\frac{5}{4}\right]_3$	$[0]_0$	1	35
15:	$\left[\frac{7}{4}\right]_6$	$\left[\frac{3}{4}\right]_6$	$\left[\frac{1}{2}\right]_2$	$[0]_0$	1	35
17:	$\left[\frac{7}{4}\right]_6$	$\left[\frac{1}{4}\right]_2$	$[0]_0$	$[1]_2$	1	21
19:	$\left[\frac{7}{4}\right]_6$	$[0]_0$	$\left[\frac{3}{4}\right]_1$	$\left[\frac{1}{2}\right]_1$	1	40
26:	$\left[\frac{3}{2}\right]_6$	$\left[\frac{3}{2}\right]_6$	$[1]_2$	$[2]_0$	504	100
1:	$\left[\frac{3}{2}\right]_6$	$[0]_0$	$\left[\frac{1}{2}\right]_1$	$[1]_1$	2*	32
2:	$\left[\frac{3}{4}\right]_7$	$\left[\frac{3}{4}\right]_7$	$\left[\frac{1}{2}\right]_3$	$[1]_2$	1**	64
3:	$[1]_4$	$[0]_0$	$[1]_2$	$[1]_2$	2	30
5:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	12
7:	$\left[\frac{5}{4}\right]_5$	$\left[\frac{3}{4}\right]_7$	$[0]_0$	$[1]_3$	2	48
9:	$\left[\frac{3}{2}\right]_6$	$\left[\frac{3}{2}\right]_6$	$[0]_2$	$[0]_0$	1	8
27:	$[2]_0$	$[0]_0$	$[2]_0$	$[2]_0$	600	100
1:	$[1]_4$	$[0]_0$	$[1]_2$	$[1]_2$	1**	80
2:	$[1]_0^+$	$[0]_0$	$[2]_0$	$[0]_0$	4*	6
3:	$[1]_6$	$[0]_0$	$[1]_1$	$[1]_1$	2*	96
4:	$[1]_7$	$[0]_7$	$[1]_3$	$[1]_2$	4*	64
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	2	12
28:	$\left[\frac{15}{8}\right]_5$	$\left[\frac{15}{8}\right]_5$	$\left[\frac{5}{4}\right]_1$	$[1]_2$	456	96
1:	$\left[\frac{3}{2}\right]_4$	$\left[\frac{3}{2}\right]_4$	$[0]_0$	$[0]_0$	1	25
3:	$\left[\frac{3}{2}\right]_4$	$[0]_0$	$\left[\frac{1}{2}\right]_2$	$[1]_2$	2	25
5:	$\left[\frac{15}{8}\right]_5$	$\left[\frac{5}{8}\right]_7$	$[0]_0$	$\left[\frac{1}{2}\right]_3$	2	24
7:	$\left[\frac{9}{8}\right]_3$	$\left[\frac{5}{8}\right]_7$	$\left[\frac{5}{4}\right]_1$	$[0]_0$	2	30
9:	$\left[\frac{5}{4}\right]_6$	$\left[\frac{5}{4}\right]_6$	$\left[\frac{1}{2}\right]_2$	$[0]_0$	1	45
29:	$\left[\frac{3}{2}\right]_6$	$[2]_0$	$\left[\frac{5}{4}\right]_1$	$\left[\frac{5}{4}\right]_1$	504	92
1:	$\left[\frac{3}{4}\right]_3$	$[1]_7$	$\left[\frac{5}{4}\right]_1$	$[0]_0$	2*	20
2:	$\left[\frac{3}{4}\right]_7$	$[1]_5$	$[0]_0$	$\left[\frac{5}{4}\right]_1$	2*	30
3:	$\left[\frac{3}{4}\right]_7$	$[1]_7$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{1}{2}\right]_2$	2*	50
4:	$[1]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	12

6:	$[\frac{5}{4}]_5$	$[1]_7$	$[0]_0$	$[\frac{3}{4}]_3$	2	30	5
8:	$[\frac{3}{2}]_6$	$[1]_6$	$[\frac{1}{2}]_2$	$[0]_0$	2	30	5
10:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{5}{4}]_1$	$[\frac{1}{4}]_1$	2	10	2
30:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{5}{4}]_3$	$[3]_2$		600	92
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	21	3
3:	$[\frac{5}{8}]_5$	$[\frac{7}{8}]_7$	$[0]_0$	$[\frac{3}{2}]_3$	2	42	6
5:	$[\frac{3}{4}]_6$	$[0]_0$	$[\frac{3}{4}]_1$	$[\frac{3}{2}]_1$	2	70	10
7:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{5}{4}]_3$	$[0]_2$	1	4	2
9:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_7$	$[\frac{1}{4}]_3$	$[1]_2$	1	30	6
31:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[2]_0$	$[\frac{5}{4}]_1$		504	92
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	1	7	1
3:	$[\frac{3}{4}]_6$	$[\frac{5}{4}]_6$	$[1]_2$	$[0]_0$	1	42	6
5:	$[\frac{3}{4}]_6$	$[0]_0$	$[1]_1$	$[\frac{5}{4}]_1$	1	28	4
7:	$[\frac{7}{8}]_7$	$[\frac{15}{8}]_5$	$[0]_0$	$[\frac{1}{4}]_1$	1	10	2
9:	$[\frac{7}{8}]_7$	$[\frac{9}{8}]_3$	$[1]_1$	$[0]_0$	1	40	8
11:	$[\frac{7}{8}]_7$	$[\frac{7}{8}]_5$	$[0]_0$	$[\frac{5}{4}]_1$	1	15	3
13:	$[\frac{7}{8}]_7$	$[\frac{5}{8}]_7$	$[1]_3$	$[\frac{1}{2}]_2$	1	60	12
15:	$[\frac{7}{8}]_7$	$[\frac{3}{8}]_1$	$[1]_2$	$[\frac{3}{4}]_3$	1	50	10
32:	$[\frac{3}{2}]_6$	$[2]_4$	$[\frac{5}{4}]_3$	$[\frac{5}{4}]_3$		456	88
1:	$[1]_4$	$[2]_4$	$[0]_0$	$[0]_0$	1	15	3
3:	$[\frac{5}{4}]_5$	$[\frac{1}{2}]_7$	$[0]_0$	$[\frac{5}{4}]_3$	2	24	4
5:	$[\frac{3}{2}]_6$	$[1]_6$	$[\frac{1}{2}]_2$	$[0]_0$	2	30	6
7:	$[\frac{3}{2}]_6$	$[0]_0$	$[\frac{3}{4}]_1$	$[\frac{3}{4}]_1$	1	25	5
9:	$[\frac{3}{4}]_7$	$[\frac{3}{2}]_5$	$[0]_0$	$[\frac{3}{4}]_1$	2	40	8
33:	$[6]_*^+$	$[0]_0$	$[0]_0$	$[0]_0$		312	50
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1**	40	10
2:	$[3]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1**	112	16
3:	$[3]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2**	80	12
34:	$[0]_0$	$[0]_0$	$[6]_*^+$	$[0]_0$		312	46
1:	$[0]_0$	$[0]_0$	$[3]_0$	$[0]_0$	2**	112	16
2:	$[0]_0$	$[0]_0$	$[3]_\bullet^+$	$[0]_0$	2**	4	1
3:	$[0]_0$	$[0]_0$	$[3]_0$	$[0]_0$	1**	80	12

5.17. **The lattice $N(4A_6)$.** There are 16 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{Q}) = 116$.

1:	$\{6\}_*^+$	$[0]_0$	$[0]_0$	$[0]_0$	888	128	\rightarrow 104
1:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1
3:	$[3]_4$	$[0]_2$	$[0]_6$	$[0]_0$	3	147	21 \rightarrow 17 (2)
2:	$[6]_*$	$\{0\}_0$	$[0]_0$	$[0]_0$	676	106	
1:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	2*	9	6
2:	$[3]_4$	$[0]_2^+$	$[0]_6$	$[0]_0$	2*	7	1
3:	$[3]_4$	$[0]_2^-$	$[0]_6$	$[0]_0$	2*	70	10
4:	$[3]_4$	$[0]_6$	$[0]_0$	$[0]_2$	2*	105	15
5:	$[3]_4$	$[0]_0$	$[0]_2$	$[0]_6$	2*	147	21
3:	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_1$	$[\frac{24}{7}]_5^+$	756	126	\rightarrow 108
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	3	36	6
3:	$[\frac{4}{7}]_4$	$[0]_0$	$[\frac{5}{7}]_2$	$[\frac{12}{7}]_6$	3	90	15 \rightarrow 12 (2)
4:	$[\frac{6}{7}]_6$	$[\frac{26}{7}]_3^-$	$[\frac{10}{7}]_2$	$[0]_0$	708	122	\rightarrow 108
1:	$[1]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	30	<u>5</u>
3:	$[\frac{4}{7}]_4$	$[\frac{15}{7}]_2$	$[\frac{2}{7}]_6$	$[0]_0$	1	75	15 \rightarrow <u>11</u> (3)
5:	$[\frac{5}{7}]_5$	$[\frac{11}{7}]_1$	$[\frac{5}{7}]_1$	$[0]_1$	1	84	12
7:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{3}{7}]_2$	$[0]_0$	1	50	10 \rightarrow <u>9</u> (3)
9:	$[\frac{6}{7}]_6$	$[\frac{5}{7}]_3$	$[\frac{10}{7}]_2$	$[0]_0$	1	10	<u>2</u>
11:	$[\frac{6}{7}]_6$	$[\frac{15}{7}]_2$	$[0]_0$	$[0]_3$	1	35	7 \rightarrow <u>5</u> (3)
13:	$[\frac{6}{7}]_6$	$[\frac{11}{7}]_1$	$[\frac{4}{7}]_5$	$[0]_6$	1	70	<u>10</u>
5:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{24}{7}]_2^-$	$[0]_0$	756	120	\rightarrow 116
1:	$[\frac{3}{7}]_3$	$[\frac{6}{7}]_5$	$[\frac{12}{7}]_1$	$[0]_0$	1**	120	24 \rightarrow 20 (1)
2:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	1	36	6
4:	$[\frac{5}{7}]_5$	$[\frac{4}{7}]_1$	$[\frac{12}{7}]_1$	$[0]_1$	1	126	18
6:	$[\frac{6}{7}]_6$	$[\frac{5}{7}]_3$	$[\frac{10}{7}]_2$	$[0]_0$	1	72	12
8:	$[\frac{6}{7}]_6$	$[\frac{3}{7}]_6$	$[\frac{12}{7}]_1$	$[0]_5$	1	84	12
6:	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_1$	$[\frac{24}{7}]_5^-$	612	114	
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	3	18	3
3:	$[\frac{4}{7}]_4$	$[\frac{6}{7}]_6$	$[0]_0$	$[\frac{11}{7}]_2$	3	45	9
5:	$[\frac{5}{7}]_5$	$[\frac{1}{7}]_1$	$[\frac{6}{7}]_1$	$[\frac{9}{7}]_1$	3	36	6
7:	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_1$	$[\frac{3}{7}]_5$	1	9	3
7:	$[4]_\bullet$	$[2]_0$	$[0]_0$	$[0]_0$	708	112	
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	2*	20	4
2:	$[2]_4$	$[1]_2$	$[0]_6$	$[0]_0$	2*	105	15

3:	$[2]_4$	$[1]_6$	$[0]_0$	$[0]_2$	2*	63	9
4:	$[2]_5$	$[1]_4$	$[0]_0$	$[0]_6$	2*	70	10
5:	$[2]_5$	$[1]_6$	$[0]_4$	$[0]_0$	2*	35	7
6:	$[2]_5$	$[1]_1$	$[0]_1$	$[0]_1$	2*	49	7
7:	$[3]_{\bullet}^+$	$[0]_0$	$[0]_0$	$[0]_0$	2	6	2
8:	$[\frac{6}{7}]_6$	$[\frac{26}{7}]_3^+$	$[\frac{10}{7}]_2$	$[0]_0$		660	112
1:	$[\frac{3}{7}]_3$	$[\frac{13}{7}]_5$	$[\frac{5}{7}]_1$	$[0]_0$	1**	80	16
2:	$[1]_{\circ}$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	1	24	4
4:	$[\frac{5}{7}]_5$	$[\frac{16}{7}]_4$	$[0]_0$	$[0]_6$	1	42	6
6:	$[\frac{5}{7}]_5$	$[\frac{10}{7}]_6$	$[\frac{6}{7}]_4$	$[0]_0$	1	60	10
8:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{3}{7}]_2$	$[0]_0$	1	40	8
10:	$[\frac{6}{7}]_6$	$[\frac{5}{7}]_3$	$[\frac{10}{7}]_2$	$[0]_0$	1	12	4
12:	$[\frac{6}{7}]_6$	$[\frac{13}{7}]_5$	$[\frac{2}{7}]_6$	$[0]_1$	1	70	10
14:	$[\frac{6}{7}]_6$	$[\frac{10}{7}]_6$	$[\frac{5}{7}]_1$	$[0]_5$	1	42	6
9:	$[2]_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$	$[0]_0$		612	108
1:	$[1]_4$	$[1]_2$	$[1]_6$	$[0]_0$	6*	50	10
2:	$[1]_5$	$[1]_1$	$[1]_1$	$[0]_1$	6*	35	5
3:	$[1]_6$	$[1]_6$	$[1]_1$	$[0]_5$	2*	21	3
4:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	6	5	1
10:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{24}{7}]_2^+$	$[0]_0$		612	108
1:	$[1]_{\circ}$	$[0]_0$	$[2]_{\circ}$	$[0]_0$	1	18	3
3:	$[\frac{4}{7}]_4$	$[\frac{8}{7}]_2$	$[\frac{9}{7}]_6$	$[0]_0$	1	45	9
5:	$[\frac{5}{7}]_5$	$[\frac{3}{7}]_6$	$[\frac{13}{7}]_4$	$[0]_0$	1	72	12
7:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{3}{7}]_2$	$[0]_0$	1	9	3
9:	$[\frac{6}{7}]_6$	$[\frac{5}{7}]_3$	$[\frac{10}{7}]_2$	$[0]_0$	1	36	9
11:	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_5$	$[\frac{9}{7}]_6$	$[0]_1$	1	42	6
13:	$[\frac{6}{7}]_6$	$[\frac{4}{7}]_1$	$[\frac{11}{7}]_5$	$[0]_6$	1	63	9
15:	$[\frac{6}{7}]_6$	$[0]_0$	$[\frac{15}{7}]_3$	$[0]_2$	1	21	3
11:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_4$	$[\frac{12}{7}]_4$	$[\frac{12}{7}]_4$		468	108
1:	$[\frac{5}{7}]_5$	$[\frac{12}{7}]_4$	$[0]_0$	$[\frac{4}{7}]_6$	3	18	3
3:	$[\frac{6}{7}]_6$	$[\frac{9}{7}]_3$	$[\frac{6}{7}]_2$	$[0]_0$	3	24	6
5:	$[\frac{6}{7}]_6$	$[\frac{8}{7}]_5$	$[\frac{4}{7}]_6$	$[\frac{3}{7}]_1$	3	36	9
12:	$[\frac{20}{7}]_6^-$	$[\frac{12}{7}]_3$	$[\frac{10}{7}]_2$	$[0]_0$		564	114 \rightarrow 106
1:	$[\frac{10}{7}]_3$	$[\frac{6}{7}]_5$	$[\frac{5}{7}]_1$	$[0]_0$	1**	72	24 \rightarrow 16(1)

2:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	1
4:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	1	24	6
6:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	1	20	4
8:	$[\frac{11}{7}]_4$	$[\frac{8}{7}]_2$	$[\frac{2}{7}]_6$	$[0]_0$	1	60	12
10:	$[\frac{11}{7}]_4$	$[0]_0$	$[\frac{10}{7}]_2$	$[0]_6$	1	28	4
12:	$[\frac{12}{7}]_5$	$[\frac{9}{7}]_4$	$[0]_0$	$[0]_6$	1	28	4
14:	$[\frac{12}{7}]_5$	$[\frac{4}{7}]_1$	$[\frac{5}{7}]_1$	$[0]_1$	1	42	6
16:	$[\frac{12}{7}]_5$	$[\frac{3}{7}]_6$	$[\frac{6}{7}]_4$	$[0]_0$	1	40	8
13:	$[\frac{20}{7}]_6^-$	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_1$	$[\frac{10}{7}]_5$		564	102
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	1
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	1	12	2
5:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	1	12	2
7:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[1]_{\circ}$	1	20	4
9:	$[\frac{11}{7}]_4$	$[\frac{6}{7}]_6$	$[0]_0$	$[\frac{4}{7}]_2$	1	40	8
11:	$[\frac{11}{7}]_4$	$[0]_0$	$[\frac{5}{7}]_2$	$[\frac{5}{7}]_6$	1	48	8
13:	$[\frac{10}{7}]_3$	$[\frac{5}{7}]_5$	$[\frac{6}{7}]_1$	$[0]_0$	1	36	6
15:	$[\frac{12}{7}]_5$	$[\frac{4}{7}]_4$	$[0]_0$	$[\frac{5}{7}]_6$	1	30	6
17:	$[\frac{12}{7}]_5$	$[\frac{6}{7}]_6$	$[\frac{3}{7}]_4$	$[0]_0$	1	20	4
19:	$[\frac{12}{7}]_5$	$[\frac{1}{7}]_1$	$[\frac{6}{7}]_1$	$[\frac{2}{7}]_1$	1	30	5
21:	$[\frac{12}{7}]_5$	$[0]_0$	$[\frac{1}{7}]_6$	$[\frac{8}{7}]_4$	1	30	5
14:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{10}{7}]_2$	$[2]_{\circ}$		516	100
1:	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[2]_{\circ}$	1	6	1
3:	$[\frac{4}{7}]_4$	$[0]_0$	$[\frac{10}{7}]_2$	$[1]_6$	1	15	3
5:	$[\frac{5}{7}]_5$	$[\frac{9}{7}]_4$	$[0]_0$	$[1]_6$	1	24	4
7:	$[\frac{5}{7}]_5$	$[\frac{4}{7}]_1$	$[\frac{5}{7}]_1$	$[1]_1$	1	36	6
9:	$[\frac{6}{7}]_6$	$[\frac{12}{7}]_3$	$[\frac{3}{7}]_2$	$[0]_0$	1	10	2
11:	$[\frac{6}{7}]_6$	$[\frac{5}{7}]_3$	$[\frac{10}{7}]_2$	$[0]_0$	1	12	3
13:	$[\frac{6}{7}]_6$	$[\frac{8}{7}]_2$	$[0]_0$	$[1]_3$	1	30	6
15:	$[\frac{6}{7}]_6$	$[\frac{6}{7}]_5$	$[\frac{2}{7}]_6$	$[1]_1$	1	30	6
17:	$[\frac{6}{7}]_6$	$[\frac{4}{7}]_1$	$[\frac{4}{7}]_5$	$[1]_6$	1	30	6
19:	$[\frac{6}{7}]_6$	$[\frac{3}{7}]_6$	$[\frac{5}{7}]_1$	$[1]_5$	1	40	8
21:	$[\frac{6}{7}]_6$	$[0]_0$	$[\frac{8}{7}]_3$	$[1]_2$	1	25	5
15:	$[\frac{10}{7}]_5$	$[\frac{10}{7}]_5$	$[\frac{10}{7}]_2$	$[\frac{12}{7}]_3$		468	100 \rightarrow 96
1:	$[\frac{5}{7}]_6$	$[\frac{5}{7}]_6$	$[\frac{5}{7}]_1$	$[\frac{6}{7}]_5$	1**	48	16 \rightarrow 12 (1)
2:	$[\frac{8}{7}]_4$	$[\frac{5}{7}]_6$	$[0]_0$	$[\frac{8}{7}]_2$	3	30	6

4:	$[\frac{8}{7}]_4$	$[0]_0$	$[\frac{10}{7}]_2$	$[\frac{3}{7}]_6$	3	20	4
6:	$[\frac{6}{7}]_3$	$[\frac{10}{7}]_5$	$[\frac{5}{7}]_1$	$[0]_0$	3	20	4
16:	$[6]_*^+$	$[0]_0$	$[0]_0$	$[0]_0$		276	50
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	1**	24	8
2:	$[3]_\circ$	$[0]_\circ$	$[0]_0$	$[0]_0$	3**	84	14

5.18. **The lattice $N(4\mathbf{A}_5 \oplus \mathbf{D}_4)$.** There are 93 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{O}) = 156$.

1:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$\{0\}_0$	456	156
1:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	6*	4 <u>2</u>
2:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_5$	$[\frac{1}{2}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	8	27 <u>9</u>
2:	$\{\frac{3}{2}\}_3^+$	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	372	120
1:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	3	8 <u>2</u>
3:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_5$	$[\frac{1}{2}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	2	27 <u>9</u>
5:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	3	27 <u>9</u>
7:	$[1]_2$	$[1]_4$	$[0]_0$	$[1]_2$	$[0]_0$	3	9 <u>3</u>
3:	$\{6\}_*^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	912	168 \rightarrow 126
1:	$[3]_3$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	3**	160 32 \rightarrow <u>22</u> (3)
2:	$[3]_3$	$[0]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	216 36 \rightarrow <u>30</u> (2)
4:	$[6]_*$	$[0]_0$	$[0]_0$	$[0]_0$	$\{0\}_0$	672	120 \rightarrow 108
1:	$[3]_3$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	3**	80 16 \rightarrow <u>12</u> (3)
2:	$[3]_3$	$[0]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	216 36
5:	$[6]_*$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	672	128 \rightarrow 112
1:	$[3]_3$	$[0]_3^+$	$[0]_0$	$[0]_0$	$[0]_1$	2*	32 8
2:	$[3]_3$	$[0]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	144 24
3:	$[3]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_2$	2**	160 32 \rightarrow <u>24</u> (1)
6:	$[\frac{10}{3}]_4^-$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$\{0\}_0$	$[0]_0$	528	142 \rightarrow 106
1:	$[\frac{5}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_2^+$	$[0]_0$	2*	2 <u>1</u>
2:	$[\frac{5}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_2^-$	$[0]_0$	2*	12 4 \rightarrow <u>3</u> (3)
3:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_0$	1**	72 24 \rightarrow <u>12</u> (3)
4:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_3$	1**	64 16 \rightarrow <u>10</u> (3)
5:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6 <u>2</u>
7:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	2	24 <u>6</u>
9:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	2	32 8 \rightarrow <u>5</u> (3)

11:	$[2]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[0]_5$	$[0]_0$	2	32	8	\rightarrow	$\underline{7}(3)$
7:	$\{\frac{10}{3}\}_4^-$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$		552	126	\rightarrow	118
1:	$[\frac{5}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2*	30	6		
2:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_0$	1**	72	24	\rightarrow	16(1)
3:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_3$	1**	64	16		
4:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	1		
6:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	8	2		
8:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	2	32	8		
10:	$[2]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[0]_5$	$[0]_0$	2	48	8		
8:	$[\frac{10}{3}]_4^-$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[0]_0$	$\{0\}_0$		528	128	\rightarrow	114
1:	$[\frac{5}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2*	30	6		
2:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_0$	1**	72	24	\rightarrow	16(1)
3:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_3$	1**	32	16	\rightarrow	10(1)
4:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2		
6:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	24	6		
8:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	2	16	4		
10:	$[2]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[0]_5$	$[0]_0$	2	48	8		
9:	$[\frac{10}{3}]_4^-$	$\{\frac{4}{3}\}_4^+$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$		472	108		
1:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_3$	1**	64	16		
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2		
4:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	12	4		
6:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	24	6		
8:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1	16	4		
10:	$[2]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[0]_5$	$[0]_0$	1	48	8		
12:	$[2]_3$	$[\frac{1}{3}]_1$	$[\frac{2}{3}]_1$	$[0]_1$	$[0]_0$	1	24	4		
14:	$[2]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[0]_2$	1	32	8		
16:	$[\frac{5}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	1	30	6		
18:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_2^+$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_0$	1	12	4		
10:	$[\frac{10}{3}]_4^-$	$\{\frac{4}{3}\}_4^-$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$		416	100	\rightarrow	92
1:	$[\frac{5}{3}]_2$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_0$	1**	72	24	\rightarrow	16(1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2		
4:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	24	6		
6:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1	32	8		
8:	$[2]_3$	$[\frac{1}{3}]_1$	$[\frac{2}{3}]_1$	$[0]_1$	$[0]_0$	1	48	8		
10:	$[2]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[0]_2$	1	32	8		

12:	$[\frac{5}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	1	30	6
11:	$\{\frac{10}{3}\}_4^+$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$		416	88
1:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	24	6
3:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	2	32	8
5:	$[2]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[0]_5$	$[0]_0$	2	48	8
12:	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[2]_0$	$\{0\}_0$		480	136 \rightarrow 112
1:	$[1]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[1]_5$	$[0]_0$	6*	32	8 \rightarrow <u>7</u> (3)
2:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	6*	24	6 \rightarrow <u>5</u> (3)
3:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[1]_1$	$[0]_2$	6*	8	4 \rightarrow <u>3</u> (3)
4:	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[1]_3$	$[0]_0$	1**	48	16 \rightarrow <u>10</u> (3)
5:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	3	8	<u>2</u>
13:	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$\{2\}_0$	$[0]_0$		424	116
1:	$[1]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[1]_5$	$[0]_0$	6*	32	8
2:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	6*	12	4
3:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[1]_1$	$[0]_2$	6*	16	4
4:	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[1]_3^+$	$[0]_0$	2*	8	4
5:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	3	8	2
14:	$\{\frac{4}{3}\}_4^+$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[2]_0$	$[0]_0$		424	112 \rightarrow 108
1:	$[\frac{2}{3}]_5$	$[1]_3$	$[\frac{1}{3}]_5$	$[1]_1$	$[0]_0$	2*	32	8
2:	$[\frac{2}{3}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_5$	$[0]_3$	2*	16	4
3:	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[1]_3$	$[0]_0$	1**	48	16 \rightarrow 12 (1)
4:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	1	4	2
6:	$[1]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[1]_5$	$[0]_0$	2	16	4
8:	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[0]_0$	2	8	2
10:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	2	24	6
12:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[1]_1$	$[0]_2$	2	16	4
14:	$[\frac{2}{3}]_2^+$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	2	4	1
15:	$\{\frac{4}{3}\}_4^-$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[2]_0$	$[0]_0$		368	92
1:	$[\frac{2}{3}]_2$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	2*	24	6
2:	$[1]_3$	$[\frac{2}{3}]_5$	$[\frac{1}{3}]_5$	$[1]_5$	$[0]_0$	2	32	8
4:	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[0]_0$	2	8	2
6:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	2	24	6
8:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[1]_1$	$[0]_2$	2	16	4
16:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$\{4\}_\bullet^3$		784	136 \rightarrow 112

1:	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0^+$	4^*	4	<u>1</u>
2:	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_3$	$[2]_3$	1^{**}	120	$24 \rightarrow \underline{18} (3)$
3:	$[1]_4$	$[0]_1$	$[0]_5$	$[0]_0$	$[2]_3$	2^*	144	$24 \rightarrow \underline{21} (2)$
4:	$[1]_5$	$[0]_4$	$[0]_0$	$[0]_5$	$[2]_3$	4^*	90	$15 \rightarrow \underline{12} (2)$
17:	$[2]_0$	$[0]_0$	$[0]_0$	$\{0\}_0$	$[4]_\bullet^3$		624	$120 \rightarrow 108$
1:	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2^*	24	$6 \rightarrow \underline{5} (3)$
2:	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_3^+$	$[2]_3$	2^*	24	$6 \rightarrow \underline{5} (3)$
3:	$[1]_4$	$[0]_1$	$[0]_5$	$[0]_0$	$[2]_3$	2^*	144	24
4:	$[1]_5$	$[0]_4$	$[0]_0$	$[0]_5$	$[2]_3$	4^*	60	$12 \rightarrow \underline{10} (3)$
18:	$[2]_0$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[4]_\bullet^3$		624	$112 \rightarrow 108$
1:	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2^*	24	6
2:	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_3$	$[2]_3$	1^{**}	120	$24 \rightarrow \underline{20} (1)$
3:	$[1]_4$	$[0]_1$	$[0]_5$	$[0]_0$	$[2]_3$	2^*	96	16
4:	$[1]_5$	$[0]_4^+$	$[0]_0$	$[0]_5$	$[2]_3$	2^*	36	6
5:	$[1]_5$	$[0]_4^-$	$[0]_0$	$[0]_5$	$[2]_3$	2^*	6	1
6:	$[1]_5$	$[0]_0$	$[0]_2$	$[0]_1$	$[2]_3$	2^*	90	15
19:	$\{2\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[4]_\bullet^3$		568	100
1:	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2^*	12	4
2:	$[1]_3^+$	$[0]_0$	$[0]_0$	$[0]_3$	$[2]_3$	2^*	20	4
3:	$[1]_4$	$[0]_1$	$[0]_5$	$[0]_0$	$[2]_3$	2^*	72	12
4:	$[1]_5$	$[0]_4$	$[0]_0$	$[0]_5$	$[2]_3$	4^*	90	15
20:	$[2]_0$	$[2]_0$	$[2]_0$	$\{0\}_0$	$[0]_0$		528	$132 \rightarrow 108$
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	12^*	4	<u>1</u>
2:	$[1]_3$	$[1]_5$	$[1]_5$	$[0]_5$	$[0]_0$	6^*	24	$6 \rightarrow \underline{5} (3)$
3:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2^*	64	16
4:	$[1]_4$	$[1]_1$	$[1]_5$	$[0]_0$	$[0]_3$	6^*	32	$8 \rightarrow \underline{5} (3)$
5:	$[1]_5$	$[1]_5$	$[1]_1$	$[0]_3^+$	$[0]_0$	4^*	4	<u>1</u>
21:	$[2]_0$	$[2]_0$	$[2]_0$	$[0]_0$	$\{0\}_0$		528	112
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	12^*	4	1
2:	$[1]_3$	$[1]_5$	$[1]_5$	$[0]_5$	$[0]_0$	6^*	36	6
3:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2^*	64	16
4:	$[1]_4$	$[1]_1$	$[1]_5$	$[0]_0$	$[0]_3$	6^*	16	4
5:	$[1]_5$	$[1]_5$	$[1]_1$	$[0]_3$	$[0]_0$	2^*	20	4
22:	$\{2\}_0$	$[2]_0$	$[2]_0$	$[0]_0$	$[0]_0$		472	104

1:	$[1]_0^+$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4*	2	1
2:	$[1]_3^+$	$[1]_5$	$[1]_5$	$[0]_5$	$[0]_0$	4*	6	1
3:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2*	32	8
4:	$[1]_4$	$[1]_1$	$[1]_5$	$[0]_0$	$[0]_3$	2*	16	4
5:	$[1]_5$	$[1]_3$	$[1]_5$	$[0]_1$	$[0]_0$	4*	36	6
6:	$[1]_5$	$[1]_2$	$[1]_1$	$[0]_0$	$[0]_2$	4*	32	8
7:	$[1]_5$	$[1]_5$	$[1]_1$	$[0]_3$	$[0]_0$	2*	20	4
8:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	4	4	1
23:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{10}{3}\}_4^+$	$[0]_0$	$[1]_1$		656	128 \rightarrow 116
1:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{5}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	2*	100	20
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_5$	$[0]_4$	$[\frac{1}{2}]_2$	2*	60	12 \rightarrow <u>10</u> (3)
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	15	<u>3</u>
5:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{5}{3}]_5$	$[0]_5$	$[0]_0$	2	60	10 \rightarrow <u>9</u> (3)
7:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	18	6 \rightarrow <u>4</u> (3)
24:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{10}{3}]_4^+$	$\{0\}_0$	$[1]_1$		576	118
1:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{5}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	2*	100	20
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_5$	$[0]_4^+$	$[\frac{1}{2}]_2$	2*	24	6
3:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_5$	$[0]_4^-$	$[\frac{1}{2}]_2$	2*	4	1
4:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	25	5
6:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{5}{3}]_5$	$[0]_5$	$[0]_0$	2	40	8
8:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	30	6
25:	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_5$	$[\frac{10}{3}]_4^+$	$[0]_0$	$[1]_1$		548	104
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	15	3
3:	$[\frac{1}{2}]_3^+$	$[\frac{5}{6}]_5$	$[\frac{5}{3}]_5$	$[0]_5$	$[0]_0$	1	18	3
5:	$[\frac{1}{2}]_3^-$	$[\frac{5}{6}]_5$	$[\frac{5}{3}]_5$	$[0]_5$	$[0]_0$	1	6	1
7:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{5}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	60	12
9:	$[\frac{5}{6}]_5$	$[\frac{1}{2}]_3$	$[\frac{5}{3}]_5$	$[0]_1$	$[0]_0$	1	60	10
11:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	30	6
13:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$	1	25	5
15:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_5$	$[0]_4$	$[\frac{1}{2}]_2$	1	60	12
26:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{10}{3}]_4^+$	$[0]_0$	$\{1\}_1$		520	96
1:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{5}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	2*	50	10
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_5$	$[0]_4$	$[\frac{1}{2}]_2$	2*	30	6
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	25	5
5:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{5}{3}]_5$	$[0]_5$	$[0]_0$	2	60	10

7:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	5	1
27:	$\{4\}_\bullet^+$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	680	132	$\rightarrow 110$
1:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1**	96	$24 \rightarrow \underline{14} (3)$
2:	$[2]_3$	$[1]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	72	12
3:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	$\underline{2}$
5:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	2	60	$12 \rightarrow \underline{10} (3)$
7:	$[2]_4$	$[1]_5$	$[0]_0$	$[0]_1$	$[0]_2$	2	48	$8 \rightarrow \underline{7} (3)$
28:	$[4]_\bullet$	$[2]_0$	$\{0\}_0$	$[0]_0$	$[0]_0$	576	126	$\rightarrow 102$
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	2*	16	$\underline{4}$
2:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1**	96	$24 \rightarrow \underline{14} (3)$
3:	$[2]_3$	$[1]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	48	$\underline{8}$
4:	$[2]_4$	$[1]_4$	$[0]_2^+$	$[0]_0$	$[0]_0$	2*	4	$\underline{1}$
5:	$[2]_4$	$[1]_4$	$[0]_2^-$	$[0]_0$	$[0]_0$	2*	24	$6 \rightarrow \underline{5} (3)$
6:	$[2]_4$	$[1]_2$	$[0]_0$	$[0]_4$	$[0]_0$	2*	60	$12 \rightarrow \underline{10} (3)$
7:	$[2]_4$	$[1]_5$	$[0]_0$	$[0]_1$	$[0]_2$	2*	48	$8 \rightarrow \underline{7} (3)$
8:	$[2]_4$	$[1]_1$	$[0]_5$	$[0]_0$	$[0]_3$	2*	32	$8 \rightarrow \underline{5} (3)$
9:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	4	$\underline{2}$
29:	$[4]_\bullet$	$[2]_0$	$[0]_0$	$[0]_0$	$\{0\}_0$	576	120	$\rightarrow 116$
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	2*	16	4
2:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1**	48	$16 \rightarrow 12 (1)$
3:	$[2]_3$	$[1]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	72	12
4:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	4*	60	12
5:	$[2]_4$	$[1]_5$	$[0]_0$	$[0]_1$	$[0]_2$	4*	24	4
6:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	4	2
30:	$[4]_\bullet$	$\{2\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	520	104	
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	2*	8	4
2:	$[2]_3$	$[1]_3^+$	$[0]_0$	$[0]_0$	$[0]_1$	2*	16	4
3:	$[2]_3$	$[1]_5$	$[0]_5$	$[0]_5$	$[0]_0$	2*	72	12
4:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	4*	30	6
5:	$[2]_4$	$[1]_5$	$[0]_0$	$[0]_1$	$[0]_2$	4*	48	8
6:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	4	2
31:	$\{4\}_\bullet^-$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	464	88	
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	2*	16	4
2:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	4*	60	12

3:	$[2]_4$	$[1]_5$	$[0]_0$	$[0]_1$	$[0]_2$	4*	48	8
32:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$\{\frac{7}{2}\}_3^+$	$[0]_0$		604	124 \rightarrow 100
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	3	10	<u>2</u>
3:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{3}{2}]_5$	$[0]_0$	3	50	10 \rightarrow <u>8</u> (3)
5:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_5$	$[0]_1$	3	40	8 \rightarrow <u>6</u> (3)
7:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3^+$	$[0]_0$	1	1	<u>1</u>
9:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3^-$	$[0]_0$	1	1	<u>1</u>
33:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{7}{2}]_3^+$	$\{0\}_0$		552	112
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	3	20	4
3:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{3}{2}]_5$	$[0]_0$	3	50	10
5:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_5$	$[0]_1$	3	20	4
7:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3$	$[0]_0$	1	6	2
34:	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{7}{2}]_3^+$	$[0]_0$		524	110
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	1	12	3
3:	$[\frac{1}{2}]_3^+$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{3}{2}]_5$	$[0]_0$	1	15	3
5:	$[\frac{1}{2}]_3^-$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{3}{2}]_5$	$[0]_0$	1	5	1
7:	$[\frac{2}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[2]_4$	$[0]_0$	1	30	6
9:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_5$	$[0]_1$	1	24	6
11:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{3}{2}]_5$	$[0]_3$	1	40	8
13:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3$	$[0]_0$	1	6	2
15:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$	1	20	4
17:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[\frac{1}{2}]_3$	$[\frac{3}{2}]_5$	$[0]_0$	1	50	10
19:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$	1	20	4
21:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{6}]_5$	$[2]_4$	$[0]_2$	1	40	8
35:	$\{4\}_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$		680	124 \rightarrow 112
1:	$[2]_3$	$[0]_3$	$[0]_0$	$[0]_0$	$[1]_1$	3**	80	16 \rightarrow <u>12</u> (3)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	<u>2</u>
4:	$[2]_4$	$[0]_5$	$[0]_0$	$[0]_1$	$[1]_2$	3	72	12
36:	$[4]_\bullet$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[2]_0$		576	120 \rightarrow 114
1:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1**	32	16 \rightarrow 10 (1)
2:	$[2]_3$	$[0]_3^+$	$[0]_0$	$[0]_0$	$[1]_1$	2*	16	4
3:	$[2]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[1]_2$	2**	80	16
4:	$[2]_4$	$[0]_5$	$[0]_0$	$[0]_1$	$[1]_2$	4*	48	8
5:	$[2]_4$	$[0]_0$	$[0]_1$	$[0]_5$	$[1]_1$	2*	72	12

6:	$[3]_{\bullet}^{+}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	4	2
37:	$[4]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	$\{2\}_{\circ}^{+}$		464	88
1:	$[2]_3$	$[0]_3$	$[0]_0$	$[0]_0$	$[1]_1$	2^{**}	80	16
2:	$[2]_4$	$[0]_5$	$[0]_0$	$[0]_1$	$[1]_2$	4^{*}	72	12
3:	$[3]_{\bullet}^{+}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	4	2
38:	$\{4\}_{\bullet}^{-}$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_{\circ}$		464	$88 \rightarrow 82$
1:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_{\circ}$	1^{**}	32	$16 \rightarrow 10(1)$
2:	$[2]_4$	$[0]_5$	$[0]_0$	$[0]_1$	$[1]_2$	6^{*}	72	12
39:	$\{\frac{10}{3}\}_4^{+}$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$		656	$136 \rightarrow 118$
1:	$[\frac{5}{3}]_5$	$[1]_3$	$[\frac{1}{3}]_5$	$[0]_1$	$[0]_0$	2^{*}	96	16
2:	$[\frac{5}{3}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_5$	$[0]_3$	2^{*}	48	$8 \rightarrow 7(3)$
3:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_2$	2^{**}	96	$24 \rightarrow 18(1)$
4:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_3$	$[0]_0$	1^{**}	80	$16 \rightarrow 12(3)$
5:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	2	24	<u>6</u>
40:	$[\frac{10}{3}]_4^{+}$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$\{0\}_0$	$[0]_0$		576	$136 \rightarrow 118$
1:	$[\frac{5}{3}]_5$	$[1]_3$	$[\frac{1}{3}]_5$	$[0]_1$	$[0]_0$	2^{*}	64	16
2:	$[\frac{5}{3}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_5$	$[0]_3$	2^{*}	32	$8 \rightarrow 5(3)$
3:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_2$	2^{**}	96	$24 \rightarrow 18(1)$
4:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_3^{+}$	$[0]_0$	2^{*}	16	<u>4</u>
5:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	2	40	<u>8</u>
41:	$[\frac{10}{3}]_4^{+}$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[0]_0$	$\{0\}_0$		576	$120 \rightarrow 112$
1:	$[\frac{5}{3}]_5$	$[1]_3$	$[\frac{1}{3}]_5$	$[0]_1$	$[0]_0$	2^{*}	96	16
2:	$[\frac{5}{3}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_5$	$[0]_3$	2^{*}	24	4
3:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_2$	2^{**}	48	$16 \rightarrow 12(1)$
4:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_3$	$[0]_0$	1^{**}	80	16
5:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	2	40	8
42:	$[\frac{10}{3}]_4^{+}$	$\{\frac{4}{3}\}_4^{+}$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$		520	$104 \rightarrow 98$
1:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_1$	1^{**}	96	$24 \rightarrow 18(1)$
2:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_3$	$[0]_0$	1^{**}	80	16
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	1	20	4
5:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	1	40	8
7:	$[\frac{5}{3}]_5$	$[1]_3$	$[\frac{1}{3}]_5$	$[0]_1$	$[0]_0$	1	48	8
9:	$[\frac{5}{3}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_5$	$[0]_3$	1	48	8
11:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_2^{+}$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_2$	1	16	4

43:	$[\frac{10}{3}]_4^+$	$\{\frac{4}{3}\}_4^-$	$[\frac{4}{3}]_2$	$[0]_0$	$[0]_0$	464	88	\rightarrow	82
1:	$[\frac{5}{3}]_5$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_1$	$[0]_0$	$[0]_2$	1**	96	\rightarrow	18(1)
2:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	40		8
4:	$[\frac{5}{3}]_5$	$[1]_3$	$[\frac{1}{3}]_5$	$[0]_1$	$[0]_0$	1	96		16
6:	$[\frac{5}{3}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_5$	$[0]_3$	1	48		8
44:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$\{0\}_0$	$[0]_0$	$[3]_1$	528	124	\rightarrow	122 ✓
1:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_3^+$	$[0]_0$	$[\frac{3}{2}]_2$	4*	4		<u>1</u>
2:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_3$	$[\frac{3}{2}]_3$	2*	20	\rightarrow	<u>3</u> (3)
3:	$[1]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	4*	54		<u>9</u>
4:	$[1]_4$	$[\frac{1}{2}]_1$	$[0]_5$	$[0]_0$	$[\frac{3}{2}]_3$	4*	36		<u>9</u>
5:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	27		<u>9</u>
7:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1^+$	2	1		<u>1</u>
45:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$\{3\}_1$	552	104		
1:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[\frac{3}{2}]_2$	4*	20		4
2:	$[1]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	8*	54		9
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	9		3
5:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1^+$	2	1		1
46:	$\{\frac{3}{2}\}_3^+$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[3]_1$	444	92		
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	1	9		3
3:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1^+$	2	1		1
5:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	27		9
7:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[\frac{3}{2}]_2$	2	20		4
9:	$[1]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	2	54		9
11:	$[1]_2$	$[\frac{1}{2}]_5$	$[0]_1$	$[0]_0$	$[\frac{3}{2}]_3$	2	18		3
47:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[2]_0$	$\{0\}_0$	$[1]_1$	480	124	\rightarrow	122 ✓
1:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	2*	24	\rightarrow	<u>5</u> (3)
2:	$[1]_4$	$[\frac{1}{2}]_1$	$[1]_5$	$[0]_0$	$[\frac{1}{2}]_3$	4*	36		<u>9</u>
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	9		<u>3</u>
5:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1	6		<u>2</u>
7:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_5$	$[1]_5$	$[0]_5$	$[0]_0$	4	12		<u>3</u>
9:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2	36		<u>9</u>
48:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[2]_0$	$[0]_0$	$\{1\}_1$	424	108		
1:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	2*	12		4
2:	$[1]_4$	$[\frac{1}{2}]_1$	$[1]_5$	$[0]_0$	$[\frac{1}{2}]_3$	4*	18		6

3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	9	3
5:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1^+$	2	1	1
7:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_5$	$[1]_5$	$[0]_5$	$[0]_0$	4	18	3
9:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2	36	9
49:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$\{2\}_0$	$[0]_0$	$[1]_1$		424	104
1:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3^+$	$[0]_0$	$[\frac{1}{2}]_2$	4*	4	1
2:	$[1]_4$	$[\frac{1}{2}]_1$	$[1]_5$	$[0]_0$	$[\frac{1}{2}]_3$	4*	36	9
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	9	3
5:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1	6	2
7:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_5$	$[1]_5$	$[0]_5$	$[0]_0$	4	18	3
9:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2	18	6
50:	$\{\frac{3}{2}\}_3^+$	$[\frac{3}{2}]_3$	$[2]_0$	$[0]_0$	$[1]_1$		396	92
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	3	1
3:	$[\frac{3}{2}]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1	6	2
5:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	9	3
7:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_5$	$[1]_5$	$[0]_5$	$[0]_0$	1	18	3
9:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_1$	$[1]_1$	$[0]_1$	$[0]_0$	1	18	3
11:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	24	6
13:	$[1]_4$	$[1]_4$	$[1]_2$	$[0]_0$	$[0]_0$	1	36	9
15:	$[1]_4$	$[\frac{1}{2}]_1$	$[1]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	36	9
17:	$[1]_4$	$[0]_0$	$[1]_1$	$[0]_5$	$[1]_1$	1	18	3
19:	$[1]_2$	$[1]_2$	$[1]_4$	$[0]_0$	$[0]_0$	1	12	3
21:	$[1]_2$	$[\frac{1}{2}]_5$	$[1]_1$	$[0]_0$	$[\frac{1}{2}]_3$	1	12	3
23:	$[1]_2$	$[0]_0$	$[1]_5$	$[0]_1$	$[1]_1$	1	6	1
51:	$[\frac{7}{2}]_3^+$	$[\frac{3}{2}]_3$	$\{0\}_0$	$[0]_0$	$[1]_1$		552	122 \rightarrow 112
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	<u>2</u>
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	36	9
5:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	24	6 \rightarrow <u>5</u> (3)
7:	$[2]_4$	$[1]_4$	$[0]_2^+$	$[0]_0$	$[0]_0$	1	3	<u>1</u>
9:	$[2]_4$	$[1]_4$	$[0]_2^-$	$[0]_0$	$[0]_0$	1	18	6 \rightarrow <u>4</u> (3)
11:	$[2]_4$	$[1]_2$	$[0]_0$	$[0]_4$	$[0]_0$	1	45	<u>9</u>
13:	$[2]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	72	12
15:	$[2]_4$	$[\frac{1}{2}]_1$	$[0]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	48	12 \rightarrow <u>10</u> (3)
17:	$[2]_4$	$[0]_0$	$[0]_1$	$[0]_5$	$[1]_1$	1	24	<u>4</u>
52:	$\{\frac{7}{2}\}_3^+$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$		604	120 \rightarrow 118

1:	$[3]_{\bullet}^{+}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	<u>1</u>
3:	$[3]_{\bullet}^{-}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	<u>1</u>
5:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	1	18	<u>6</u>
7:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_{\circ}$	1	12	4 \rightarrow <u>3</u> (3)
9:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	2	45	<u>9</u>
11:	$[2]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	2	72	12
13:	$[2]_4$	$[0]_0$	$[0]_1$	$[0]_5$	$[1]_1$	1	36	<u>6</u>
53:	$[\frac{7}{2}]_3^{+}$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$\{1\}_1$		496	98
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	1	36	9
5:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_{\circ}^{+}$	2	4	1
7:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	2	45	9
9:	$[2]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	2	36	6
11:	$[2]_4$	$[0]_0$	$[0]_1$	$[0]_5$	$[1]_1$	1	36	6
54:	$[\frac{7}{2}]_3^{+}$	$\{\frac{3}{2}\}_3^{+}$	$[0]_0$	$[0]_0$	$[1]_1$		468	90
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	1	12	3
5:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_{\circ}$	1	24	6
7:	$[2]_4$	$[1]_4$	$[0]_2$	$[0]_0$	$[0]_0$	1	45	9
9:	$[2]_4$	$[1]_2$	$[0]_0$	$[0]_4$	$[0]_0$	1	15	3
11:	$[2]_4$	$[\frac{1}{2}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	72	12
13:	$[2]_4$	$[\frac{1}{2}]_1$	$[0]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	24	4
15:	$[2]_4$	$[0]_0$	$[0]_1$	$[0]_5$	$[1]_1$	1	36	6
55:	$[2]_{\circ}$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[2]_{\circ}$		624	128 \rightarrow 114
1:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_{\circ}$	2*	8	4 \rightarrow <u>3</u> (3)
2:	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1**	72	24 \rightarrow <u>12</u> (3)
3:	$[1]_4$	$[1]_5$	$[0]_0$	$[0]_1$	$[1]_2$	8*	48	<u>8</u>
4:	$[1]_5$	$[1]_5$	$[0]_4$	$[0]_0$	$[1]_1$	4*	30	<u>6</u>
5:	$[2]_{\circ}$	$[1]_{\circ}^{+}$	$[0]_0$	$[0]_0$	$[0]_0$	4	4	<u>1</u>
56:	$[\frac{17}{6}]_5^{-}$	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$		476	120 \rightarrow 108
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	<u>1</u>
3:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	<u>2</u>
5:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	1	10	<u>2</u>
7:	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	1	18	<u>6</u>
9:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	1	45	<u>9</u>

11:	$[\frac{3}{2}]_3$	$[\frac{1}{6}]_1$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_1$	$[0]_0$	1	27	<u>9</u>	
13:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_3$	1	24	6	$\rightarrow \underline{4(3)}$
15:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	15	<u>3</u>	
17:	$[\frac{5}{3}]_4$	$[\frac{1}{3}]_2^+$	$[0]_0$	$[1]_4$	$[0]_0$	1	3	<u>1</u>	
19:	$[\frac{5}{3}]_4$	$[\frac{1}{3}]_2^-$	$[0]_0$	$[1]_4$	$[0]_0$	1	9	<u>3</u>	
21:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_2$	1	24	6	$\rightarrow \underline{4(3)}$
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_4$	$[1]_2$	$[0]_0$	1	30	<u>6</u>	
25:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_5$	$[0]_1$	1	24	6	$\rightarrow \underline{4(3)}$
57:	$[\frac{17}{6}]_5^-$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$\{0\}_0$		504	116	
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1	
3:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	2	10	2	
5:	$[2]_\circ$	$[0]_0$	$[0]_0$	$[1]_\circ$	$[0]_0$	1	18	6	
7:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	2	45	9	
9:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_3$	1	12	4	
11:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	25	5	
13:	$[\frac{5}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	2	30	6	
15:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_2$	2	12	4	
58:	$\{\frac{17}{6}\}_5^-$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$		500	108	
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1	
3:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	2	45	9	
5:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_3$	1	24	6	
7:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	25	5	
9:	$[\frac{5}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	2	30	6	
11:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_2$	2	24	6	
59:	$\{\frac{17}{6}\}_5^+$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$		420	96	
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	1	
3:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	2	10	2	
5:	$[2]_\circ$	$[0]_0$	$[0]_0$	$[1]_\circ$	$[0]_0$	1	18	6	
7:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	2	15	3	
9:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_3$	1	8	2	
11:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	25	5	
13:	$[\frac{5}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	2	30	6	
15:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_2$	2	24	6	
60:	$[\frac{17}{6}]_5^-$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$\{\frac{3}{2}\}_3^+$	$[0]_0$		420	92	
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1	

3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	2
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	10	2
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	6	2
9:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{1}{2}]_5$	$[0]_0$	1	45	9
11:	$[\frac{3}{2}]_3$	$[\frac{1}{6}]_1$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_1$	$[0]_0$	1	15	3
13:	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_3$	1	24	6
15:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	25	5
17:	$[\frac{5}{3}]_4$	$[\frac{1}{3}]_2$	$[0]_0$	$[1]_4$	$[0]_0$	1	30	6
19:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_2$	1	8	2
21:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_4$	$[1]_2$	$[0]_0$	1	10	2
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_5$	$[0]_1$	1	24	6
61:	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_4$	$[\frac{4}{3}]_2$	$[0]_0$	$[2]_0$	528	132	\rightarrow 108
1:	$[\frac{4}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[0]_1$	$[1]_2$	6*	24	<u>4</u>
2:	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	$[1]_3$	3**	48	16 \rightarrow <u>10</u> (3)
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	3	8	<u>2</u>
5:	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[1]_1$	3	32	8 \rightarrow <u>7</u> (3)
62:	$[\frac{17}{6}]_5^-$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$\{0\}_0$	$[1]_1$	504	120	\rightarrow 114
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	<u>1</u>
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	<u>2</u>
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	16	<u>4</u>
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	12	4 \rightarrow <u>3</u> (3)
9:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	30	<u>6</u>
11:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[0]_5$	$[0]_0$	1	24	<u>6</u>
13:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	48	12 \rightarrow <u>10</u> (3)
15:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	30	<u>6</u>
17:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	16	<u>4</u>
19:	$[\frac{5}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	40	<u>8</u>
21:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2^+$	$[0]_0$	1	1	<u>1</u>
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2^-$	$[0]_0$	1	6	<u>2</u>
25:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	16	<u>4</u>
63:	$[\frac{17}{6}]_5^-$	$\{\frac{5}{6}\}_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$	476	112	
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	16	4
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	12	4

9:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3^+$	$[0]_0$	$[0]_0$	$[1]_1$	1	9	3
11:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3^-$	$[0]_0$	$[0]_0$	$[1]_1$	1	3	1
13:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[0]_5$	$[0]_0$	1	36	6
15:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	48	12
17:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	18	6
19:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	24	4
21:	$[\frac{5}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	24	6
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2$	$[0]_0$	1	15	3
25:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	24	4
64:	$\{\frac{17}{6}\}_5^-$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$		500	100
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1
3:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	30	6
5:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[0]_5$	$[0]_0$	1	36	6
7:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	48	12
9:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	30	6
11:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	24	4
13:	$[\frac{5}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	40	8
15:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2$	$[0]_0$	1	15	3
17:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	24	4
65:	$[\frac{17}{6}]_5^-$	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^+$	$[0]_0$	$[1]_1$		448	96
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1
3:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	2
5:	$[2]_\circ$	$[0]_0$	$[1]_\circ$	$[0]_0$	$[0]_0$	1	8	4
7:	$[2]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_\circ$	1	12	4
9:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	30	6
11:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[0]_5$	$[0]_0$	1	36	6
13:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	24	6
15:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2^+$	$[0]_0$	$[0]_0$	1	5	1
17:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2^-$	$[0]_0$	$[0]_0$	1	5	1
19:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	24	4
21:	$[\frac{5}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	40	8
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2$	$[0]_0$	1	15	3
25:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	12	2
66:	$[\frac{17}{6}]_5^-$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$\{1\}_1$		448	92
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1

3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	2
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	16	4
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0^+$	1	2	1
9:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0^-$	1	2	1
11:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	30	6
13:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[0]_5$	$[0]_0$	1	36	6
15:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	24	6
17:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	30	6
19:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	12	2
21:	$[\frac{5}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	20	4
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2$	$[0]_0$	1	15	3
25:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	24	4
67:	$\{\frac{17}{6}\}_5^+$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$		420	88
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	1
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	2
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	16	4
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	12	4
9:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	10	2
11:	$[\frac{3}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[0]_5$	$[0]_0$	1	12	2
13:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	16	4
15:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	30	6
17:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	24	4
19:	$[\frac{5}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{1}{2}]_3$	1	40	8
21:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2$	$[0]_0$	1	15	3
23:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	24	4
68:	$[\frac{17}{6}]_5^-$	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^-$	$[0]_0$	$[1]_1$		392	84
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	3	1
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	10	2
5:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	12	4
7:	$[\frac{3}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_1$	1	30	6
9:	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	48	12
11:	$[\frac{5}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	1	30	6
13:	$[\frac{5}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_2$	1	24	4
15:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[0]_2$	$[0]_0$	1	15	3
17:	$[\frac{5}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_5$	$[1]_1$	1	24	4

69:	$\{\frac{5}{6}\}_5$	$[\frac{4}{3}]_4$	$[\frac{3}{2}]_3$	$[\frac{4}{3}]_2$	$[1]_2$	428	120	\rightarrow 112
1:	$[\frac{1}{2}]_3^+$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_2$	1	3	$\underline{1}$
3:	$[\frac{1}{2}]_3^-$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_2$	1	1	$\underline{1}$
5:	$[\frac{2}{3}]_4$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2	9	$\underline{3}$
7:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{2}{3}]_1$	$[1]_2$	1	12	$\underline{4}$
9:	$[\frac{5}{6}]_5$	$[1]_3$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	2	24	$\underline{6}$
11:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_5$	$[\frac{1}{2}]_3$	2	16	$\underline{4}$
13:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	2	18	$6 \rightarrow \underline{4}(3)$
15:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_4$	$[0]_0$	$[\frac{1}{2}]_1$	2	24	$\underline{6}$
17:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{3}]_5$	$[0]_0$	1	16	$\underline{4}$
70:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[\frac{3}{2}]_3$	$[\frac{4}{3}]_2$	$\{1\}_2$	400	104	
1:	$[\frac{1}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_2$	1	10	2
3:	$[\frac{2}{3}]_4$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	$[0]_0$	2	15	3
5:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{2}{3}]_1$	$[1]_2$	1	20	4
7:	$[\frac{5}{6}]_5$	$[1]_3$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	2	24	6
9:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_5$	$[\frac{1}{2}]_3$	2	8	2
11:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	2	18	6
13:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_4$	$[0]_0$	$[\frac{1}{2}]_1$	2	12	4
15:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{3}]_5$	$[0]_0$	1	16	4
71:	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^+$	$[\frac{3}{2}]_3$	$[\frac{4}{3}]_2$	$[1]_2$	400	100	
1:	$[\frac{1}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_2$	1	10	2
3:	$[\frac{2}{3}]_4$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	$[0]_0$	1	15	3
5:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{2}{3}]_1$	$[1]_2$	1	20	4
7:	$[\frac{2}{3}]_4$	$[0]_0$	$[1]_4$	$[\frac{4}{3}]_2$	$[0]_0$	1	15	3
9:	$[\frac{5}{6}]_5$	$[1]_3$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	1	12	4
11:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_5$	$[\frac{1}{2}]_3$	1	16	4
13:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_2^+$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	1	3	1
15:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_2^-$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	1	3	1
17:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_4$	$[0]_0$	$[\frac{1}{2}]_1$	1	24	6
19:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[\frac{1}{2}]_1$	$[1]_3$	$[0]_0$	1	24	6
21:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{3}]_5$	$[0]_0$	1	8	2
23:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[0]_0$	$[\frac{4}{3}]_2$	$[\frac{1}{2}]_1$	1	8	2
25:	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_2$	$[\frac{2}{3}]_1$	$[\frac{1}{2}]_3$	1	24	6
27:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_4$	$[1]_2$	1	18	6
72:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$\{\frac{3}{2}\}_3^+$	$[\frac{4}{3}]_2$	$[1]_2$	372	92	

1:	$[\frac{1}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_2$	1	10	2
3:	$[\frac{2}{3}]_4$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	$[0]_0$	1	5	1
5:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{2}{3}]_1$	$[1]_2$	1	20	4
7:	$[\frac{2}{3}]_4$	$[0]_0$	$[1]_4$	$[\frac{4}{3}]_2$	$[0]_0$	1	15	3
9:	$[\frac{5}{6}]_5$	$[1]_3$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	1	24	6
11:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_5$	$[\frac{1}{2}]_3$	1	16	4
13:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	1	6	2
15:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_4$	$[0]_0$	$[\frac{1}{2}]_1$	1	24	6
17:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[\frac{1}{2}]_1$	$[1]_3$	$[0]_0$	1	8	2
19:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{3}]_5$	$[0]_0$	1	16	4
21:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[0]_0$	$[\frac{4}{3}]_2$	$[\frac{1}{2}]_1$	1	16	4
23:	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_2$	$[\frac{2}{3}]_1$	$[\frac{1}{2}]_3$	1	8	2
25:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_4$	$[1]_2$	1	18	6
73:	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^-$	$[\frac{3}{2}]_3$	$[\frac{4}{3}]_2$	$[1]_2$		344	88
1:	$[\frac{1}{2}]_3$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[1]_2$	1	10	2
3:	$[\frac{2}{3}]_4$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	$[0]_0$	1	15	3
5:	$[\frac{2}{3}]_4$	$[0]_0$	$[1]_4$	$[\frac{4}{3}]_2$	$[0]_0$	1	15	3
7:	$[\frac{5}{6}]_5$	$[1]_3$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_1$	$[0]_0$	1	24	6
9:	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_5$	$[\frac{1}{2}]_3$	1	16	4
11:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_2$	1	18	6
13:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{3}]_5$	$[0]_0$	1	16	4
15:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[0]_0$	$[\frac{4}{3}]_2$	$[\frac{1}{2}]_1$	1	16	4
17:	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_2$	$[\frac{2}{3}]_1$	$[\frac{1}{2}]_3$	1	24	6
19:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_5$	$[\frac{2}{3}]_4$	$[1]_2$	1	18	6
74:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$\{0\}_0$	$[3]_1$		528	118
1:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{3}{2}]_3$	2*	50	10
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[0]_1$	$[\frac{3}{2}]_3$	2*	24	6
3:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[0]_4^+$	$[\frac{3}{2}]_2$	2*	12	4
4:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[0]_4^-$	$[\frac{3}{2}]_2$	2*	2	1
5:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	15	3
7:	$[\frac{1}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{3}{2}]_2$	2	40	8
9:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	2	20	4
11:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	1	1
13:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	24	6
75:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$\{3\}_1$		552	108

1:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{3}{2}]_3$	2*	50	10
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[0]_1$	$[\frac{3}{2}]_3$	2*	36	6
3:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[0]_4$	$[\frac{3}{2}]_2$	2*	30	6
4:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	5	1
6:	$[\frac{1}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{3}{2}]_2$	2	40	8
8:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	2	30	5
10:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	1	1
12:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	8	2
76:	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[3]_1$		500	104
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	1	9	3
3:	$[\frac{1}{2}]_3^+$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{3}{2}]_2$	1	12	3
5:	$[\frac{1}{2}]_3^-$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{3}{2}]_2$	1	4	1
7:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	1	18	3
9:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{3}{2}]_3$	1	30	6
11:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_4$	$[0]_0$	$[0]_5$	$[\frac{3}{2}]_3$	1	30	5
13:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_2$	$[\frac{1}{3}]_1$	$[0]_0$	$[\frac{3}{2}]_2$	1	40	8
15:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	1	1	1
17:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^-$	1	1	1
19:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	24	6
21:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$	1	15	3
23:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[0]_1$	$[\frac{3}{2}]_3$	1	36	6
25:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[0]_4$	$[\frac{3}{2}]_2$	1	30	6
77:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^+$	$[0]_0$	$[3]_1$		472	96
1:	$[\frac{2}{3}]_4$	$[\frac{1}{6}]_1$	$[\frac{2}{3}]_5$	$[0]_0$	$[\frac{3}{2}]_3$	2*	50	10
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[0]_4$	$[\frac{3}{2}]_2$	2*	30	6
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	15	3
5:	$[\frac{1}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{3}{2}]_2$	2	20	4
7:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	2	30	5
9:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	1	1
11:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	12	4
13:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2^+$	$[0]_1$	$[\frac{3}{2}]_3$	2	6	1
78:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^-$	$[0]_0$	$[3]_1$		416	80
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[0]_1$	$[\frac{3}{2}]_3$	2*	36	6
2:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	2	15	3
4:	$[\frac{1}{2}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[\frac{3}{2}]_2$	2	40	8

6:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_2$	2	30	5
8:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	1	1
79:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{10}{3}]_4^-$	$\{0\}_0$	$[1]_1$		528	116
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_2$	$[0]_1$	$[\frac{1}{2}]_3$	2*	32	8
2:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	15	3
4:	$[\frac{1}{2}]_3$	$[0]_0$	$[2]_3$	$[0]_0$	$[\frac{1}{2}]_2$	2	40	8
6:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{5}{3}]_2$	$[0]_0$	$[0]_0$	1	50	10
8:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_1$	$[0]_5$	$[1]_1$	2	20	4
10:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	18	6
12:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	6	2
14:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_1$	$[0]_3^+$	$[0]_0$	2	4	1
80:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{10}{3}\}_4^-$	$[0]_0$	$[1]_1$		552	106
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_2$	$[0]_1$	$[\frac{1}{2}]_3$	2*	48	8
2:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	5	1
4:	$[\frac{1}{2}]_3$	$[0]_0$	$[2]_3$	$[0]_0$	$[\frac{1}{2}]_2$	2	40	8
6:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{5}{3}]_2$	$[0]_0$	$[0]_0$	1	50	10
8:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_1$	$[0]_5$	$[1]_1$	2	30	5
10:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	6	2
12:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	2	1
14:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_1$	$[0]_3$	$[0]_0$	1	20	4
81:	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_5$	$[\frac{10}{3}]_4^-$	$[0]_0$	$[1]_1$		500	104
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	9	3
3:	$[\frac{1}{2}]_3^+$	$[0]_0$	$[2]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	12	3
5:	$[\frac{1}{2}]_3^-$	$[0]_0$	$[2]_3$	$[0]_0$	$[\frac{1}{2}]_2$	1	4	1
7:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{5}{3}]_2$	$[0]_0$	$[0]_0$	1	30	6
9:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_1$	$[0]_5$	$[1]_1$	1	18	3
11:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_2$	$[\frac{4}{3}]_1$	$[0]_0$	$[\frac{1}{2}]_2$	1	40	8
13:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	18	6
15:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	6	2
17:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_1$	$[0]_3$	$[0]_0$	1	20	4
19:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[2]_3$	$[0]_5$	$[0]_0$	1	30	5
21:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$	1	15	3
23:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_2$	$[0]_1$	$[\frac{1}{2}]_3$	1	48	8
82:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{10}{3}]_4^-$	$[0]_0$	$\{1\}_1$		472	92
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{5}{3}]_2$	$[0]_1$	$[\frac{1}{2}]_3$	2*	24	4

2:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	15	3
4:	$[\frac{1}{2}]_3$	$[0]_0$	$[2]_3$	$[0]_0$	$[\frac{1}{2}]_2$	2	20	4
6:	$[\frac{2}{3}]_4$	$[\frac{2}{3}]_4$	$[\frac{5}{3}]_2$	$[0]_0$	$[0]_0$	1	50	10
8:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_1$	$[0]_5$	$[1]_1$	2	30	5
10:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	3	1
12:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	6	2
14:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_1$	$[0]_3$	$[0]_0$	1	20	4
83:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{10}{3}\}_4^+$	$[0]_0$	$[1]_1$		416	84
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	15	3
3:	$[\frac{1}{2}]_3$	$[0]_0$	$[2]_3$	$[0]_0$	$[\frac{1}{2}]_2$	2	40	8
5:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_1$	$[0]_5$	$[1]_1$	2	30	5
7:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	18	6
9:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_1$	$[0]_3$	$[0]_0$	1	20	4
84:	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[2]_0$	$[1]_1$		452	108
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	1	3	1
3:	$[\frac{1}{2}]_3^+$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_5$	$[0]_0$	1	6	2
5:	$[\frac{1}{2}]_3^-$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_5$	$[0]_0$	1	2	1
7:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_1$	$[\frac{1}{2}]_2$	1	12	3
9:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	1	12	3
11:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[1]_5$	$[1]_1$	1	12	3
13:	$[\frac{5}{6}]_5$	$[\frac{1}{2}]_3$	$[\frac{2}{3}]_5$	$[1]_1$	$[0]_0$	1	20	4
15:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_4$	$[0]_0$	$[1]_5$	$[\frac{1}{2}]_3$	1	20	4
17:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	6	2
19:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	8	2
21:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[1]_3$	$[0]_0$	1	24	6
23:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[1]_3$	$[1]_5$	$[0]_0$	1	20	4
25:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[0]_0$	$[1]_2$	$[1]_1$	1	20	4
27:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[1]_1$	1	5	1
29:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[1]_1$	$[\frac{1}{2}]_3$	1	24	6
31:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[1]_4$	$[\frac{1}{2}]_2$	1	32	8
85:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^+$	$[2]_0$	$[1]_1$		424	96
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[1]_4$	$[\frac{1}{2}]_2$	2*	32	8
2:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	2	5	1
4:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_5$	$[0]_0$	2	20	4
6:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_1$	$[\frac{1}{2}]_2$	2	20	4

8:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	2	20	4
10:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[1]_5$	$[1]_1$	2	10	2
12:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	6	2
14:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	4	2
16:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[1]_3$	$[0]_0$	1	12	4
18:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2^+$	$[1]_1$	$[\frac{1}{2}]_3$	2	4	1
86:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[2]_0$	$\{1\}_1$		424	96
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[1]_1$	$[\frac{1}{2}]_3$	2^*	12	4
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[1]_4$	$[\frac{1}{2}]_2$	2^*	16	4
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	2	5	1
5:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_5$	$[0]_0$	2	20	4
7:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_1$	$[\frac{1}{2}]_2$	2	10	2
9:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	2	20	4
11:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[1]_5$	$[1]_1$	2	20	4
13:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1^+$	2	1	1
15:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	8	2
17:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[1]_3$	$[0]_0$	1	24	6
87:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$\{2\}_0$	$[1]_1$		424	92
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[1]_1$	$[\frac{1}{2}]_3$	2^*	24	6
2:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_5$	$[1]_4$	$[\frac{1}{2}]_2$	2^*	16	4
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	2	5	1
5:	$[\frac{1}{2}]_3$	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_5$	$[1]_5$	$[0]_0$	2	20	4
7:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_1$	$[\frac{1}{2}]_2$	2	20	4
9:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	2	10	2
11:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[1]_5$	$[1]_1$	2	20	4
13:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	6	2
15:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_4$	$[0]_0$	$[1]_1$	1	8	2
17:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[1]_3^+$	$[0]_0$	2	4	1
88:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$\{\frac{4}{3}\}_4^-$	$[2]_0$	$[1]_1$		368	80
1:	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{2}{3}]_2$	$[1]_1$	$[\frac{1}{2}]_3$	2^*	24	6
2:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	2	5	1
4:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[1]_1$	$[\frac{1}{2}]_2$	2	20	4
6:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{4}{3}]_4$	$[1]_2$	$[0]_0$	2	20	4
8:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{1}{3}]_1$	$[1]_5$	$[1]_1$	2	20	4
10:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{4}{3}]_4$	$[0]_0$	$[0]_1$	1	6	2

12:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_1$	$[1]_3$	$[0]_0$	1	24	6
89:	$\{\frac{5}{6}\}_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$[2]_0$		452	106
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	1	3	1
3:	$[\frac{1}{2}]_3^+$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[1]_3$	1	6	2
5:	$[\frac{1}{2}]_3^-$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[1]_3$	1	2	1
7:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[1]_2$	2	18	6
9:	$[\frac{5}{6}]_5$	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{1}{2}]_5$	$[1]_3$	2	30	6
11:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_2$	$[\frac{5}{6}]_1$	$[0]_0$	$[1]_2$	2	20	4
13:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3$	$[0]_0$	1	9	3
15:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$	2	5	1
17:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[0]_0$	$[1]_2$	$[1]_1$	2	30	6
90:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$\{\frac{3}{2}\}_3^+$	$[2]_0$		396	80
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	3	5	1
3:	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[1]_3$	3	20	4
5:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[1]_2$	3	10	2
7:	$[\frac{2}{3}]_4$	$[0]_0$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_5$	$[1]_1$	3	30	6
9:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3$	$[0]_0$	1	3	1
91:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{3}{2}]_3$	$\{2\}_0^+$		368	76
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	1	5	1
3:	$[\frac{2}{3}]_4$	$[\frac{5}{6}]_5$	$[0]_0$	$[\frac{1}{2}]_1$	$[1]_2$	2	30	6
5:	$[\frac{5}{6}]_5$	$[\frac{1}{3}]_2$	$[\frac{5}{6}]_1$	$[0]_0$	$[1]_2$	2	20	4
7:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_1$	$[\frac{1}{2}]_3$	$[0]_0$	1	9	3
9:	$[\frac{5}{6}]_5$	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[\frac{3}{2}]_3$	$[0]_0$	2	5	1
11:	$[\frac{5}{6}]_5$	$[\frac{1}{6}]_1$	$[0]_0$	$[1]_2$	$[1]_1$	2	30	6
92:	$[6]_*^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$		240	52
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1**	12	6
2:	$[3]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	3**	60	12
3:	$[3]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1**	48	10
93:	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[6]_*^+$		240	48
1:	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[3]_0$	4**	60	12

5.18.1. *Configuration 1.* There are two sets $\mathfrak{L} \in \mathcal{B}_{17}(\bar{\mathfrak{o}}_2)$, defined by the patterns π such that $\pi|_{\bar{\mathfrak{o}}_2} = \text{const} = 7$ or 9 . The former has rank 19, and its only nontrivial extension has $\pi(\mathfrak{o}) = \pi(\mathfrak{o}^*) = 2$ for a pair of dual orbits $\mathfrak{o}, \mathfrak{o}^* \subset \bar{\mathfrak{o}}_1$ and $\pi(\mathfrak{o}') = 0$ for all other orbits $\mathfrak{o}' \subset \bar{\mathfrak{o}}_1$. The other set, denoted \mathfrak{M}_{144}^i , is maximal. This set of

size 144 is determined by the pattern (see [Remark 3.5](#))

$$(5.2) \quad \pi = \langle\langle 0, 9, 9 \rangle\rangle.$$

5.18.2. *Configuration 3.* It is not practical to compute the admissible sets for all orbits; thus, we argue as in [§4.2](#) and only compute admissible subsets $\mathfrak{L} \subset \mathfrak{o} \subset \bar{\mathfrak{o}}_1$ of size at least 18. This suffices to show that there is a unique set $\mathfrak{L} \in \mathcal{B}_4(\bar{\mathfrak{o}}_1)$, with the pattern π taking values (22, 22, 18) on $\bar{\mathfrak{o}}_1$ and identical 0 on $\bar{\mathfrak{o}}_2$. This set is maximal.

5.19. **The lattice $N(6\mathbf{D}_4)$.** There are 13 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{L}) = 120$.

1:	$[2]_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$	$\{0\}_0$	$[0]_0$	$[0]_0$	528	168	\rightarrow	108	
1:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	6*	8	4	\rightarrow	<u>3</u> (3)
2:	$[1]_3$	$[1]_3$	$[1]_3$	$[0]_3$	$[0]_0$	$[0]_0$	3**	32	16	\rightarrow	<u>10</u> (1)
3:	$[1]_3$	$[1]_2$	$[1]_1$	$[0]_0$	$[0]_1$	$[0]_0$	6**	64	16	\rightarrow	<u>10</u> (3)
2:	$\{2\}_{\circ}^+$	$[2]_{\circ}$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	416	112			
1:	$[1]_2$	$[1]_3$	$[1]_1$	$[0]_0$	$[0]_0$	$[0]_1$	6**	64	16		
2:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	8	4		
3:	$[3]_3$	$[1]_3$	$[1]_3$	$[1]_3$	$\{0\}_0$	$[0]_0$	528	144	\rightarrow	114	
1:	$[\frac{3}{2}]_2$	$[1]_3$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	6*	32	8	\rightarrow	<u>5</u> (3)
2:	$[\frac{3}{2}]_2$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_1$	$[0]_0$	6*	16	<u>4</u>		
3:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	2*	64	16		
4:	$[3]_{\bullet}^2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	1	<u>1</u>		
6:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	3	18	6	\rightarrow	<u>4</u> (3)
4:	$\{3\}_3$	$[1]_3$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	552	144	\rightarrow	108	
1:	$[\frac{3}{2}]_2$	$[1]_3$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	12*	32	8	\rightarrow	<u>5</u> (3)
2:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	2*	64	16		
3:	$[3]_{\bullet}^2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	1	<u>1</u>		
5:	$[2]_{\circ}$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	3	6	<u>2</u>		
5:	$[3]_3$	$\{1\}_3$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	472	128	\rightarrow	90	
1:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	2*	32	8	\rightarrow	<u>7</u> (3)
2:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_1$	$[1]_3$	$[0]_0$	$[0]_3$	$[0]_0$	4*	16	4	\rightarrow	<u>3</u> (3)
3:	$[3]_{\bullet}^2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	1	<u>1</u>		
5:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	3	<u>1</u>		
7:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	2	18	6	\rightarrow	<u>4</u> (3)
9:	$[\frac{3}{2}]_2$	$[1]_3$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4	32	8	\rightarrow	<u>5</u> (3)

6:	$[1]_3$	$[1]_3$	$[1]_3$	$[1]_3$	$[2]_0$	$\{0\}_0$	480	136	$\rightarrow 118$
1:	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_3$	6*	8	$4 \rightarrow \underline{3} (3)$
2:	$[1]_3$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_1$	$[0]_0$	12*	32	$8 \rightarrow \underline{7} (3)$
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	4	6	$\underline{2}$
7:	$\{1\}_3$	$[1]_3$	$[1]_3$	$[1]_3$	$[2]_0$	$[0]_0$	424	112	
1:	$[\frac{1}{2}]_2$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_1$	$[1]_1$	$[0]_0$	6*	16	4
2:	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	2	1	1
4:	$[1]_3$	$[1]_3$	$[1]_3$	$[0]_3$	$[0]_0$	$[0]_0$	3	6	2
6:	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_3$	3	16	4
8:	$[1]_3$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_1$	$[0]_0$	3	32	8
8:	$[1]_3$	$[1]_3$	$[1]_3$	$[1]_3$	$\{2\}_0^+$	$[0]_0$	368	96	
1:	$[1]_3$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_1$	$[0]_0$	$[1]_1$	$[0]_0$	8*	32	8
2:	$[1]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[1]_2$	$[0]_1$	4*	16	4
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	4	6	2
9:	$\{4\}_0^3$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	784	200	$\rightarrow 102$
1:	$[2]_0^+$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2*	8	$4 \rightarrow \underline{3} (3)$
2:	$[2]_3$	$[1]_3$	$[0]_3$	$[0]_3$	$[0]_0$	$[0]_0$	6**	128	$32 \rightarrow \underline{16} (3)$
10:	$[4]_0^3$	$[2]_0$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	624	160	$\rightarrow 88$
1:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1**	48	$16 \rightarrow \underline{10} (3)$
2:	$[2]_3$	$[1]_3$	$[0]_3$	$[0]_3$	$[0]_0$	$[0]_0$	3**	64	$16 \rightarrow \underline{10} (3)$
3:	$[2]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_3$	$[0]_3$	3**	128	$32 \rightarrow \underline{16} (3)$
11:	$[4]_0^3$	$\{2\}_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	512	128	$\rightarrow 80$
1:	$[2]_3$	$[1]_2$	$[0]_1$	$[0]_0$	$[0]_1$	$[0]_0$	4**	128	$32 \rightarrow \underline{20} (1)$
12:	$[1]_3$	$[1]_3$	$[1]_2$	$[1]_2$	$[1]_1$	$[1]_1$	480	120	
1:	$[1]_3$	$[1]_3$	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	30*	16	$\underline{4}$
13:	$[6]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	240	50	
1:	$[3]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	5**	48	10

5.20. **The lattice $N(6\mathbf{A}_4)$.** There are 39 configurations to be considered, and the maximal naive bound is $b(\mathfrak{Q}) = 150$.

1:	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_3$	$\{0\}_0$	452	156	$\rightarrow \mathbf{150}$
1:	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_3$	$[\frac{3}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	10*	6	$\underline{2}$
2:	$[\frac{6}{5}]_3$	$[\frac{4}{5}]_2$	$[0]_0$	$[\frac{2}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	20*	18	$\underline{6}$

3:	$[\frac{3}{5}]_4$	$[\frac{3}{5}]_4$	$[\frac{3}{5}]_1$	$[\frac{3}{5}]_1$	$[\frac{3}{5}]_4$	$[0]_0$	1**	32	16	\rightarrow	<u>10</u> (1)
2:	$\{\frac{6}{5}\}_3^+$	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_3$	$[0]_0$		396	124	\rightarrow	118
1:	$[\frac{3}{5}]_4$	$[\frac{6}{5}]_3$	$[\frac{2}{5}]_4$	$[\frac{4}{5}]_3$	$[0]_0$	$[0]_0$	4*	18	6		
2:	$[\frac{3}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	$[0]_4$	2*	10	2		
3:	$[\frac{3}{5}]_4$	$[\frac{3}{5}]_4$	$[\frac{3}{5}]_1$	$[\frac{3}{5}]_1$	$[\frac{3}{5}]_4$	$[0]_0$	1**	32	16	\rightarrow	10(1)
4:	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_3$	$[\frac{3}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4	10	2		
6:	$[\frac{6}{5}]_3$	$[\frac{4}{5}]_2$	$[0]_0$	$[\frac{2}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	4	18	6		
8:	$[\frac{4}{5}]_2$	$[\frac{6}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_1$	$[\frac{2}{5}]_1$	$[0]_0$	4	6	2		
3:	$\{\frac{6}{5}\}_3^-$	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_3$	$[0]_0$		368	112		
1:	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_3$	$[\frac{3}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4	10	2		
3:	$[\frac{6}{5}]_3$	$[\frac{4}{5}]_2$	$[0]_0$	$[\frac{2}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	4	18	6		
5:	$[\frac{4}{5}]_2$	$[\frac{6}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_1$	$[\frac{2}{5}]_1$	$[0]_0$	4	18	6		
4:	$\{4\}_\bullet^+$	$[2]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$		704	142	\rightarrow	118
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	<u>1</u>		
3:	$[2]_3$	$[1]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_1$	2	75	15	\rightarrow	13(2)
5:	$[2]_3$	$[1]_4$	$[0]_4$	$[0]_0$	$[0]_2$	$[0]_0$	4	50	10	\rightarrow	<u>8</u> (3)
5:	$[4]_\bullet$	$[2]_\circ$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[0]_0$		572	120	\rightarrow	112
1:	$[2]_\circ$	$[1]_\circ^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2*	12	<u>4</u>		
2:	$[2]_3$	$[1]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_1$	2*	45	<u>9</u>		
3:	$[2]_3$	$[1]_2$	$[0]_0$	$[0]_4$	$[0]_4$	$[0]_0$	2*	75	15		
4:	$[2]_3$	$[1]_4$	$[0]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2*	30	<u>6</u>		
5:	$[2]_3$	$[1]_4$	$[0]_0$	$[0]_2$	$[0]_0$	$[0]_4$	2*	50	10	\rightarrow	<u>8</u> (3)
6:	$[2]_3$	$[1]_1$	$[0]_3^+$	$[0]_1$	$[0]_0$	$[0]_0$	2*	15	<u>3</u>		
7:	$[2]_3$	$[1]_1$	$[0]_3^-$	$[0]_1$	$[0]_0$	$[0]_0$	2*	5	<u>1</u>		
8:	$[2]_3$	$[1]_1$	$[0]_0$	$[0]_0$	$[0]_1$	$[0]_3$	2*	50	10	\rightarrow	<u>8</u> (3)
9:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	2	<u>1</u>		
6:	$[4]_\bullet$	$\{2\}_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$		516	108		
1:	$[2]_\circ$	$[1]_\circ^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2*	4	2		
2:	$[2]_3$	$[1]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4*	25	5		
3:	$[2]_3$	$[1]_4$	$[0]_4$	$[0]_0$	$[0]_2$	$[0]_0$	8*	50	10		
4:	$[3]_\bullet^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	2	1		
7:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[2]_\circ$	$\{0\}_0$	$[\frac{6}{5}]_3$		476	140	\rightarrow	132 ✓
1:	$[\frac{3}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[1]_1$	$[0]_0$	$[0]_0$	2*	16	<u>4</u>		
2:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_3$	$[1]_4$	$[0]_3^+$	$[0]_0$	2*	3	<u>1</u>		

3:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_3$	$[1]_4$	$[0]_3^-$	$[0]_0$	2*	1	<u>1</u>
4:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[1]_2$	$[0]_0$	$[\frac{2}{5}]_1$	2*	27	<u>9</u>
5:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_1$	$[0]_1$	$[\frac{3}{5}]_4$	2*	12	<u>4</u>
6:	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_4$	$[\frac{6}{5}]_3$	2*	9	<u>3</u>
7:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	4	<u>1</u>
9:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{3}{5}]_4$	2	24	<u>6</u>
11:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_4$	$[0]_0$	$[\frac{4}{5}]_2$	2	24	<u>6</u>
13:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[1]_4$	$[0]_0$	$[0]_0$	2	18	6 → <u>4</u> (3)
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	2	6	<u>2</u>
17:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_1$	$[1]_1$	$[0]_4$	$[0]_0$	2	9	<u>3</u>
8:	$\{\frac{4}{5}\}_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[2]_0$	$[0]_0$	$[\frac{6}{5}]_3$		448	120 → 116
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	2	<u>1</u>
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{3}{5}]_4$	1	12	<u>4</u>
5:	$[\frac{3}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[1]_1$	$[0]_0$	$[0]_0$	1	8	<u>2</u>
7:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_4$	$[0]_0$	$[\frac{4}{5}]_2$	1	12	<u>4</u>
9:	$[\frac{2}{5}]_2^+$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[1]_4$	$[0]_0$	$[0]_0$	1	3	<u>1</u>
11:	$[\frac{2}{5}]_2^+$	$[0]_0$	$[\frac{2}{5}]_1$	$[1]_1$	$[0]_0$	$[\frac{6}{5}]_3$	1	3	<u>1</u>
13:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_4$	$[1]_3$	$[0]_0$	$[0]_0$	1	24	<u>6</u>
15:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[0]_0$	$[1]_1$	$[0]_0$	$[\frac{4}{5}]_2$	1	18	6 → <u>4</u> (3)
17:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	6	<u>2</u>
19:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	6	<u>2</u>
21:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_1$	$[1]_1$	$[0]_4$	$[0]_0$	1	15	<u>3</u>
23:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_4$	$[0]_1$	$[\frac{2}{5}]_1$	1	15	<u>3</u>
25:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{2}{5}]_1$	$[1]_4$	$[0]_0$	$[\frac{3}{5}]_4$	1	24	<u>6</u>
27:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	4	<u>1</u>
29:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_3$	$[1]_4$	$[0]_3$	$[0]_0$	1	10	<u>2</u>
31:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[1]_2$	$[0]_0$	$[\frac{2}{5}]_1$	1	27	<u>9</u>
33:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_1$	$[0]_1$	$[\frac{3}{5}]_4$	1	20	<u>4</u>
35:	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_4$	$[\frac{6}{5}]_3$	1	15	<u>3</u>
9:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$\{2\}_0$	$[0]_0$	$[\frac{6}{5}]_3$		420	108
1:	$[\frac{3}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[1]_1$	$[0]_0$	$[0]_0$	2*	16	4
2:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_3$	$[1]_4$	$[0]_3$	$[0]_0$	2*	10	2
3:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[1]_2$	$[0]_0$	$[\frac{2}{5}]_1$	2*	9	3
4:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_1$	$[0]_1$	$[\frac{3}{5}]_4$	2*	20	4
5:	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_4$	$[\frac{6}{5}]_3$	2*	5	1

6:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	2	4	1
8:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{3}{5}]_4$	2	8	2
10:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_4$	$[0]_0$	$[\frac{4}{5}]_2$	2	24	6
12:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[1]_4$	$[0]_0$	$[0]_0$	2	18	6
14:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	2	6	2
16:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_1$	$[1]_1$	$[0]_4$	$[0]_0$	2	15	3
10:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$\{\frac{6}{5}\}_3^+$	$[2]_0$	$[0]_0$	$[\frac{6}{5}]_3$		420	106
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	4	1
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{3}{5}]_4$	1	24	6
5:	$[\frac{3}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[1]_1$	$[0]_0$	$[0]_0$	1	16	4
7:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_4$	$[0]_0$	$[\frac{4}{5}]_2$	1	24	6
9:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[1]_4$	$[0]_0$	$[0]_0$	1	6	2
11:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_4$	$[1]_3$	$[0]_0$	$[0]_0$	1	24	6
13:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[0]_0$	$[1]_1$	$[0]_0$	$[\frac{4}{5}]_2$	1	18	6
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	6	2
17:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	2	1
19:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_1$	$[1]_1$	$[0]_4$	$[0]_0$	1	5	1
21:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_4$	$[0]_1$	$[\frac{2}{5}]_1$	1	15	3
23:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{2}{5}]_1$	$[1]_4$	$[0]_0$	$[\frac{3}{5}]_4$	1	8	2
25:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	4	1
27:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_3$	$[1]_4$	$[0]_3$	$[0]_0$	1	10	2
29:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[1]_2$	$[0]_0$	$[\frac{2}{5}]_1$	1	9	3
31:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_4$	$[1]_1$	$[0]_1$	$[\frac{3}{5}]_4$	1	20	4
33:	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_4$	$[\frac{6}{5}]_3$	1	15	3
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$\{\frac{6}{5}\}_3^-$	$[2]_0$	$[0]_0$	$[\frac{6}{5}]_3$		392	104
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	4	1
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{3}{5}]_4$	1	24	6
5:	$[\frac{3}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[1]_1$	$[0]_0$	$[0]_0$	1	16	4
7:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[1]_4$	$[0]_0$	$[0]_0$	1	18	6
9:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[0]_0$	$[1]_1$	$[0]_0$	$[\frac{4}{5}]_2$	1	18	6
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	6	2
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_1$	$[1]_1$	$[0]_4$	$[0]_0$	1	15	3
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	$[1]_4$	$[0]_1$	$[\frac{2}{5}]_1$	1	15	3
17:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{2}{5}]_1$	$[1]_4$	$[0]_0$	$[\frac{3}{5}]_4$	1	24	6
19:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	4	1

21:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_3$	$[1]_4$	$[0]_3$	$[0]_0$	1	10	2
23:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[1]_2$	$[0]_0$	$[\frac{2}{5}]_1$	1	27	9
25:	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_4$	$[\frac{6}{5}]_3$	1	15	3
12:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$\{\frac{16}{5}\}_3^+$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		628	140 \rightarrow 118
1:	$[\frac{2}{5}]_2$	$[\frac{2}{5}]_2$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1**	72	24 \rightarrow <u>12</u> (3)
2:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_1$	$[0]_1$	$[\frac{3}{5}]_4$	2*	50	10 \rightarrow <u>9</u> (3)
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	8	<u>2</u>
5:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2	40	8 \rightarrow <u>7</u> (3)
7:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	2	60	12 \rightarrow <u>11</u> (3)
9:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	12	<u>4</u>
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^+$	$\{0\}_0$	$[0]_0$	$[\frac{6}{5}]_3$		548	130 \rightarrow 114
1:	$[\frac{2}{5}]_2$	$[\frac{2}{5}]_2$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1**	72	24 \rightarrow <u>12</u> (3)
2:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	16	<u>4</u>
4:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	1	40	8 \rightarrow <u>7</u> (3)
6:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	1	36	<u>9</u>
8:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{8}{5}]_4$	$[0]_3^+$	$[0]_0$	$[0]_0$	1	12	<u>3</u>
10:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{8}{5}]_4$	$[0]_3^-$	$[0]_0$	$[0]_0$	1	4	<u>1</u>
12:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	24	<u>6</u>
14:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_4$	$[\frac{2}{5}]_1$	1	60	12 \rightarrow <u>11</u> (3)
16:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	16	<u>4</u>
18:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_1$	$[0]_1$	$[\frac{3}{5}]_4$	1	30	<u>6</u>
14:	$\{\frac{4}{5}\}_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^+$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		520	112
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	8	2
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	1	20	4
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	1	30	6
7:	$[\frac{2}{5}]_2^+$	$[\frac{2}{5}]_2$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1	12	4
9:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{8}{5}]_4$	$[0]_3$	$[0]_0$	$[0]_0$	1	40	8
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	24	6
13:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_4$	$[\frac{2}{5}]_1$	1	60	12
15:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	16	4
17:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_1$	$[0]_1$	$[\frac{3}{5}]_4$	1	50	10
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^+$	$[0]_0$	$[0]_0$	$\{\frac{6}{5}\}_3^+$		492	112 \rightarrow 104
1:	$[\frac{2}{5}]_2$	$[\frac{2}{5}]_2$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1**	72	24 \rightarrow 16 (1)
2:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_1$	$[0]_1$	$[\frac{3}{5}]_4$	2*	50	10
3:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	16	4

5:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2	40	8
7:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	2	20	4
9:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	8	2
16:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^+$	$[0]_0$	$[0]_0$	$\{\frac{6}{5}\}_3^-$		464	96
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	16	4
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{8}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2	40	8
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{8}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	2	60	12
17:	$[\frac{14}{5}]_4^-$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_4$	$\{0\}_0$		500	$128 \rightarrow 116$
1:	$[\frac{7}{5}]_2$	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_1$	$[\frac{1}{5}]_1$	$[0]_0$	4*	32	$8 \rightarrow \underline{7(3)}$
2:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_4$	$[0]_2^+$	2*	2	$\underline{1}$
3:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_4$	$[0]_2^-$	2*	6	$\underline{2}$
4:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	$\underline{1}$
6:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	8	$\underline{2}$
8:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4	12	$\underline{3}$
10:	$[\frac{8}{5}]_3$	$[\frac{2}{5}]_2$	$[0]_0$	$[\frac{1}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	4	24	$6 \rightarrow \underline{5(3)}$
18:	$\{\frac{14}{5}\}_4^-$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_4$	$[0]_0$		524	$122 \rightarrow 110$
1:	$[\frac{7}{5}]_2$	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_1$	$[\frac{1}{5}]_1$	$[0]_0$	4*	32	$8 \rightarrow \underline{7(3)}$
2:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_4$	$[0]_2$	2*	20	$\underline{4}$
3:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	$\underline{1}$
5:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4	20	$\underline{4}$
7:	$[\frac{8}{5}]_3$	$[\frac{2}{5}]_2$	$[0]_0$	$[\frac{1}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	4	24	$6 \rightarrow \underline{5(3)}$
19:	$[\frac{14}{5}]_4^-$	$\{\frac{4}{5}\}_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_4$	$[0]_0$		472	114
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	1
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	2
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	8	2
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	8	2
9:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	8	2
11:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	1	10	2
13:	$[\frac{8}{5}]_3$	$[\frac{2}{5}]_2^+$	$[0]_0$	$[\frac{1}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	1	4	1
15:	$[\frac{8}{5}]_3$	$[\frac{2}{5}]_2^-$	$[0]_0$	$[\frac{1}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	1	4	1
17:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_4$	$[0]_0$	$[\frac{2}{5}]_2$	$[0]_0$	1	24	6
19:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_2$	$[0]_0$	$[0]_4$	1	20	4
21:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{2}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	1	12	4
23:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_2$	$[0]_0$	$[\frac{4}{5}]_4$	$[0]_4$	1	20	4
25:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_1$	$[\frac{2}{5}]_3$	$[\frac{1}{5}]_1$	$[0]_0$	1	24	6

27:	$[\frac{8}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_1$	$[\frac{3}{5}]_3$	$[0]_1$	1	20	4
29:	$[\frac{7}{5}]_2$	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_1$	$[\frac{1}{5}]_1$	$[0]_0$	1	16	4
31:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_2$	$[\frac{1}{5}]_4$	$[0]_0$	$[0]_0$	1	32	8
33:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_4$	$[0]_2$	1	20	4
20:	$\{\frac{14}{5}\}_4^+$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_4$	$[0]_0$		416	96
1:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	8	2
3:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4	20	4
5:	$[\frac{8}{5}]_3$	$[\frac{2}{5}]_2$	$[0]_0$	$[\frac{1}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	4	24	6
21:	$[\frac{14}{5}]_4^-$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$\{0\}_0$	$[0]_0$	$[\frac{6}{5}]_3$		500	132 \rightarrow 126 ✓
1:	$[\frac{7}{5}]_2$	$[\frac{2}{5}]_2$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1**	48	16 \rightarrow <u>10</u> (3)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	<u>1</u>
4:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	8	<u>2</u>
6:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	12	<u>4</u>
8:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	1	12	<u>4</u>
10:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{2}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	36	<u>9</u>
12:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	1	20	<u>4</u>
14:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_2^+$	$[0]_0$	$[\frac{3}{5}]_4$	1	2	<u>1</u>
16:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_2^-$	$[0]_0$	$[\frac{3}{5}]_4$	1	6	<u>2</u>
18:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	1	12	<u>3</u>
20:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{6}{5}]_3$	1	20	<u>4</u>
22:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	1	30	<u>6</u>
24:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	1	18	<u>6</u>
26:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	1	18	<u>6</u>
28:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[0]_4$	$[\frac{4}{5}]_2$	1	30	<u>6</u>
22:	$[\frac{14}{5}]_4^-$	$\{\frac{4}{5}\}_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		472	114
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	1
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	2
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	12	4
7:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{2}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	18	6
9:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2	20	4
11:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	2	10	2
13:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	2	30	6
15:	$[\frac{7}{5}]_2$	$[\frac{2}{5}]_2^+$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1	8	4
17:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	2	30	6
23:	$\{\frac{14}{5}\}_4^-$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		524	116 \rightarrow 112

1:	$[\frac{7}{5}]_2$	$[\frac{2}{5}]_2$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1**	48	16	\rightarrow	12(1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	1		
4:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{2}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	36	9		
6:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2	20	4		
8:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	2	20	4		
10:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	2	30	6		
12:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	2	30	6		
24:	$[\frac{14}{5}]_4^-$	$[\frac{4}{5}]_4$	$\{\frac{6}{5}\}_3^+$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		444	104	\rightarrow	100
1:	$[\frac{7}{5}]_2$	$[\frac{2}{5}]_2$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	1**	48	16	\rightarrow	12(1)
2:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	1		
4:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	8	2		
6:	$[2]_\circ$	$[0]_0$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	1	4	2		
8:	$[2]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_\circ$	1	12	4		
10:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{2}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	12	3		
12:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	1	20	4		
14:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	$[\frac{3}{5}]_4$	1	20	4		
16:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	1	20	4		
18:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{6}{5}]_3$	1	20	4		
20:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	1	10	2		
22:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{3}{5}]_4$	$[0]_4$	$[0]_0$	$[\frac{4}{5}]_2$	1	30	6		
24:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	1	10	2		
26:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[0]_4$	$[\frac{4}{5}]_2$	1	30	6		
25:	$\{\frac{14}{5}\}_4^+$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		416	94		
1:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	8	2		
3:	$[2]_\circ$	$[0]_0$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	2	12	4		
5:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{2}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	36	9		
7:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2	20	4		
9:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_1$	$[\frac{6}{5}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	2	20	4		
11:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	2	30	6		
26:	$[\frac{14}{5}]_4^-$	$[\frac{4}{5}]_4$	$\{\frac{6}{5}\}_3^-$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		416	92		
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	1		
3:	$[2]_\circ$	$[1]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	8	2		
5:	$[2]_\circ$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_\circ$	1	12	4		
7:	$[\frac{8}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{2}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	36	9		
9:	$[\frac{8}{5}]_3$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_2$	$[0]_0$	$[\frac{3}{5}]_4$	1	20	4		

11:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_{11}$	$[\frac{6}{5}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	1	20	4
13:	$[\frac{8}{5}]_3$	$[\frac{1}{5}]_{11}$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{6}{5}]_3$	1	20	4
15:	$[\frac{8}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	1	30	6
17:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_{14}$	$[\frac{4}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	1	30	6
19:	$[\frac{7}{5}]_2$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[0]_0$	$[0]_4$	$[\frac{4}{5}]_2$	1	30	6
27:	$\{\frac{4}{5}\}_4$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_2$	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_2$		424	128 \rightarrow 122 ✓
1:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_{14}$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	1	6	<u>2</u>
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[\frac{6}{5}]_2$	$[0]_0$	$[\frac{2}{5}]_4$	2	6	<u>2</u>
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_1$	$[\frac{6}{5}]_3$	$[\frac{3}{5}]_1$	1	8	4 \rightarrow <u>3</u> (3)
7:	$[\frac{2}{5}]_2^+$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	$[\frac{6}{5}]_2$	2	2	<u>1</u>
9:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_3$	$[0]_0$	$[0]_0$	2	12	<u>3</u>
11:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	$[\frac{2}{5}]_4$	2	12	<u>3</u>
13:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[0]_0$	$[\frac{3}{5}]_1$	$[0]_0$	$[\frac{6}{5}]_2$	2	12	4 \rightarrow <u>3</u> (3)
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_{14}$	$[\frac{1}{5}]_1$	$[\frac{3}{5}]_1$	$[\frac{3}{5}]_4$	$[0]_0$	2	16	<u>4</u>
17:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[\frac{2}{5}]_4$	$[\frac{2}{5}]_1$	$[\frac{3}{5}]_1$	2	18	<u>6</u>
19:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[0]_0$	$[\frac{6}{5}]_2$	$[\frac{4}{5}]_2$	$[0]_0$	2	12	<u>3</u>
21:	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_3$	$[\frac{3}{5}]_4$	$[\frac{4}{5}]_3$	1	18	<u>6</u>
28:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$\{\frac{6}{5}\}_2^-$	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_2$		396	110
1:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[0]_0$	$[\frac{3}{5}]_1$	$[0]_0$	$[\frac{6}{5}]_2$	2*	12	4
2:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_{14}$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	2	12	3
4:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[\frac{6}{5}]_2$	$[0]_0$	$[\frac{2}{5}]_4$	2	12	3
6:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_2$	2	4	1
8:	$[\frac{3}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_1$	$[\frac{6}{5}]_3$	$[\frac{3}{5}]_1$	2	16	4
10:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	$[\frac{6}{5}]_2$	2	12	4
12:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_3$	$[0]_0$	$[0]_0$	1	4	1
14:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	$[\frac{2}{5}]_4$	2	12	3
16:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[\frac{2}{5}]_4$	$[\frac{2}{5}]_1$	$[\frac{3}{5}]_1$	2	6	2
18:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_4$	$[\frac{3}{5}]_1$	1	16	4
20:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_1$	$[\frac{2}{5}]_1$	$[\frac{2}{5}]_4$	1	18	6
29:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$\{\frac{6}{5}\}_2^+$	$[\frac{6}{5}]_3$	$[\frac{6}{5}]_2$		368	102
1:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_{14}$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{4}{5}]_2$	$[0]_0$	2	12	3
3:	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[\frac{6}{5}]_2$	$[0]_0$	$[\frac{2}{5}]_4$	2	12	3
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_4$	$[0]_0$	$[\frac{6}{5}]_2$	2	12	3
7:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_{14}$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_4$	$[\frac{6}{5}]_2$	2	12	4
9:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_3$	$[0]_0$	$[0]_0$	1	12	3

11:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	$[\frac{2}{5}]_4$	2	12	3
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{2}{5}]_4$	$[\frac{2}{5}]_1$	$[\frac{3}{5}]_1$	2	18	6
15:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{3}{5}]_4$	$[\frac{3}{5}]_1$	1	16	4
30:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^-$	$\{0\}_0$	$[0]_0$	$[\frac{6}{5}]_3$		524	128 \rightarrow 120
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	12	<u>3</u>
3:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	48	12 \rightarrow <u>10</u> (3)
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	1	40	<u>8</u>
7:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{9}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	1	18	6 \rightarrow <u>4</u> (3)
9:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[\frac{9}{5}]_2$	$[0]_0$	$[0]_1$	$[0]_0$	1	30	<u>6</u>
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	18	<u>6</u>
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	3	<u>1</u>
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{7}{5}]_1$	$[0]_1$	$[0]_4$	$[0]_0$	1	15	<u>3</u>
17:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_1$	$[\frac{7}{5}]_1$	$[0]_4$	$[0]_0$	$[\frac{3}{5}]_4$	1	24	<u>6</u>
19:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	12	<u>3</u>
21:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_2^+$	$[0]_0$	$[\frac{2}{5}]_1$	1	3	<u>1</u>
23:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_2^-$	$[0]_0$	$[\frac{2}{5}]_1$	1	9	<u>3</u>
25:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_2$	$[\frac{4}{5}]_2$	1	30	<u>6</u>
31:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$\{\frac{16}{5}\}_3^-$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		576	124 \rightarrow 120
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	4	<u>1</u>
3:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	48	12 \rightarrow <u>10</u> (3)
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	2	40	<u>8</u>
7:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{9}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	2	30	<u>6</u>
9:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	6	<u>2</u>
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	1	<u>1</u>
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{7}{5}]_1$	$[0]_1$	$[0]_4$	$[0]_0$	1	25	<u>5</u>
15:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_2$	$[0]_0$	$[\frac{2}{5}]_1$	2	30	<u>6</u>
32:	$\{\frac{4}{5}\}_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^-$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$		496	110
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	6	2
3:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	24	6
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	1	20	4
7:	$[\frac{2}{5}]_2^+$	$[\frac{4}{5}]_4$	$[\frac{9}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	1	5	1
9:	$[\frac{2}{5}]_2^+$	$[0]_0$	$[\frac{7}{5}]_1$	$[0]_1$	$[0]_0$	$[\frac{6}{5}]_3$	1	5	1
11:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[\frac{9}{5}]_2$	$[0]_0$	$[0]_1$	$[0]_0$	1	30	6
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	18	6
15:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	3	1

17:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{7}{5}]_1$	$[0]_1$	$[0]_4$	$[0]_0$	1	25	5
19:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_{11}$	$[\frac{7}{5}]_1$	$[0]_4$	$[0]_0$	$[\frac{3}{5}]_4$	1	40	8
21:	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	12	3
23:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_2$	$[0]_0$	$[\frac{2}{5}]_1$	1	30	6
25:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_2$	$[\frac{4}{5}]_2$	1	30	6
33:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^-$	$[0]_0$	$[0]_0$	$\{\frac{6}{5}\}_3^+$		468	100
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	12	3
3:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	16	4
5:	$[\frac{3}{5}]_3$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_0$	$[0]_4$	$[\frac{3}{5}]_4$	2	40	8
7:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{9}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	2	30	6
9:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{6}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{5}]_3$	1	6	2
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	3	1
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{7}{5}]_1$	$[0]_1$	$[0]_4$	$[0]_0$	1	25	5
15:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_2$	$[0]_0$	$[\frac{2}{5}]_1$	2	10	2
34:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{16}{5}]_3^-$	$[0]_0$	$[0]_0$	$\{\frac{6}{5}\}_3^-$		440	96
1:	$[1]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	12	3
3:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{7}{5}]_1$	$[0]_0$	$[0]_0$	$[\frac{2}{5}]_1$	1	48	12
5:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[\frac{9}{5}]_2$	$[0]_4$	$[0]_0$	$[0]_0$	2	30	6
7:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{1}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{6}{5}]_3$	1	3	1
9:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{7}{5}]_1$	$[0]_1$	$[0]_4$	$[0]_0$	1	25	5
11:	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{9}{5}]_2$	$[0]_2$	$[0]_0$	$[\frac{2}{5}]_1$	2	30	6
35:	$\{\frac{4}{5}\}_4$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_4$	$[2]_0$		448	126 \rightarrow 110
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	1	2	<u>1</u>
3:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	$[1]_1$	4	8	<u>2</u>
5:	$[\frac{2}{5}]_2^+$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_4$	$[1]_2$	2	3	<u>1</u>
7:	$[\frac{4}{5}]_4$	$[\frac{3}{5}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{5}]_3$	$[1]_4$	2	16	<u>4</u>
9:	$[\frac{4}{5}]_4$	$[\frac{2}{5}]_2$	$[0]_0$	$[\frac{4}{5}]_1$	$[0]_0$	$[1]_2$	4	18	6 \rightarrow <u>4</u> (3)
11:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{1}{5}]_4$	$[0]_0$	4	4	<u>1</u>
13:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[0]_0$	$[\frac{1}{5}]_4$	$[\frac{1}{5}]_1$	$[1]_1$	4	16	<u>4</u>
36:	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_4$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_1$	$[\frac{4}{5}]_4$	$\{2\}_0$		420	110
1:	$[\frac{2}{5}]_2$	$[\frac{4}{5}]_4$	$[0]_0$	$[0]_0$	$[\frac{4}{5}]_4$	$[1]_2$	10*	6	2
2:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	5	4	1
4:	$[\frac{3}{5}]_3$	$[\frac{3}{5}]_3$	$[\frac{4}{5}]_1$	$[0]_0$	$[0]_0$	$[1]_1$	10	16	4
37:	$[2]_0$	$[2]_0$	$[2]_0$	$\{0\}_0$	$[0]_0$	$[0]_0$		524	120

1:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4^*	3	$\underline{1}$
2:	$[1]_3$	$[1]_3$	$[1]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4^*	45	$\underline{9}$
3:	$[1]_3$	$[1]_4$	$[1]_4$	$[0]_0$	$[0]_2$	$[0]_0$	4^*	30	$\underline{6}$
4:	$[1]_3$	$[1]_1$	$[1]_3$	$[0]_1$	$[0]_0$	$[0]_0$	2^*	27	$\underline{9}$
5:	$[1]_4$	$[1]_3$	$[1]_4$	$[0]_3^+$	$[0]_0$	$[0]_0$	2^*	9	$\underline{3}$
6:	$[1]_4$	$[1]_3$	$[1]_4$	$[0]_3^-$	$[0]_0$	$[0]_0$	2^*	3	$\underline{1}$
7:	$[1]_4$	$[1]_4$	$[1]_1$	$[0]_1$	$[0]_4$	$[0]_0$	4^*	15	$\underline{3}$
8:	$[1]_4$	$[1]_1$	$[1]_4$	$[0]_0$	$[0]_4$	$[0]_1$	2^*	25	$\underline{5}$
9:	$[2]_{\circ}$	$[0]_0$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	$[0]_0$	4	3	$\underline{1}$
38:	$\{2\}_{\circ}$	$[2]_{\circ}$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$		468	100
1:	$[1]_{\circ}^+$	$[2]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4^*	1	1
2:	$[1]_3$	$[1]_3$	$[1]_1$	$[0]_0$	$[0]_0$	$[0]_1$	4^*	15	3
3:	$[1]_3$	$[1]_4$	$[1]_4$	$[0]_0$	$[0]_2$	$[0]_0$	2^*	10	2
4:	$[1]_4$	$[1]_3$	$[1]_4$	$[0]_3$	$[0]_0$	$[0]_0$	4^*	30	6
5:	$[1]_4$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_1$	$[0]_0$	2^*	45	9
6:	$[1]_4$	$[1]_4$	$[1]_1$	$[0]_1$	$[0]_4$	$[0]_0$	4^*	25	5
7:	$[1]_4$	$[1]_1$	$[1]_1$	$[0]_4$	$[0]_0$	$[0]_4$	2^*	25	5
8:	$[2]_{\circ}$	$[1]_{\circ}^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	3	1
39:	$[6]_{*}^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$		204	51
1:	$[3]_{\bullet}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1^{**}	4	1
2:	$[3]_{\circ}$	$[0]_{\circ}$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	5^{**}	40	10

5.20.1. *Configuration 1.* There is a unique set $\mathfrak{L}_{130}^i \in \mathcal{B}_{28}(\mathfrak{D})$; it has 130 lines and is described by the pattern (see [Remark 3.5](#))

$$(5.3) \quad \pi = \langle\langle 0, 6, 10 \rangle\rangle.$$

This case completes the technical details of the proof of [Theorem 5.1](#). □

6. THE LATTICE $N(8\mathbf{A}_3)$

Starting from this section, we relax the goal to

$$|\mathfrak{L}| \geq M := 132.$$

The result of this section is the following theorem.

Theorem 6.1. *Let $\mathfrak{L} \subset N(8\mathbf{A}_3)$ be a geometric set. Then either*

- $|\mathfrak{L}| = 132$, and then \mathfrak{L} is conjugate to \mathfrak{G}_{132}^i , see (6.2), or \mathfrak{G}_{132}^{ii} , see (6.3), or $|\mathfrak{L}| \leq 130$.

Proof. We proceed as in §5, listing pairs $\bar{h}, \bar{r} \in N(8\mathbf{A}_3)$ and respective orbits (and following the notation of §5). There are 28 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{D}) = 160$.

1:	$\{4\}_\bullet^+$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	728	200	\rightarrow	132 ✓	
1:	$[2]_2$	$[1]_2$	$[0]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_0$	3^{**}	72	24	\rightarrow	<u>12</u> (3)
2:	$[2]_2$	$[1]_3$	$[0]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	8^*	64	16	\rightarrow	12 (2)
2:	$[4]_\bullet$	$[2]_0$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	568	160	\rightarrow	112	
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2^*	8	4	\rightarrow	<u>3</u> (3)
2:	$[2]_2$	$[1]_2$	$[0]_2^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_0$	2^*	12	4	\rightarrow	<u>3</u> (3)
3:	$[2]_2$	$[1]_2$	$[0]_0$	$[0]_2$	$[0]_2$	$[0]_0$	$[0]_0$	$[0]_0$	2^{**}	72	24	\rightarrow	<u>12</u> (3)
4:	$[2]_2$	$[1]_3$	$[0]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	4^*	32	8	\rightarrow	<u>7</u> (3)
5:	$[2]_2$	$[1]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	$[0]_3$	4^*	64	16	\rightarrow	12 (2)
3:	$[4]_\bullet$	$\{2\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	512	128	\rightarrow	96	
1:	$[2]_2$	$[1]_3$	$[0]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	8^*	64	16	\rightarrow	12 (2)
4:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[1]_2$	$[1]_2$	$\{0\}_0$	$[\frac{3}{4}]_1$	$[1]_2$	448	160			
1:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_3$	$[0]_0$	$[\frac{1}{2}]_1$	12^*	4	<u>2</u>		
2:	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	6	9	<u>3</u>		
4:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_1$	12	12	<u>4</u>		
6:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_2^+$	$[\frac{3}{4}]_1$	$[0]_0$	2	1	<u>1</u>		
5:	$\{\frac{3}{4}\}_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[1]_2$	$[1]_2$	$[0]_0$	$[\frac{3}{4}]_1$	$[1]_2$	420	136 ✓			
1:	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	3	3	<u>1</u>		
3:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_1$	3	4	<u>2</u>		
5:	$[\frac{3}{4}]_3$	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_3$	6	12	<u>4</u>		
7:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$[\frac{3}{4}]_1$	$[0]_0$	1	6	<u>2</u>		
9:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{1}{4}]_3$	$[1]_2$	3	9	<u>3</u>		
11:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_3$	$[0]_0$	$[\frac{1}{2}]_1$	6	8	<u>2</u>		
13:	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_0$	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[1]_2$	3	12	<u>4</u>		
6:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$\{1\}_2^+$	$[1]_2$	$[0]_0$	$[\frac{3}{4}]_1$	$[1]_2$	392	124			
1:	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_3$	$[1]_2$	$[0]_3$	$[\frac{3}{4}]_1$	$[0]_0$	2^*	8	<u>2</u>		
2:	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	4	9	<u>3</u>		
4:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_1$	4	12	<u>4</u>		
6:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{4}]_1$	$[\frac{1}{2}]_3$	4	12	<u>4</u>		
8:	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{1}{2}]_2$	$[1]_2$	2	9	<u>3</u>		
10:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$[\frac{3}{4}]_1$	$[0]_0$	1	6	<u>2</u>		
12:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_3$	$[0]_0$	$[\frac{1}{2}]_1$	4	8	<u>2</u>		
7:	$\{3\}_2^+$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	600	172	\rightarrow	136 ✓	
1:	$[\frac{3}{2}]_3$	$[1]_2$	$[\frac{1}{2}]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_3$	12^*	32	8	\rightarrow	<u>7</u> (3)

2:	$\left[\frac{3}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	4**	48	16	\rightarrow	<u>10</u> (3)
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	3	4	<u>2</u>		
8:	$[3]_2^+$	$[1]_2$	$[1]_2$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$		520	152	\rightarrow	126
1:	$\left[\frac{3}{2}\right]_3$	$[1]_2$	$\left[\frac{1}{2}\right]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_3$	6*	16	<u>4</u>		
2:	$\left[\frac{3}{2}\right]_3$	$[1]_2$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	$[0]_3$	$[0]_3$	$[0]_0$	$[0]_0$	6*	32	8	\rightarrow	<u>7</u> (3)
3:	$\left[\frac{3}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	3**	48	16	\rightarrow	<u>10</u> (3)
4:	$\left[\frac{3}{2}\right]_3$	$\left[\frac{1}{2}\right]_1$	$\left[\frac{1}{2}\right]_1$	$[0]_2^+$	$[0]_0$	$[0]_0$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	2*	8	4	\rightarrow	<u>3</u> (3)
5:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	3	12	<u>4</u>		
9:	$[3]_2^+$	$\{1\}_2^+$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$		464	128	\rightarrow	106
1:	$\left[\frac{3}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$[1]_2$	$[0]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_0$	2*	32	8	\rightarrow	<u>7</u> (3)
2:	$\left[\frac{3}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$\left[\frac{1}{2}\right]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	2**	48	16	\rightarrow	10 (2)
3:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	12	<u>4</u>		
5:	$\left[\frac{3}{2}\right]_3$	$[1]_2$	$\left[\frac{1}{2}\right]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_3$	4	32	8	\rightarrow	<u>7</u> (3)
10:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$[2]_0$	$\{0\}_0$	$[1]_2$	$\left[\frac{3}{4}\right]_1$	$[0]_0$		472	152	\rightarrow	148 ✓
1:	$\left[\frac{1}{2}\right]_2$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{1}{4}\right]_1$	$[1]_1$	$[0]_0$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	$[0]_0$	4*	18	<u>6</u>		
2:	$\left[\frac{1}{2}\right]_2$	$\left[\frac{1}{4}\right]_1$	$\left[\frac{3}{4}\right]_3$	$[1]_3$	$[0]_0$	$\left[\frac{1}{2}\right]_3$	$[0]_0$	$[0]_0$	4*	18	<u>6</u>		
3:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[1]_2$	$[0]_0$	$\left[\frac{1}{2}\right]_3$	$[0]_0$	$[0]_1$	2*	16	<u>4</u>		
4:	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$\left[\frac{3}{4}\right]_3$	$[1]_2$	$[0]_3$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	$[0]_0$	2*	8	4	\rightarrow	<u>3</u> (3)
5:	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_2^+$	$\left[\frac{1}{2}\right]_3$	$\left[\frac{3}{4}\right]_1$	$[0]_0$	4*	2	<u>1</u>		
6:	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[0]_0$	$[1]_1$	$[0]_0$	$\left[\frac{1}{2}\right]_1$	$\left[\frac{3}{4}\right]_1$	$[0]_2$	2*	12	4	\rightarrow	<u>3</u> (3)
7:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	3	<u>1</u>		
9:	$\left[\frac{1}{2}\right]_2$	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[0]_0$	$\left[\frac{3}{4}\right]_1$	$[0]_3$	4	12	<u>3</u>		
11:	$\left[\frac{1}{2}\right]_2$	$[0]_0$	$\left[\frac{3}{4}\right]_3$	$[1]_1$	$[0]_1$	$[0]_0$	$\left[\frac{3}{4}\right]_1$	$[0]_0$	4	6	<u>2</u>		
13:	$\left[\frac{1}{2}\right]_2$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[1]_2$	$\left[\frac{1}{2}\right]_2$	$[0]_0$	2	18	<u>6</u>		
15:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$\left[\frac{3}{4}\right]_1$	$[0]_0$	1	4	<u>2</u>		
11:	$\left\{\frac{3}{4}\right\}_3$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$[2]_0$	$[0]_0$	$[1]_2$	$\left[\frac{3}{4}\right]_1$	$[0]_0$		444	132	\rightarrow	128
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	<u>1</u>		
3:	$\left[\frac{1}{2}\right]_2$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{1}{4}\right]_1$	$[1]_1$	$[0]_0$	$\left[\frac{1}{2}\right]_1$	$[0]_0$	$[0]_0$	2	6	<u>2</u>		
5:	$\left[\frac{1}{2}\right]_2$	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[0]_0$	$\left[\frac{3}{4}\right]_1$	$[0]_3$	2	4	<u>1</u>		
7:	$\left[\frac{1}{2}\right]_2$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[1]_2$	$\left[\frac{1}{2}\right]_2$	$[0]_0$	1	6	<u>2</u>		
9:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{1}{2}\right]_2$	$\left[\frac{3}{4}\right]_3$	$[1]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_3$	2	12	<u>3</u>		
11:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{1}{2}\right]_2$	$[0]_0$	$[1]_3$	$[0]_0$	$\left[\frac{1}{2}\right]_1$	$\left[\frac{1}{4}\right]_3$	$[0]_0$	2	18	<u>6</u>		
13:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[0]_0$	$[1]_2$	$\left[\frac{1}{4}\right]_1$	$[0]_0$	1	3	<u>1</u>		
15:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$\left[\frac{3}{4}\right]_1$	$[0]_0$	1	4	<u>2</u>		
17:	$\left[\frac{3}{4}\right]_3$	$\left[\frac{3}{4}\right]_3$	$\left[\frac{1}{4}\right]_3$	$[0]_0$	$[0]_0$	$[1]_2$	$\left[\frac{3}{4}\right]_1$	$[0]_0$	2	3	<u>1</u>		

19:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_1$	2	16	$\underline{4}$
21:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_1$	$[0]_3$	$[0]_0$	$[\frac{1}{2}]_2$	$[0]_0$	2	12	$\underline{3}$
23:	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[\frac{1}{4}]_1$	$[1]_2$	$[0]_0$	$[0]_0$	$[\frac{3}{4}]_1$	$[0]_0$	1	18	$\underline{6}$
25:	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_0$	$[1]_1$	$[0]_1$	$[1]_2$	$[0]_0$	$[0]_0$	2	12	$\underline{3}$
27:	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_2$	$[\frac{1}{2}]_3$	$[\frac{3}{4}]_1$	$[0]_0$	2	12	$4 \rightarrow \underline{3(3)}$
12:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$\{2\}_0$	$[0]_0$	$[1]_2$	$[\frac{3}{4}]_1$	$[0]_0$	416	124	$\rightarrow 120$
1:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[1]_1$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	8*	18	$\underline{6}$
2:	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_2$	$[\frac{1}{2}]_3$	$[\frac{3}{4}]_1$	$[0]_0$	4*	12	$4 \rightarrow \underline{3(3)}$
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	3	$\underline{1}$
5:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{4}]_1$	$[0]_3$	8	12	$\underline{3}$
7:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$[\frac{3}{4}]_1$	$[0]_0$	1	4	$\underline{2}$
13:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[2]_0$	$[0]_0$	$\{1\}_2^+$	$[\frac{3}{4}]_1$	$[0]_0$	416	120	$\rightarrow 118$
1:	$[\frac{1}{2}]_2$	$[\frac{1}{4}]_1$	$[\frac{3}{4}]_3$	$[1]_3$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	4*	18	$\underline{6}$
2:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_2$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_1$	2*	16	$\underline{4}$
3:	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[1]_3$	$[0]_2$	$[\frac{1}{2}]_3$	$[\frac{3}{4}]_1$	$[0]_0$	2*	12	$4 \rightarrow \underline{3(3)}$
4:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	3	$\underline{1}$
6:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[1]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{4}]_1$	$[0]_3$	4	12	$\underline{3}$
8:	$[\frac{1}{2}]_2$	$[0]_0$	$[\frac{3}{4}]_3$	$[1]_1$	$[0]_1$	$[0]_0$	$[\frac{3}{4}]_1$	$[0]_0$	4	12	$\underline{3}$
10:	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[1]_2$	$[\frac{1}{2}]_2$	$[0]_0$	2	18	$\underline{6}$
14:	$\{\frac{11}{4}\}_3^-$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[1]_2$	$[\frac{3}{4}]_1$	$[0]_0$	548	152	$\rightarrow 140 \checkmark$
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	$\underline{1}$
3:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_2$	$[0]_0$	1	27	$\underline{9}$
5:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_2$	3	18	$6 \rightarrow \underline{4(3)}$
7:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	3	16	$\underline{4}$
9:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_1$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	6	24	$\underline{6}$
15:	$[\frac{11}{4}]_3^-$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$\{0\}_0$	$[0]_0$	$[1]_2$	$[\frac{3}{4}]_1$	$[0]_0$	496	148	$\rightarrow 138 \checkmark$
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	$\underline{1}$
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	6	$\underline{2}$
5:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	8	$4 \rightarrow \underline{3(3)}$
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	$[0]_0$	1	6	$\underline{2}$
9:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_2$	$[0]_0$	1	27	$\underline{9}$
11:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_2$	2	18	$6 \rightarrow \underline{4(3)}$
13:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	1	16	$\underline{4}$
15:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_1$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	2	12	$\underline{4}$
17:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[\frac{3}{4}]_1$	$[0]_3$	2	8	$\underline{2}$

19:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_3$	$[\frac{1}{4}]_3$	$[0]_0$	2	24	<u>6</u>
21:	$[\frac{3}{2}]_2$	$[\frac{1}{4}]_1$	$[0]_0$	$[0]_0$	$[0]_3$	$[\frac{1}{2}]_1$	$[\frac{3}{4}]_1$	$[0]_0$	2	24	<u>6</u>
23:	$[\frac{3}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_2^+$	$[0]_0$	$[1]_2$	$[\frac{1}{2}]_2$	$[0]_0$	2	3	<u>1</u>
16:	$[\frac{11}{4}]_3^-$	$\{3\}_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[1]_2$	$[\frac{3}{4}]_1$	$[0]_0$	468	134	$\rightarrow 124$
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	<u>1</u>
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	2	<u>1</u>
5:	$[2]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	2	6	<u>2</u>
7:	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_0$	$[0]_0$	$[0]_0$	1	8	$4 \rightarrow \underline{3}(3)$
9:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_2$	$[0]_0$	1	9	<u>3</u>
11:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_2$	1	6	<u>2</u>
13:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	2	16	<u>4</u>
15:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_1$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	$[0]_0$	2	24	<u>6</u>
17:	$[\frac{3}{2}]_2$	$[\frac{1}{4}]_1$	$[\frac{3}{4}]_3$	$[0]_3$	$[0]_0$	$[\frac{1}{2}]_3$	$[0]_0$	$[0]_0$	2	8	<u>2</u>
19:	$[\frac{3}{2}]_2$	$[0]_0$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_2$	$[1]_2$	$[0]_0$	$[0]_0$	2	18	$6 \rightarrow \underline{4}(3)$
21:	$[\frac{3}{2}]_2$	$[0]_0$	$[\frac{3}{4}]_3$	$[0]_1$	$[0]_1$	$[0]_0$	$[\frac{3}{4}]_1$	$[0]_0$	1	16	<u>4</u>
23:	$[\frac{3}{2}]_2$	$[0]_0$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_1$	$[\frac{1}{4}]_3$	$[0]_3$	2	24	<u>6</u>
17:	$[\frac{11}{4}]_3^-$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$\{1\}_2^+$	$[\frac{3}{4}]_1$	$[0]_0$	440	128	$\rightarrow 116$
1:	$[3]_\bullet$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	1	1	<u>1</u>
3:	$[2]_0$	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	3	6	<u>2</u>
5:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_2$	$[0]_0$	1	27	<u>9</u>
7:	$[\frac{3}{2}]_2$	$[\frac{1}{2}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	$[0]_2$	3	18	$6 \rightarrow \underline{4}(3)$
9:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	3	16	<u>4</u>
11:	$[\frac{3}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{1}{2}]_3$	$[\frac{1}{4}]_3$	$[0]_0$	3	24	<u>6</u>
18:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$\{3\}_2^+$	$[\frac{3}{4}]_1$	$[0]_0$	600	152	$\rightarrow 146 \checkmark$
1:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{4}]_3$	$[0]_0$	12*	36	<u>9</u>
2:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_2$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_1$	6*	24	$6 \rightarrow \underline{5}(3)$
3:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	4	3	<u>1</u>
19:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$\{0\}_0$	$[0]_0$	$[3]_2^+$	$[\frac{3}{4}]_1$	$[0]_0$	520	144	$\rightarrow 140 \checkmark$
1:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{4}]_3$	$[0]_0$	4*	36	<u>9</u>
2:	$[\frac{1}{2}]_2$	$[\frac{1}{4}]_1$	$[\frac{3}{4}]_3$	$[0]_3$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	4*	18	<u>6</u>
3:	$[\frac{1}{2}]_2$	$[0]_0$	$[\frac{1}{4}]_1$	$[0]_0$	$[0]_0$	$[\frac{3}{2}]_3$	$[\frac{3}{4}]_1$	$[0]_1$	4*	36	<u>9</u>
4:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_2^+$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_1$	4*	4	<u>1</u>
5:	$[\frac{3}{4}]_3$	$[0]_0$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_2$	2*	24	$6 \rightarrow \underline{5}(3)$
6:	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_3$	$[0]_2$	$[\frac{3}{2}]_3$	$[\frac{3}{4}]_1$	$[0]_0$	2*	12	$4 \rightarrow \underline{3}(3)$
7:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	4	9	<u>3</u>

20:	$\{\frac{3}{4}\}_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[3]_2^+$	$[\frac{3}{4}]_1$	$[0]_0$	492	128	\rightarrow	122
1:	$[1]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	1	3		$\underline{1}$
3:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[0]_1$	$[\frac{3}{2}]_3$	$[\frac{1}{4}]_3$	$[0]_0$	3	12		$\underline{3}$
5:	$[\frac{3}{4}]_3$	$[\frac{1}{2}]_2$	$[\frac{1}{4}]_1$	$[0]_0$	$[0]_3$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_0$	3	36		$\underline{9}$
7:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[1]_2$	$[\frac{1}{4}]_1$	$[0]_0$	3	9		$\underline{3}$
9:	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_2$	$[0]_0$	$[\frac{3}{2}]_3$	$[0]_0$	$[0]_1$	3	24		$6 \rightarrow \underline{5} (3)$
21:	$[1]_2$	$[1]_2$	$[1]_2$	$[2]_0$	$\{0\}_0$	$[0]_0$	$[1]_2$	$[0]_0$	472	164	\rightarrow	140 ✓
1:	$[1]_2$	$[1]_2$	$[0]_0$	$[1]_2$	$[0]_2^+$	$[0]_0$	$[0]_0$	$[0]_0$	4*	2		$\underline{1}$
2:	$[1]_2$	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_1$	$[1]_1$	$[0]_0$	$[0]_1$	$[0]_0$	$[0]_0$	16*	16		$\underline{4}$
3:	$[1]_2$	$[0]_0$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_2$	4*	12		$4 \rightarrow \underline{3} (3)$
4:	$[1]_2$	$[0]_0$	$[\frac{1}{2}]_3$	$[1]_1$	$[0]_1$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	8*	8		$4 \rightarrow \underline{3} (3)$
5:	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_1$	$[\frac{1}{2}]_1$	$[1]_2$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	2**	32		$16 \rightarrow \underline{10} (1)$
6:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	4		$\underline{2}$
22:	$\{1\}_2^+$	$[1]_2$	$[1]_2$	$[2]_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	416	124	\rightarrow	112
1:	$[\frac{1}{2}]_3$	$[1]_2$	$[\frac{1}{2}]_3$	$[1]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_3$	6*	16		$\underline{4}$
2:	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_1$	$[\frac{1}{2}]_1$	$[1]_2$	$[0]_0$	$[0]_0$	$[\frac{1}{2}]_1$	$[0]_0$	1**	32		$16 \rightarrow \underline{10} (1)$
3:	$[1]_2$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_0$	3	4		$\underline{2}$
5:	$[1]_2$	$[1]_2$	$[0]_0$	$[1]_2$	$[0]_2$	$[0]_0$	$[0]_0$	$[0]_0$	3	12		$4 \rightarrow \underline{3} (3)$
7:	$[1]_2$	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_1$	$[1]_1$	$[0]_0$	$[0]_1$	$[0]_0$	$[0]_0$	6	16		$\underline{4}$
23:	$[1]_2$	$[1]_2$	$[1]_2$	$\{2\}_0$	$[0]_0$	$[0]_0$	$[1]_2$	$[0]_0$	416	112		
1:	$[1]_2$	$[\frac{1}{2}]_3$	$[\frac{1}{2}]_1$	$[1]_1$	$[0]_0$	$[0]_1$	$[0]_0$	$[0]_0$	24*	16		$\underline{4}$
2:	$[1]_0$	$[0]_0$	$[0]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	4		$\underline{2}$
24:	$[2]_0$	$[2]_0$	$[2]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$\{0\}_0$	$[0]_0$	520	148	\rightarrow	126
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	12*	2		$\underline{1}$
2:	$[1]_2$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_2^+$	$[0]_0$	2*	8		$4 \rightarrow \underline{3} (3)$
3:	$[1]_2$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	12*	32		$8 \rightarrow \underline{7} (3)$
4:	$[1]_3$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_1$	$[0]_0$	8*	12		$4 \rightarrow \underline{3} (3)$
25:	$[2]_0$	$[2]_0$	$[2]_0$	$\{0\}_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	520	140	\rightarrow	122
1:	$[2]_0$	$[1]_0^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	12*	2		$\underline{1}$
2:	$[1]_2$	$[1]_2$	$[1]_2$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_0$	1**	48		$16 \rightarrow \underline{10} (3)$
3:	$[1]_2$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_3$	$[0]_0$	$[0]_0$	$[0]_1$	6*	32		$8 \rightarrow \underline{7} (3)$
4:	$[1]_2$	$[1]_3$	$[1]_1$	$[0]_1$	$[0]_0$	$[0]_1$	$[0]_0$	$[0]_0$	6*	16		$\underline{4}$
5:	$[1]_3$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_1$	$[0]_0$	6*	24		$6 \rightarrow \underline{5} (3)$
6:	$[1]_3$	$[1]_1$	$[1]_1$	$[0]_2^+$	$[0]_0$	$[0]_0$	$[0]_1$	$[0]_0$	4*	4		$\underline{1}$

26:	$\{2\}_o$	$[2]_o$	$[2]_o$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	464	120	\rightarrow	104	
1:	$[1]_3$	$[1]_2$	$[1]_3$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_3$	8*	32	8	\rightarrow	<u>7</u> (3)
2:	$[1]_3$	$[1]_3$	$[1]_3$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_1$	$[0]_0$	8*	24	6	\rightarrow	<u>5</u> (3)
3:	$[2]_o$	$[1]_o^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	4	2			<u>1</u>
27:	$\{\frac{3}{4}\}_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	420	140	\checkmark		
1:	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{3}{4}]_3$	$[0]_0$	$[\frac{3}{4}]_3$	$[0]_0$	$[0]_0$	$[\frac{1}{4}]_1$	7	3			<u>1</u>
3:	$[\frac{3}{4}]_3$	$[\frac{1}{2}]_2$	$[\frac{3}{4}]_3$	$[\frac{1}{4}]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[\frac{3}{4}]_3$	21	9			<u>3</u>
28:	$[6]_*^+$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	168	56	\rightarrow	42	
1:	$[3]_o$	$[0]_o$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	7**	24	8	\rightarrow	<u>6</u> (3)

6.1. **Configuration 1.** The only maximal geometric set, denoted \mathfrak{G}_{132}^i , does have 132 lines. It is characterized by the constant pattern (see Remark 3.5)

$$(6.2) \quad \pi = \langle\langle 12, 12 \rangle\rangle.$$

6.2. **Configuration 4.** There are 162 sets $\mathfrak{L} \in \mathcal{B}_{10}(\bar{o}_4)$. Most are maximal; one of them, denoted \mathfrak{G}_{132}^{ii} , has 132 lines and is determined by the pattern

$$(6.3) \quad \pi = \langle\langle 0, 3, 3, 4, 4, 0, 0 \rangle\rangle.$$

Eleven sets are of rank 19. Extending these sets by a maximal orbit (see §3.2.2), we arrive at $|\mathfrak{L}| \leq 112$.

On the other hand, there is a unique set $\mathfrak{L} \in \mathcal{B}_6(\bar{o}_1 \cup \bar{o}_2 \cup \bar{o}_2^* \cup \bar{o}_6 \cup \bar{o}_6^*)$. One has $|\mathfrak{L}| = 92$, and this set is maximal. \square

7. THE LATTICE $N(12\mathbf{A}_2)$

The ultimate result of this section is the following theorem.

Theorem 7.1. *Let $\mathfrak{L} \subset N(12\mathbf{A}_2)$ be a geometric set. Then either*

- $|\mathfrak{L}| = 144$, and then \mathfrak{L} is conjugate to \mathfrak{M}_{144}^{ii} , see (7.5), or
- $|\mathfrak{L}| = 132$, and then \mathfrak{L} is conjugate to \mathfrak{G}_{132}^{iii} , see (7.8),

or $|\mathfrak{L}| \leq 130$.

In the course of the proof of this theorem we also discover and describe (by means of their patterns) several geometric sets \mathfrak{L} of size $|\mathfrak{L}| \geq 124$.

Proof of Theorem 7.1. We proceed as in §5, analyzing pairs (\bar{h}, \bar{r}) one by one. (The notation in the table is explained in §5.) There are 9 configurations to be considered, and the maximal naïve bound is $b(\mathfrak{L}) = 190$.

1:	$\{\frac{8}{3}\}_2^-$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_2$	$[0]_0$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	$[\frac{2}{3}]_2$	$[0]_0$	$[0]_0$	$[0]_0$	572	196	\rightarrow	190	
1:	$[\frac{4}{3}]_1$	$[\frac{2}{3}]_2$	$[\frac{2}{3}]_2$	$[\frac{1}{3}]_1$	$[0]_0$	$[0]_0$	$[0]_2$	$[0]_1$	$[0]_0$	$[0]_0$	$[0]_0$	$[0]_0$	30*	18		<u>6</u>	
2:	$[\frac{4}{3}]_1$	$[\frac{1}{3}]_1$	$[\frac{1}{3}]_1$	$[\frac{1}{3}]_1$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_0$	$[0]_0$	$[\frac{1}{3}]_1$	$[0]_0$	$[0]_0$	$[0]_0$	1**	32	16	\rightarrow	<u>10</u> (1)

2:	$[\frac{8}{3}]_2^- [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 \{0\}_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [0]_0$	492	176	\rightarrow	170
1:	$[\frac{4}{3}]_1 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_2 [0]_1 [0]_0 [0]_0 [0]_0 [0]_0$	20*	18		<u>6</u>
2:	$[\frac{4}{3}]_1 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [0]_1 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0$	10*	6		<u>2</u>
3:	$[\frac{4}{3}]_1 [\frac{1}{3}]_1 [\frac{1}{3}]_1 [\frac{1}{3}]_1 [0]_0 [\frac{1}{3}]_1 [0]_0 [0]_0 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_0$	1**	32	16	\rightarrow <u>10</u> (1)
4:	$[2]_0 [1]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	5	4		<u>2</u>
3:	$[\frac{8}{3}]_2^- \{\frac{2}{3}\}_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [0]_0$	464	160		
1:	$[2]_0 [0]_0 [1]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	4	4		<u>2</u>
3:	$[\frac{4}{3}]_1 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_2 [0]_1 [0]_0 [0]_0 [0]_0 [0]_0$	12	18		<u>6</u>
4:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_1 \{0\}_0 [0]_0 [0]_0 [\frac{2}{3}]_1 [\frac{2}{3}]_2 [\frac{2}{3}]_1$	444	186	\rightarrow	162
1:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [\frac{1}{3}]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0 [0]_0$	36*	6		<u>2</u>
2:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [0]_0 [0]_0 [0]_1 [0]_0 [0]_0 [\frac{2}{3}]_1 [\frac{1}{3}]_1 [0]_0$	18*	2		<u>1</u>
3:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [\frac{1}{3}]_2 [0]_0 [\frac{2}{3}]_1$	24*	8	4	\rightarrow <u>3</u> (3)
5:	$\{\frac{2}{3}\}_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_1 [0]_0 [0]_0 [0]_0 [\frac{2}{3}]_1 [\frac{2}{3}]_2 [\frac{2}{3}]_1$	416	160	\rightarrow	144 ✓
1:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [\frac{1}{3}]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0 [0]_0$	24	6		<u>2</u>
3:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [\frac{1}{3}]_2 [0]_0 [\frac{2}{3}]_1$	8	8	4	\rightarrow <u>3</u> (3)
6:	$[2]_0 [2]_0 [2]_0 \{0\}_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	516	180		
1:	$[2]_0 [1]_0^+ [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	12*	1		<u>1</u>
2:	$[1]_2 [1]_2 [1]_2 [0]_2 [0]_0 [0]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0 [0]_0$	8*	9		<u>3</u>
3:	$[1]_2 [1]_2 [1]_2 [0]_0 [0]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0 [0]_0 [0]_2$	16*	27		<u>9</u>
7:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [2]_0 [\frac{2}{3}]_2 \{0\}_0 [0]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [0]_0$	468	164		
1:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [1]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0 [0]_0 [0]_2$	12*	9		<u>3</u>
2:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [0]_0 [1]_1 [0]_0 [0]_2 [0]_0 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_0$	6*	4		<u>2</u>
3:	$[\frac{2}{3}]_2 [\frac{1}{3}]_1 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [1]_1 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_2 [0]_0$	24*	12		<u>4</u>
4:	$[\frac{2}{3}]_2 [0]_0 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [1]_2 [0]_0 [0]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0$	8*	3		<u>1</u>
5:	$[1]_0 [0]_0 [0]_0 [0]_0 [2]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	6	2		<u>1</u>
8:	$\{\frac{2}{3}\}_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [2]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [0]_0$	440	150		
1:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [\frac{2}{3}]_2 [0]_0 [0]_0 [\frac{1}{3}]_2 [0]_0 [0]_0 [0]_0$	5	2		<u>1</u>
3:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{2}{3}]_2 [0]_0 [1]_2 [0]_0 [0]_0 [0]_2 [0]_0 [0]_0 [0]_0 [0]_2$	10	9		<u>3</u>
5:	$[\frac{2}{3}]_2 [\frac{2}{3}]_2 [\frac{1}{3}]_1 [0]_0 [1]_1 [0]_0 [0]_2 [0]_0 [\frac{1}{3}]_1 [0]_0 [0]_0 [0]_0$	10	12		<u>4</u>
9:	$[6]_*^+ [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	132	66		
1:	$[3]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0 [0]_0$	11**	12		<u>6</u>

7.1. Configuration 1. We subdivide the orbit \bar{o}_1 into five pairwise disjoint clusters $\mathbf{c}_1, \dots, \mathbf{c}_5$ constituting $\text{Orb}_5(\bar{o}_1, 6)$. Explicitly,

$$\mathbf{c}_k := \{l \in \bar{o}_1 \mid l_k \cdot \bar{h}_k = \frac{1}{3}\}, \quad k \in \mathcal{K} := \{k \in \Omega \mid \bar{h}_k = \frac{2}{3}\}.$$

Then, arguing as in §3.4, we compute $\mathcal{B}_{58}(\bar{o}_1) = \emptyset$.

7.2. Configuration 2. There are four sets $\mathcal{L} \in \mathcal{B}_{30}(\bar{o}_1)$. One, denoted $\mathcal{L}_{130}^{\text{ii}}$, is maximal and has 130 lines; it is characterized by the pattern (see Remark 3.5)

$$(7.2) \quad \pi := \langle\langle 6, 0, 10, 0, 0 \rangle\rangle.$$

The three other sets are of rank 19; extending them by an extra orbit (see §3.2.3), we arrive at a number of sets of size $|\mathcal{L}| \leq 118$ and one, up to $O_{\bar{h}}(N)$, maximal set $\mathcal{L}_{124}^{\text{iii}}$ of size 124. The latter is characterized by any of the five patterns

$$(7.3) \quad \pi_{\mathbf{c}} = \langle\langle 5|4, 2, 8, 0, 0 \rangle\rangle, \quad \mathbf{c} := \mathbf{c}_1 \in \text{Orb}_5(\bar{o}_1, 16);$$

explicitly, $\mathbf{c} = \{l \in \bar{o}_1 \mid l_k \cdot \bar{h}_k \neq \frac{1}{3}\}$ for some $k \in \mathcal{K}$ (see §7.1).

On the other hand, there are 13 sets $\mathcal{L} \in \mathcal{B}_6(\bar{o}_2 \cup \bar{o}_3 \cup \bar{o}_4 \cup \bar{o}_4^*)$, all saturated and with $|\mathcal{L}| \leq 94$. One set is of rank 19; extending it by an extra orbit (see §3.2.3), we obtain a number of sets with at most 92 lines.

7.3. Configuration 3. There is a single set $\mathcal{L} \in \mathcal{B}_{14}(\bar{o}_3)$; this set is maximal, and one has $|\mathcal{L}| = 120$.

7.4. Configuration 4. There are 733 sets $\mathcal{L} \in \mathcal{B}_{14}(\bar{o}_1)$, which are all saturated; we have $|\mathcal{L}| \leq 126$. Extending the 32 sets of rank 19 by a maximal orbit (see §3.2.2), we arrive at $|\mathcal{L}| \leq 112$. The only, up to $O_{\bar{h}}(N)$, set $\mathcal{L}_{126}^{\text{iv}}$ with 126 lines is characterized by any of the four patterns

$$(7.4) \quad \pi_{\mathbf{c}} = \langle\langle 2, 0, 3|2 \rangle\rangle, \quad \mathbf{c} := \mathbf{c}_3 \in \text{Orb}_4(\bar{o}_3, 6).$$

On the other hand, there are 105 sets $\mathcal{L} \in \mathcal{B}_{14}(\bar{o}_2 \cup \bar{o}_3)$, which are all of rank 18 or 19. Extending them by a maximal orbit (see §3.2.2), we arrive at $|\mathcal{L}| \leq 118$.

7.5. Configuration 6. There are 16 sets $\mathcal{L} \in \mathcal{B}_{48}(\bar{o}_3)$. One of them, denoted $\mathcal{M}_{144}^{\text{ii}}$, is maximal and contains 144 lines. It is determined by the pattern

$$(7.5) \quad \pi = \langle\langle 0, 0, 9 \rangle\rangle.$$

Extending the remaining 15 sets by one or two extra orbits (see §3.2.3), we obtain, among others, a set with 124 lines and one with 128 lines. The latter, denoted by $\mathcal{L}_{128}^{\text{v}}$, is characterized by the pattern

$$(7.6) \quad \pi = \langle\langle 0, 2, 7 \rangle\rangle.$$

The 124-element set $\mathcal{L}_{124}^{\text{vi}}$ is characterized by any of the six patterns

$$(7.7) \quad \pi_{\mathbf{c}} = \langle\langle 0, 3|2, 7|6 \rangle\rangle,$$

where $\mathbf{c} := \mathbf{c}_3 \in \text{Orb}_6(\bar{o}_3, 8)$ and $\mathbf{c}_2 \in \text{Orb}_1(\bar{o}_2, 4, \text{stab } \mathbf{c})$ is determined by \mathbf{c} .

7.6. **Configuration 7.** There are 244 sets $\mathfrak{L} \in \mathcal{B}_{22}(\bar{\mathfrak{o}}_3)$, all saturated. One of these sets, denoted \mathfrak{S}_{132}^{iii} , has 132 lines; it is determined by the pattern

$$(7.8) \quad \pi = \langle\langle 3, 0, 4, 0, 0, 0 \rangle\rangle.$$

For the other sets, one has $|\mathfrak{L}| \leq 116$. Twenty sets are of rank 19; extending them by a maximal orbit (see §3.2.2), we obtain at most 120 lines.

On the other hand, there are nine sets $\mathfrak{L} \in \mathcal{B}_8(\bar{\mathfrak{o}}_1 \cup \bar{\mathfrak{o}}_2 \cup \bar{\mathfrak{o}}_4 \cup \bar{\mathfrak{o}}_5 \cup \bar{\mathfrak{o}}_5^*)$, which are all saturated and have $|\mathfrak{L}| \leq 104$. Extensions of the two sets of rank 19 by an extra orbit (see §3.2.3) have at most 108 lines.

7.7. **Configuration 8.** There are 94 sets $\mathfrak{L} \in \mathcal{B}_9(\bar{\mathfrak{o}}_5)$. Most are maximal, and one has $|\mathfrak{L}| \leq 116$. The extensions of the two sets of rank 19 by a maximal orbit (see §3.2.2) are maximal sets with at most 110 lines. \square

8. THE LATTICE $N(24\mathbf{A}_1)$

The results of this section are summarized by the following theorem.

Theorem 8.1. *Let $\mathfrak{L} \subset N(24\mathbf{A}_1)$ be a geometric set. Then either*

- $|\mathfrak{L}| = 144$, and then \mathfrak{L} is conjugate to \mathfrak{M}_{144}^{iii} , see (8.10), or
- $|\mathfrak{L}| = 132$, and then \mathfrak{L} is conjugate to \mathfrak{S}_{132}^{iv} , see (8.2), \mathfrak{S}_{132}^v , see (8.3), \mathfrak{S}_{132}^{vi} , see (8.11), or \mathfrak{S}_{132}^{vii} , see (8.12),

or $|\mathfrak{L}| \leq 130$.

Proof. We proceed as in the previous sections. Each component $v_k \in D_k^\vee$, $k \in \Omega = [1, \dots, 24]$, of a vector $v \in N$ is a multiple of the generator $r_k \in D_k$. To save space, we use the notation

$$\cdot \text{ (if } v_k = 0\text{), } - \text{ (if } v_k = \pm \frac{1}{2}r_k\text{), } \circ \text{ (if } v_k = \pm r_k\text{), } \bullet \text{ (the position of } \bar{r}\text{)}.$$

The signs always agree, so that $\bar{h}_k \cdot l_k \geq 0$ for any line $l \in \mathfrak{F}(\bar{h})$ and $k \in \Omega$.

There are three configurations.

1:	○○○●.....	512	256	→	160 ✓
1:	----.....	16**	32	16	→ <u>10</u> (3)
2:	-----○●-----	464	240	→	184
1:	-----.....	56*	8	4	→ <u>3</u> (3)
2:	○.....○.....	8	1		<u>1</u>
3:	-----●-----	440	220		
1:	-----.....	110*	4		<u>2</u>

Fix a basis $\{r_k\}$, $k \in \Omega$, for $24\mathbf{A}_1$ consisting of roots. The kernel

$$N \bmod 24\mathbf{A}_2 \subset \text{discr } 24\mathbf{A}_1 \cong (\mathbb{Z}/2)^{24}$$

of the extension is the Golay code \mathcal{C}_{24} (see [2]). The map supp identifies codewords with subsets of Ω ; then, \mathcal{C}_{24} is invariant under complement and, in addition to \emptyset and Ω , it consists of 759 octads, 759 complements thereof, and 2576 dodecads.

To simplify the notation, we identify the basis vectors r_k (assumed fixed) with their indices $k \in \Omega$. For a subset $\mathcal{S} \subset \Omega$, we let $\bar{1}_{\mathcal{S}} := \sum r, r \in \mathcal{S}$, and abbreviate $[\mathcal{S}] := \frac{1}{2}\bar{1}_{\mathcal{S}} \in N$ if $\mathcal{S} \in \mathcal{C}_{24}$ is a codeword.

8.1. **Configuration 1.** We have $|\text{stab } \bar{h}| = 5760$ and \bar{h} is the sum of three roots. Using patterns, we compute the set $\mathcal{B}_{38}(\bar{\mathfrak{o}}_1)$, establishing the bound $|\mathfrak{L}| \leq 120$.

8.2. **Configuration 2.** We have $|\text{stab } \bar{h}| = 1344$ and $\bar{h} = [\mathcal{O}] + r_{\bar{h}}$, where $\mathcal{O} \in \mathcal{C}_{24}$ is an octad and $r_{\bar{h}} \notin \mathcal{O}$. Let $\mathcal{K} := \Omega \setminus (\mathcal{O} \cup \{r_{\bar{h}}, \bar{r}\})$ and break $\bar{\mathfrak{o}}_1$ into eight clusters

$$\mathbf{c}_o := \{\mathfrak{o} \subset \bar{\mathfrak{o}}_1 \mid (\mathcal{K} \cap \text{supp } \mathfrak{o}) \subset o\}, \quad o \in \mathcal{C}_{24}, \quad |o| = 8, \quad o \cap \mathcal{O} = \emptyset, \quad \bar{r} \notin o.$$

They constitute the orbit $\text{Orb}_8(\bar{\mathfrak{o}}_1, 14)$. Each combinatorial orbit $\mathfrak{o} \subset \bar{\mathfrak{o}}_1$ belongs to two clusters, and each pair of clusters intersects in a single pair of dual orbits.

The set $\mathcal{B}_{52}(\bar{\mathfrak{o}}_1)$ is computed cluster by cluster, as explained in §3.4. We arrive at a number of sets \mathfrak{L} of size $|\mathfrak{L}| \leq 120$ and a few those with $124 \leq |\mathfrak{L}| \leq 132$. All sets are maximal. The large sets found can be described as

$$\mathfrak{L} = \bar{\mathfrak{o}}_1 \cap \text{span}(\bar{r}, \bar{h}, \bar{u}_s, v)^\perp,$$

where

- \bar{r} and $\bar{h} := [\mathcal{O}] - 2r_{\bar{h}} = \bar{h} - 3r_{\bar{h}}$ generate the subspace $\bar{\mathfrak{o}}_1^\perp \subset N$,
- $\bar{u}_s := \bar{1}_{\mathcal{K}} - 2s$ for a certain fixed point $s \in \mathcal{O}$,

and the extra vector v is specified below, using the *ad hoc* notation

- $\bar{v}_o := [\mathcal{O} \setminus o] - [\mathcal{O} \cap o]$ for a codeword $o \in \mathcal{C}_{24}$.

Then, the large sets are as follows:

$$(8.2) \quad \mathfrak{L}_{132}^{\text{iv}} : v = k, \quad k \in \mathcal{K};$$

$$(8.3) \quad \mathfrak{L}_{132}^{\text{v}} : v = \bar{v}_o, \quad \bar{r} \in o, r_{\bar{h}} \in o, s \in o, \quad |o \cap \mathcal{O}| = 2, |o| = 8;$$

$$(8.4) \quad \mathfrak{L}_{126}^{\text{vii}} : v = \bar{v}_o, \quad \bar{r} \notin o, r_{\bar{h}} \in o, s \in o, \quad |o \cap \mathcal{O}| = 2, |o| = 8;$$

$$(8.5) \quad \mathfrak{L}_{126}^{\text{viii}} : v = \bar{v}_o + 2r_{\bar{h}}, \quad \bar{r} \in o, r_{\bar{h}} \notin o, s \in o, \quad |o \cap \mathcal{O}| = 4, |o| = 8;$$

$$(8.6) \quad \mathfrak{L}_{126}^{\text{ix}} : v = \bar{1}_o, \quad \bar{r} \in o, r_{\bar{h}} \notin o, s \notin o, \quad |o \cap \mathcal{O}| = 0, |o| = 8;$$

$$(8.7) \quad \mathfrak{L}_{126}^{\text{x}} : v = \bar{v}_o, \quad \bar{r} \notin o, r_{\bar{h}} \in o, s \in o, \quad |o \cap \mathcal{O}| = 2, |o| = 12;$$

$$(8.8) \quad \mathfrak{L}_{124}^{\text{xi}} : v = \bar{v}_o, \quad \bar{r} \in o, r_{\bar{h}} \in o, s \in o, \quad |o \cap \mathcal{O}| = 2, |o| = 12;$$

$$(8.9) \quad \mathfrak{L}_{124}^{\text{xii}} : v = \bar{1}_o - 2r_{\bar{h}}, \quad \bar{r} \in o, r_{\bar{h}} \in o, s \notin o, \quad |o \cap \mathcal{O}| = 2, |o| = 8.$$

In each case, it is straightforward that the set of data required for the description is unique up to $O_{\bar{h}}(N)$.

8.3. **Configuration 3.** We have $|\text{stab } \bar{h}| = 7920$ and $\bar{h} = [\mathcal{O}]$, where $\mathcal{O} \in \mathcal{C}_{24}$ is a dodecad. Let $\mathcal{K} := \Omega \setminus (\mathcal{O} \cup \bar{r})$. Each support $o := \text{supp } \mathfrak{o}$, $\mathfrak{o} \in \bar{\mathfrak{o}}_1$, is an octad, so that $|o \cap \mathcal{O}| = 6$ and $|o \cap \mathcal{K}| = 2$; conversely, each 2-element set $s \subset \mathcal{K}$ extends to a unique pair of such octads, representing a pair of dual orbits $\mathfrak{o}, \mathfrak{o}^* \subset \bar{\mathfrak{o}}_1$. We break $\bar{\mathfrak{o}}_1$ into eleven clusters

$$\mathbf{c}_k := \{\mathfrak{o} \subset \bar{\mathfrak{o}}_1 \mid \text{supp } \mathfrak{o} \ni k\}, \quad k \in \mathcal{K}.$$

Each orbit belongs to two clusters, and each pair of clusters intersects in a single pair of dual orbits. We compute the set $\mathcal{B}_{38}(\bar{\mathfrak{o}}_1)$ cluster by cluster, as explained in §3.4. Note that the first cluster \mathbf{c} has $|\mathfrak{L} \cap \mathbf{c}| \geq 24$ (and, hence, $\delta_0(\mathbf{c}) \geq 4$) and, in case of equality, also $|\mathfrak{L} \cap \mathbf{c}_k| = 24$ for each $k \in \mathcal{K}$. In this latter case, we reduce overcounting by using the following observations:

- if $\delta_0(\mathbf{c}) = 6$, there is exactly one other cluster \mathbf{c}' with $\delta_0(\mathbf{c}') = 6$, so that $\mathfrak{L} \cap \mathfrak{o} = \mathfrak{L} \cap \mathfrak{o}^* = \emptyset$ for the two orbits $\mathfrak{o}, \mathfrak{o}^* \subset \mathbf{c} \cap \mathbf{c}'$;

- if $\delta_0(\mathbf{c}) = 4$, then $\delta_0(\mathbf{c}_k) = 4$ for each $k \in \mathcal{K}$ (thus, no preferred order), and we can choose \mathbf{c}' so that $|\mathfrak{L} \cap \mathfrak{o}| = |\mathfrak{L} \cap \mathfrak{o}^*| = 1$ for $\mathfrak{o}, \mathfrak{o}^* \subset \mathbf{c} \cap \mathbf{c}'$.

In these two cases, we start with the pair \mathbf{c}, \mathbf{c}' and employ the extra symmetry.

The result is one maximal set $\mathfrak{M}_{144}^{\text{iii}}$ and two submaximal sets $\mathfrak{S}_{132}^{\text{vi}}, \mathfrak{S}_{132}^{\text{vii}}$. As a by-product, we have found six sets \mathfrak{L} with $124 \leq |\mathfrak{L}| \leq 130$ and a number of sets of size $|\mathfrak{L}| \leq 120$. Most large sets can be described as

$$\mathfrak{L} = \bar{\mathfrak{o}}_1 \cap \text{span}(\bar{r}, \bar{1}_{\mathcal{K}}, r, v)^\perp,$$

where $r \in \mathcal{K}$ is a certain fixed point and the extra vector v is described below. This description depends on a codeword $o \in \mathcal{C}_{24}$ (we use the shortcut $\bar{w}_o := 3\bar{v}_o + \bar{1}_{\mathcal{O}}$, where \bar{v}_o is as in §8.2) and, occasionally, an extra point $s \in o \cap \mathcal{O}$ or $t \in \mathcal{K} \setminus r$. Then, the large sets are as follows:

$$(8.10) \quad \mathfrak{M}_{144}^{\text{iii}} : v = t;$$

$$(8.11) \quad \mathfrak{S}_{132}^{\text{vi}} : v = \bar{1}_o - 2s, \quad \bar{r} \notin o, r \notin o, \quad |o \cap \mathcal{O}| = 2, |o| = 8;$$

$$(8.12) \quad \mathfrak{S}_{132}^{\text{vii}} : v = \bar{w}_o, \quad \bar{r} \in o, r \in o, \quad |o \cap \mathcal{O}| = 4, |o| = 8;$$

$$(8.13) \quad \mathfrak{L}_{130}^{\text{iii}} : v = \bar{1}_o - 2s, \quad \bar{r} \in o, r \notin o, \quad |o \cap \mathcal{O}| = 2, |o| = 8;$$

$$(8.14) \quad \mathfrak{L}_{128}^{\text{xiv}} : v = \bar{w}_o - 6t, \quad \bar{r} \in o, r \in o, t \in o, \quad |o \cap \mathcal{O}| = 4, |o| = 8;$$

$$(8.15) \quad \mathfrak{L}_{126}^{\text{xv}} : v = \bar{w}_o, \quad \bar{r} \notin o, r \in o, \quad |o \cap \mathcal{O}| = 4, |o| = 8;$$

$$(8.16) \quad \mathfrak{L}_{126}^{\text{xvi}} : v = \bar{w}_o, \quad \bar{r} \notin o, r \in o, \quad |o \cap \mathcal{O}| = 4, |o| = 12;$$

$$(8.17) \quad \mathfrak{L}_{124}^{\text{xvii}} : v = \bar{w}_o, \quad \bar{r} \notin o, r \notin o, \quad |o \cap \mathcal{O}| = 4, |o| = 8.$$

In (8.17) we require, in addition, that the 6-element set $(o \cap \mathcal{O}) \cup \{\bar{r}, r\}$ should not be contained in an octad. Under this extra assumption, the set of data needed for the description is unique up to $O_{\bar{h}}(N)$. \square

Remark 8.18. In §8.3, there is one more 126-element set \mathfrak{L} . However, since \mathfrak{L} is graph isomorphic to $\mathfrak{L}_{126}^{\text{xv}} \cong \mathfrak{L}_{126}^{\text{xvi}}$ and, on the other hand, we do not assert the completeness in this range, we omit its description, which is more complicated.

Remark 8.19. In the course of this computation, we have also observed all even line counts $38 \leq |\mathfrak{L}| \leq 120$ realized by geometric sets of rank 20.

9. PROOFS OF THE MAIN RESULTS

In this concluding section, we fill in a few missing links to complete the proofs of the principal results of the paper stated in the introduction.

9.1. Proof of Theorem 1.2 and Addendum 1.3. As explained in §2.2, instead of counting tritangents to smooth sextics one can study (doubling the numbers) the Fano graphs of smooth 2-polarized $K3$ -surfaces. By Theorem 2.1, the latter task is equivalent to the study of the Fano graphs of certain 2-polarized lattices $NS \ni h$, and Proposition 2.4 and subsequent definitions reduce it further to the study of geometric subsets $\mathfrak{L} \subset \mathfrak{F}(\bar{h})$ in 6-polarized Niemeier lattices $N \ni \bar{h}$ other than the Leech lattice Λ (as we can always assume that there is a root $\bar{r} \in \bar{h}^\perp$). This is done in Theorems 5.1, 6.1, 7.1, and 8.1, and there remains to observe that all sets of size 144 are isomorphic as abstract graphs,

$$(1) \text{ size } 144: \mathfrak{M}_{144}^{\text{i}} \cong \mathfrak{M}_{144}^{\text{ii}} \cong \mathfrak{M}_{144}^{\text{iii}}, T = [12, 6, 12]^*,$$

and there are two isomorphism classes of sets of size 132:

- (2) size 132: $\mathfrak{G}_{132}^i \cong \mathfrak{G}_{132}^{ii} \cong \mathfrak{G}_{132}^{iii} \cong \mathfrak{G}_{132}^{iv} \cong \mathfrak{G}_{132}^v \cong \mathfrak{G}_{132}^{vi}$, $T = [2, 0, 66]^*$,
(3) size 132: \mathfrak{G}_{132}^{vii} , $T = [4, 0, 32]^*$.

The graphs are compared by means of the **GRAPE** package [13, 14, 28] in **GAP** [9]. *A posteriori*, the large graphs \mathfrak{L} found in the paper are distinguished by their size $|\mathfrak{L}|$, discriminant form $\text{discr}(\text{span}_{\mathbb{Z}} \mathfrak{L})$, and, in a few cases below, the size $|\text{Aut } \mathfrak{L}|$ of the group of abstract graph automorphisms (also computed by **GRAPE**). Instead of $\text{discr}(\text{span}_{\mathbb{Z}} \mathfrak{L})$, we give a list of representatives of the genus of the transcendental lattice $T := NS^{\perp}$ of the corresponding 2-polarized $K3$ -surface, using the inline notation $[2a, b, 2c]$ for the even rank 2 form $T = \mathbb{Z}u + \mathbb{Z}v$, $u^2 = 2a$, $u \cdot v = b$, $v^2 = 2c$. The meaning of the superscript $*$ is explained in §9.2(1) below.

This observation establishes the bounds stated in [Theorem 1.2](#); the uniqueness is proved in §9.2 below. For the record, we give a similar classification for the other large geometric sets found in the course of the computation and described elsewhere in the paper:

- (4) size 130: $\mathfrak{L}_{130}^i \cong \mathfrak{L}_{130}^{ii} \cong \mathfrak{L}_{130}^{xiii}$, $T = [12, 3, 12]^*$;
(5) size 128: $\mathfrak{L}_{128}^v \cong \mathfrak{L}_{128}^{xiv}$, $T = [12, 2, 12]^*$;
(6) size 126: $\mathfrak{L}_{126}^{vii} \cong \mathfrak{L}_{126}^{viii} \cong \mathfrak{L}_{126}^{xv} \cong \mathfrak{L}_{126}^{xvi}$, $T = [2, 1, 72]^*$, $[6, 1, 24]$, or $[8, 1, 18]$;
(7) size 126: $\mathfrak{L}_{126}^{iv} \cong \mathfrak{L}_{126}^x$, $|\text{Aut } \mathfrak{L}| = 144$, $T = [14, 7, 14]^*$;
(8) size 126: \mathfrak{L}_{126}^{ix} , $|\text{Aut } \mathfrak{L}| = 504$, $T = [14, 7, 14]^*$;
(9) size 124: $\mathfrak{L}_{124}^{iii} \cong \mathfrak{L}_{124}^{vi} \cong \mathfrak{L}_{124}^{xi} \cong \mathfrak{L}_{124}^{xii} \cong \mathfrak{L}_{124}^{xvii}$, $T = [4, 0, 38]^*$ or $[6, 2, 26]$.

Besides, we have found nine isomorphism classes of geometric sets of size 120. Note that, unlike (1)–(3), we do not assert the completeness of these lists.

The statement of [Addendum 1.3](#) is essentially given by [Remark 8.19](#) and the above list, as geometric sets with fewer than 38 lines are easily constructed directly, mostly within an appropriate single combinatorial orbit \mathfrak{o} .

9.2. Proof of [Theorem 1.2](#) (uniqueness). In full agreement with [Corollary 2.7](#), all large geometric sets listed in §9.1 are of the maximal rank $\text{rk } \mathfrak{L} = 20$. Therefore, the isomorphism classes of the smooth 2-polarized $K3$ -surfaces (or, equivalently, the projective equivalence classes of sextics $C \subset \mathbb{P}^2$) with the given Fano graph $\text{Fn}(X, h) \cong \mathfrak{L}$ are given by the global Torelli theorem [20] (*cf.* also [7, Theorem 3.11]) as the classes of primitive embeddings $NS \hookrightarrow L := -2\mathbf{E}_8 \oplus 3\mathbf{U}$ up to the group $O_h^+(L)$ of auto-isometries of L preserving h and the *positive sign structure* (*i.e.*, orientation of maximal positive definite subspaces of $L \otimes \mathbb{R}$; here, $NS \ni h$ is the 2-polarized lattice obtained from a mild extension $S \supset \text{span } \mathfrak{L} \ni \bar{h}$ by the inverse construction of §2.4).

The classification of embeddings is done using Nikulin [17]. With an extension S (and, hence, lattice NS) fixed, the genus of the transcendental lattice $T := NS^{\perp}$ is determined by the discriminant $\text{discr } NS \cong -\text{discr } T$. Then, for each representative T of this genus, the isomorphism classes of the embeddings with $NS^{\perp} \cong T$ are in a one-to-one correspondence with the double cosets

$$O_h(NS) \backslash \text{Aut}(\text{discr } NS) / O^+(T).$$

There are obvious identities and inclusions

$$O_h(NS) = O_{\bar{h}}(S) \subset O_{\bar{h}}(\text{span } \mathfrak{L}) \subset O_{\bar{h}}(\text{span}_{\mathbb{Z}} \mathfrak{L}) = \text{Aut } \mathfrak{L}.$$

Besides, we have the following lemma.

Lemma 9.1. *Let $\mathfrak{L} \subset N$ be a geometric set, and assume that*

$$\mathrm{rk} \mathfrak{L} = 20, \quad \det(\mathrm{span}_{\mathbb{Z}} \mathfrak{L}) < 1296.$$

Then the only mild extension $S \supset \mathrm{span} \mathfrak{L}$ is $S = \mathrm{span} \mathfrak{L} = \mathrm{span}_{\mathbb{Z}} \mathfrak{L}$.

Proof. For the Néron–Severi lattice $NS(X)$ of a $K3$ -surface X corresponding to S we have

$$|\det NS(X)| = \det(\mathrm{span}_{\mathbb{Z}} \mathfrak{L})/3i^2, \quad i := [\mathrm{span}_{\mathbb{Z}} : S].$$

On the other hand, since X is smooth and of the maximal Picard rank 20, we have $|\det NS(X)| \geq 108$ by [5, Theorem 1.5]. This implies $i < 2$, hence $i = 1$. \square

Lemma 9.1 applies to all geometric sets listed in §9.1(1)–(9) (and to the nine sets of size 120 mentioned thereafter). Then, a direct computation shows that the natural map $\mathrm{Aut} \mathfrak{L} \rightarrow \mathrm{Aut}(\mathrm{discr} NS)$ is surjective. This fact renders the other group $O^+(T)$ redundant and proves that each pair (\mathfrak{L}, T) listed is realized by either

- (1) a single curve $C \cong \bar{C}$ (marked with a * in the list) or
- (2) a pair C, \bar{C} of complex conjugate curves.

(The former is the case whenever T admits an orientation reversing auto-isometry; note that we do not assert that the curve admits a real structure, although most likely it does.) In particular, each of the three configurations listed in items (1), (2), (3) is realized by a single curve, as stated in Theorem 1.2. \square

9.3. Proof of Theorem 1.4. Let $C \subset \mathbb{P}^2$ be a real sextic. By definition, this means that C is invariant under a certain fixed *real structure* (anti-holomorphic involution) $c: \mathbb{P}^2 \rightarrow \mathbb{P}^2$. This involution lifts to two commuting anti-holomorphic automorphisms c_{\pm} of the covering $K3$ -surface $\varphi: X \rightarrow \mathbb{P}^2$, so that $c_+ \circ c_- = \tau$ is the deck translation. *A priori*, c_{\pm} are either involutions or of order 4, with $c_{\pm}^2 = \tau$. However, if we assume that C has a real tritangent L , then at least one of the three tangency points (possibly, infinitely near) must be real; thus, the ramification locus of φ has a real point and both lifts c_{\pm} are involutions, *i.e.*, real structures on X . Furthermore, we can select c_+ so that both pull-backs $L_1, L_2 \subset \varphi^{-1}(L)$ are real (and then they are complex conjugate with respect to c_-); then, the pull-backs $L'_1, L'_2 \subset \varphi^{-1}(L')$ of any other real tritangent L' are also real, as each of L'_i intersects exactly one of L_1, L_2 at a single point, which must be real.

Thus, we reduce the problem to counting real lines in a real 2-polarized $K3$ -surface (X, h) . More precisely, this means that we fix a real structure $c: X \rightarrow X$, $c_*(h) = -h$, and count lines $L \subset X$ satisfying $c_*[L] = -[L]$. (Recall that each line is unique in its homology class and that anti-holomorphic maps reverse the orientation of complex curves.) Arguing as in [7], we can perturb the period of X to change $NS(X)$ to the sublattice rationally generated by the real lines; then, *all* lines in the new surface X are real and $\mathrm{Ker}(1 - c_*) \subset T(X) = NS(X)^{\perp}$. Using the classification of real structures found in [17], we obtain the following statement.

Lemma 9.2 (*cf.* [7, Lemma 3.10]). *A smooth 2-polarized $K3$ -surface X is equilinear deformation equivalent to a real surface Y in which all lines are real if and only if the orthogonal complement $\mathrm{Fn}(X, h)^{\perp}$ contains \mathbf{A}_1 or $\mathbf{U}(2)$ as a sublattice. \triangleleft*

If $\mathrm{rk} \mathrm{Fn}(X, h) = 20$, the Picard rank $\mathrm{rk} NS(X) = 20$ is also maximal, the moduli space is finite, and the statement can be made more precise.

Lemma 9.3. *Let X be a 2-polarized K3-surface, $\text{rkFn}(X, h) = 20$. Then, the real structures $c: X \rightarrow X$ with respect to which all lines are real are in a one-to-one correspondence with pairs of roots $\pm r \in T(X)$. Under this correspondence, $-c_*$ is the reflection against the hyperplane $r^\perp \subset H_2(X; \mathbb{Z})$. \triangleleft*

There remains to examine the list found in §9.1 and observe that the maximum, which is 132 lines, is realized by a unique graph, *viz.* the one in item (2), and the corresponding transcendental lattice T contains a single pair of roots. The next *known* examples are item (6) with 126 lines and two of the nine graphs with 120 lines, but we do not assert the completeness of our lists in this range. \square

REFERENCES

1. Nicolas Bourbaki, *Lie groups and Lie algebras. Chapters 4–6*, Elements of Mathematics (Berlin), Springer-Verlag, Berlin, 2002, Translated from the 1968 French original by Andrew Pressley. MR 1890629 (2003a:17001)
2. J. H. Conway and N. J. A. Sloane, *Sphere packings, lattices and groups*, Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences], vol. 290, Springer-Verlag, New York, 1988, With contributions by E. Bannai, J. Leech, S. P. Norton, A. M. Odlyzko, R. A. Parker, L. Queen and B. B. Venkov. MR 920369 (89a:11067)
3. Alex Degtyarev, *Lines in supersingular quartics*, To appear, [arXiv:1604.05836](https://arxiv.org/abs/1604.05836), 2016.
4. ———, *Lines on Smooth Polarized K3-Surfaces*, Discrete Comput. Geom. **62** (2019), no. 3, 601–648. MR 3996938
5. ———, *Smooth models of singular K3-surfaces*, Rev. Mat. Iberoam. **35** (2019), no. 1, 125–172. MR 3914542
6. ———, *Tritangents to smooth sextic curves*, Preprint MPIM, 2019.
7. Alex Degtyarev, Ilia Itenberg, and Ali Sinan Sertöz, *Lines on quartic surfaces*, Math. Ann. **368** (2017), no. 1-2, 753–809. MR 3651588
8. Noam D. Elkies, *Upper bounds on the number of lines on a surface*, New Trends in Arithmetic and Geometry of Algebraic Surfaces, BIRS conference 17w5146, 2017.
9. GAP – Groups, Algorithms, and Programming, Version 4.10.1, <https://www.gap-system.org>, Feb 2019.
10. Víctor González-Alonso and Sławomir Rams, *Counting lines on quartic surfaces*, Taiwanese J. Math. **20** (2016), no. 4, 769–785. MR 3535673
11. Shigeyuki Kondō, *Niemeier lattices, Mathieu groups, and finite groups of symplectic automorphisms of K3 surfaces*, Duke Math. J. **92** (1998), no. 3, 593–603, With an appendix by Shigeru Mukai. MR 1620514
12. Vik. S. Kulikov, *Surjectivity of the period mapping for K3 surfaces*, Uspehi Mat. Nauk **32** (1977), no. 4(196), 257–258. MR 0480528 (58 #688)
13. Brendan D. McKay, *Nauty user’s guide (version 1.5)*, Tech. Report TR-CS-90-0, Australian National University, Computer Science Department, 1990.
14. Brendan D. McKay and Adolfo Piperno, *Practical graph isomorphism, II*, J. Symbolic Comput. **60** (2014), 94–112. MR 3131381
15. Shigeru Mukai, *Finite groups of automorphisms of K3 surfaces and the Mathieu group*, Invent. Math. **94** (1988), no. 1, 183–221. MR 958597
16. Hans-Volker Niemeier, *Definite quadratische Formen der Dimension 24 und Diskriminante 1*, J. Number Theory **5** (1973), 142–178. MR 0316384
17. V. V. Nikulin, *Integer symmetric bilinear forms and some of their geometric applications*, Izv. Akad. Nauk SSSR Ser. Mat. **43** (1979), no. 1, 111–177, 238, English translation: Math USSR-Izv. **14** (1979), no. 1, 103–167 (1980). MR 525944 (80j:10031)
18. ———, *Degenerations of Kählerian K3 surfaces with finite symplectic automorphism groups*, Izv. Ross. Akad. Nauk Ser. Mat. **79** (2015), no. 4, 103–158. MR 3397421
19. Ken-ichi Nishiyama, *The Jacobian fibrations on some K3 surfaces and their Mordell-Weil groups*, Japan. J. Math. (N.S.) **22** (1996), no. 2, 293–347. MR 1432379
20. I. I. Pjateckiĭ-Šapiro and I. R. Šafarevič, *Torelli’s theorem for algebraic surfaces of type K3*, Izv. Akad. Nauk SSSR Ser. Mat. **35** (1971), 530–572, English translation: Math. USSR-Izv. **5**, 547–588. MR 0284440 (44 #1666)

21. Sławomir Rams and Matthias Schütt, *112 lines on smooth quartic surfaces (characteristic 3)*, Q. J. Math. **66** (2015), no. 3, 941–951. MR 3396099
22. ———, *64 lines on smooth quartic surfaces*, Math. Ann. **362** (2015), no. 1-2, 679–698. MR 3343894
23. ———, *At most 64 lines on smooth quartic surfaces (characteristic 2)*, Nagoya Math. J. **232** (2018), 76–95. MR 3866501
24. B. Saint-Donat, *Projective models of $K3$ surfaces*, Amer. J. Math. **96** (1974), 602–639. MR 0364263 (51 #518)
25. Friedrich Schur, *Ueber eine besondere Classe von Flächen vierter Ordnung*, Math. Ann. **20** (1882), no. 2, 254–296. MR 1510168
26. B. Segre, *The maximum number of lines lying on a quartic surface*, Quart. J. Math., Oxford Ser. **14** (1943), 86–96. MR 0010431 (6,16g)
27. Ichiro Shimada and Tetsuji Shioda, *On a smooth quartic surface containing 56 lines which is isomorphic as a $K3$ surface to the Fermat quartic*, Manuscripta Math. **153** (2017), no. 1-2, 279–297. MR 3635983
28. Leonard H. Soicher, *GRAPE, GRaph Algorithms using PERmutation groups, Version 4.8.1*, <https://gap-packages.github.io/grape>, Oct 2018, Refereed GAP package.
29. Davide Cesare Veniani, *Lines on $K3$ quartic surfaces in characteristic 2*, Q. J. Math. **68** (2017), no. 2, 551–581. MR 3667213
30. ———, *The maximum number of lines lying on a $K3$ quartic surface*, Math. Z. **285** (2017), no. 3-4, 1141–1166. MR 3623744
31. ———, *Symmetries and equations of smooth quartic surfaces with many lines*, To appear, [arXiv:1708.01219](https://arxiv.org/abs/1708.01219), 2017.

DEPARTMENT OF MATHEMATICS, BILKENT UNIVERSITY, 06800 ANKARA, TURKEY
Email address: `degt@fen.bilkent.edu.tr`